

NET CONTENTS:

# METHOXYCHLOR 25

**{ 25% EMULSIFIABLE SOLUTION }**  
**CONTAINS 2 LBS. METHOXYCHLOR PER GALLON**

**FOR CONTROL OF INSECT PESTS OF  
CROPS AND STORED GRAIN**

ACCEPTED  
JUL 10 1974  
UNDER FEDERAL INSECTICIDE  
ACT FOR THE CONTROL OF PESTS  
REGISTERED UNDER 551-139 SUBJECT  
TO ATTACHED COMMENTS.

**ACTIVE INGREDIENTS:**

Methoxychlor*, technical .....	25%
Xylene .....	63%
Aromatic Petroleum Derivative Solvent .....	7%

<b>INERT INGREDIENTS:</b> .....	5%
<b>Total</b> .....	<b>100%</b>

\*Equivalent to 22% of 2,2 bis(p-methoxyphenyl)-1, 1,1-trichloroethane and 3% of other isomers and related compounds.

## WARNING

Keep out of reach of Children  
Avoid inhalation and contact with the skin.  
Wash with soap and water.  
Harmful if swallowed.

**FLAMMABLE MIXTURE**  
DO NOT USE, POUR, SPILL, OR STORE  
NEAR HEAT OR OPEN FLAME.

"This product is toxic to bees and should not be applied when bees are actively visiting the area."

EPA Reg. No. 551-139 EPA Est. 551-MA-1

## DIRECTIONS FOR USE

**MIST BLOWERS:** 4 gallons emulsifiable concentrate to 96 gallons water at 5 gallons per acre. Smaller areas, 1 1/2 pints to 39 pints water at 5 gallons per acre.

For all types of application thorough even coverage is essential for effective control.

### ELM BARK BEETLES

**How to Use:**

Hydraulic Sprayers: Mix 8 gallons per 100 gallons of spray. Apply enough spray to thoroughly cover all bark on trunk, limbs, and twigs (about 20-30 gallons of spray should cover a 50-foot elm tree).

Mist Blowers: Mix 5 gallons per 10 gallons of spray. Thoroughly cover all bark surfaces (2-3 gallons of spray should cover a 50-foot elm tree).

**When to use:**

Apply as a dormant treatment in the spring before leaves appear, when temperature is above 40°F. and there is no danger of freezing before spray dries.

## WARNING

**DO NOT USE IN POULTRY HOUSES**

**Fish and Wildlife WARNING** — This product is toxic to Fish. Keep out of lakes and streams and ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Shrimp and crab may be killed at application rates recommended on this label. Do not apply where these are important resources.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place.

551-139

7/10/1974

Page 1 of 2

272



## DIRECTIONS FOR USE

**HOUSEFLIES AND STABLE FLIES** (In Farm Buildings other than Dairy and Dairy Barns): Use 1 gal. per 10 gals. of water and apply at the rate of 1 gal. per 500 sq. ft. of surface. Spray particularly those areas where flies crawl or rest and congregate. Repeat application as infestations warrant.

**BEANS** (Mexican Bean Beetles, Leafhoppers): Apply 2 qts. per acre in sufficient water to give good coverage of both upper and lower leaf surfaces. Repeat in 2 weeks if infestations warrant.

**SOYBEANS, PEANUTS** (Velvetbean Caterpillars): Apply 2 qts. per acre in sufficient water to give coverage. Treat at first sign of infestation and repeat in 10 days if infestation warrants.

**ALFALFA and CLOVER**—Seed or Hay—(Alfalfa Weevils, Alfalfa Caterpillars, Lygus Bugs, Spittle Bugs, Leafhoppers): Apply 2-3 qts. per acre in sufficient water to cover. Begin application at first sign of infestation and repeat as infestations warrant. Do not treat during bloom.

**IMPORTANT. DO NOT APPLY TO CROPS WITHIN 7 DAYS BEFORE HARVEST.**

**MOSQUITO CONTROL** (Non Agricultural Land-Parks, Beaches, Public & Residential Areas, and dumps, Marshlands, Swamps and low lying areas) By Thermal Fogging and Mist Blowers. For Adults and Larvae. Use either light fuel oil or water. Mix 1 pint to make 10 gallons of spray for 1 acre of larvae. Repeat as infestation warrants. Apply only to known mosquito breeding sites. Thermal Foggers: 3 1/2 gallons emulsifiable concentrate to 96 1/2 gallons light fuel oil at 5-7 gallons per acre. Smaller areas, 1 pint to 37 pints light fuel oil. 5 gallons per acre. Avoid fogging when winds exceed 5 mph.