

PARATHION & EMULSIFIABLE

A water dispersible concentrate containing
8 Pounds Parathion per gallon

DIRECTIONS FOR USE

To control aphids and red spider (mites) on peas, alfalfa, carrots, cotton, potatoes, corn, beans, cabbage and cole crops, spinach, oats, wheat and barley, use 1/3 to 1/2 pint per acre.

Dilute above amount in 10 gallons of water per acre for airplane application, and in 20 gallons of water per acre by ground application. Repeat application when necessary. To control woolly apple aphid, rosy ^{apple aphid} and green apple aphids, red spider (mites) on apples, use 1/3 to 1/2 pint per 100 gallons of spray.

Treated fruit peels should not be used for food consumption.

② Do not use with strongly alkaline materials.
DO NOT USE TREATED CARROT TOPS FOR FOOD OR FEED.

Do not apply to peas within 10 days of harvest; to cabbage, cole crops, spinach within 21 days of harvest. To apples within 14 days of harvest.

To alfalfa, beans, oats, wheat and barley, carrots (21 days if treated tops are to be used for food or feed) within 15 days of harvest. Make no application to potatoes within 5 days of harvest. To cotton 5 days before hand picking (15 days if cotton trash is to be fed to dairy animals or animals being finished for slaughter.) Do not apply to corn within 12 days of picking, cutting or forage.

① DELETE



POISON



DANGER

KEEP OUT OF REACH OF CHILDREN

(See back panel or side panel for additional precautions)

INGREDIENTS

ACTIVE INGREDIENTS:

Parathion* 80%

INERT INGREDIENTS:

..... 20%

*O, O-diethyl O-p-nitrophenyl thiophosphate

⑤ MANUFACTURED BY:
BAIRD & McGUIRE, INC.
HOLBROOK, MASS.

ACCEPTED

JUL 2 - 1970

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 551-170 SUBJECT
TO ATTACHED COMMENTS.

USDA REG.
NO. 551-170

③

DANGER WARNING:

absorbed through
get in eyes or on
clothing and go
with soap and
passed by the U
protection. Keep
areas or vicinity
areas should not
volatile residues
and foodstuffs.
soap and water
contaminated clothi

Avoid excessive

THIS PRO

NOTE TO PHY.
atropine, prefer
tablets at once
quired up to 30
morphine. Clear
tion and/or oxy
serve patient co

NET C

LIABLE

containing
llon



REN
precautions)

..... 80%
..... 20%
e

BY:
RE, INC.
SS.

USDA REG.
NO. 551-170

3

DANGER

WARNING: Poisonous if swallowed, inhaled, or absorbed through skin! Rapidly absorbed through skin. Do not get in eyes or on skin. Wear natural rubber gloves, protective clothing and goggles. In case of contact wash immediately with soap and water. Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for parathion protection. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not contaminate feed and foodstuffs. Wash hands, arms, and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

Avoid excessive residues at harvest time.

THIS PRODUCT IS NOT TO BE SOLD FOR HOME GARDEN USE.

NOTE TO PHYSICIAN: If warning symptoms occur, give atropine, preferably by injection, grains 1/100 two or three tablets at once and parenterally or orally every hour as required up to 30 tablets or until pupils dilate. Never give morphine. Clear chest by postural drainage. Artificial respiration and/or oxygen administration may be necessary. Observe patient continuously for forty-eight hours.

NET CONTENTS GALLONS

TO BE APPLIED ONLY BY EXPERIENCED APPLICATORS

READ DIRECTIONS CAREFULLY BEFORE USING

DANGER! POISONOUS BY CONTACT ON THE SKIN, BY SWALLOWING, BY BREATHING, REPEATED EXPOSURE MAY BE INCREASINGLY HAZARDOUS. Do not get on skin, in eyes, or on clothing. Do not breathe vapors or spray mists. Do not use on excessively hot days or in confined spaces. Keep away from feed and food products. Wash thoroughly after handling and before eating and smoking. If you suspect excessive exposure, see a doctor.

Atropine is antidotal. ^{ALSO 2-PAM AS HUMAN ANTIDOTE} Consult your physician for an emergency supply.

SYMPTOMS: Tightening of the chest, difficulty in breathing, nervousness, blurred vision, pin-point pupils, upset stomach, vomiting, diarrhea, or cramps. If any of these symptoms are noted, stop work at once, take two atropine tablets (each 1/100 gr.) and send for a doctor at once.

ANTIDOTE: CALL A PHYSICIAN AT ONCE. If swallowed, induce vomiting by giving a common emetic such as strong soap solution or salt solution (1 tablespoon salt in a glass of warm water). Administer milk or water freely. Have patient lie down and keep warm. Never give anything by mouth to an unconscious person. In case of contact, immediately remove all contaminated clothing and wash skin with soap and water. Wash eyes with flowing water for at least 15 minutes.

Wash contaminated clothing before re-use.
6 BIRDS FEEDING ON TREATED AREAS MAY BE KILLED.
This product is toxic to fish and wildlife. Keep out of lakes, streams and ponds. Rinse equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed by burying with wastes or by burning. (Keep out of smoke.)