

Net Contents

## DIRECTIONS

As a general foliar spray on shade trees and ornamentals. Apply thoroughly to all plant surfaces when insects appear. Repeat as necessary.

### List of Insects Controlled

Aphids Mites	Most Shade Trees & Ornamentals	When insects appear
Lacebug	Andromeda, Azalea, Hawthorn, Oak, Sycamore	When small nymphs appear
Cankerworm Tent Caterpillar Gypsy Moth Elm Leaf Beetle Willow Leaf Beetle	Most Deciduous Shade Trees & Shrubs	When small worms first appear
Japanese Beetle adult Certain Leaf hoppers Mealy Bug	Many Deciduous Shade Trees & Shrubs	When insects appear
Leaf Miners	Birches, Holly, Boxwood	Early to mid May Repeat in 10 days
Sawflies European Pine Shoot Moth	All Pines	When first small worms appear
Oyster Shell Euonymus Pine Needle and Juniper Scales	Many Ornamentals & Shade Trees	Apply when scale crawlers first appear

Use 2 quarts per 100 gallons water in a Hydraulic Sprayer, except for aphids, mites, mealy bugs and European pine shoot moth use 1 gallon per 100 gallons. For leaf miners and juniper scales use 5 quarts per 100 gallons and, for pine needle scale use 2 1/2 gallons per 100 gallons. For mist blowers use approximately 8 times the above concentrations adjusted in accordance with the manufacturers directions and capacity of the mist blower.

# BAIRD'S SHADE TREE INSECT SPRAY

## AN EMULSIFIABLE FOLIAR SPRAY FOR HYDRAULIC & MIST BLOWERS

Contains: Methoxychlor-Malathion-Kelthane<sup>1</sup>

### ACTIVE INGREDIENTS

*Methoxychlor, Technical	24.00%
**Malathion	13.00%
1,1-Bis(4-chlorophenyl)-2,2,2-trichloroethanol	3.00%
INERT INGREDIENTS	60.00%
	100.00%

<sup>1</sup>Equivalent to 21.1% of 2,2-bis(4-methoxyphenyl)-1,1,1-trichloroethane and 2.9% of other isomers and related compounds.  
U.S. Pat. No. 2,420,928

\*O,O-Dimethyl dithiophosphate of diethyl mercaptosuccinate  
\*Kelthane Reg. trademark Rohm and Haas

## WARNING

KEEP OUT OF REACH OF CHILDREN

See side panel for complete caution statement

EPA REG. NO. 551-207

Manufactured by  
**BAIRD & MCGUIRE, INC.**  
HOLBROOK, MASSACHUSETTS

**CAUTION:** Harmful if inhaled, swallowed or absorbed through the skin. Avoid breathing spray mist. Avoid contact with skin, eyes and clothing. In case of contact, wash with soap and water. For eyes, get medical attention. Wash thoroughly after using. Store away from children and domestic animals. Avoid contamination of feed and foodstuffs. Solvents are inflammable. KEEP CONTAINER CLOSED.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

This product is toxic to fish. Do not let spray get into bird baths or fish ponds. KEEP OUT OF LAKES, PONDS, AND STREAMS. Rinse spray equipment and containers and dispose of liquid waste in a pit in non-crop land away from water.

Do not apply in any manner not specified on the label.

Injury may occur on certain ferns, some species of Crassula and Canadensis Junipers. May be injurious to Chinese Elms, Japanese Maples, Japanese Barberry, Privet, Red Maple and Red Bud. Do not apply during periods high humidity or severe drought.

Do not use, pour, spill or store near heat or open flame. Do not reuse empty drums. Return to dealer, reconditioners or destroy by perforating or crushing and burying in a safe place.

10-13-72  
551-207

# INSECT SPRAY

## AN EMULSIFIABLE FOLIAR SPRAY FOR HYDRAULIC & MIST BLOWERS

Contains: Methoxychlor-Malathion-Kelthane®

### ACTIVE INGREDIENTS:

\*Methoxychlor, Technical 24.00%

\*\*Malathion 13.00%

1,1-Bis(chlorophenyl) 2,2,2-trichloroethane 3.00%

INERT INGREDIENTS 60.0%

100.00%

\*Equivalent to 21.1 of 2,2-bis (p-methoxyphenyl)-1,1,1-trichloroethane and 2.9% of other isomers and related compounds.

U.S. Pat. No. 2,420,928.

\*\*0,0-dimethyl dithiophosphate of diethyl mercaptosuccinate

®Kelthane Reg. trademark Rohm and Haas.

## WARNING

KEEP OUT OF REACH OF CHILDREN

See side panel for complete caution statement

EPA REG. NO. 551-207

Manufactured by

**BAIRD & MCGUIRE, INC.**

HOLBROOK, MASSACHUSETTS

TAINER CLOSED.

This product is high direct treatment or information may be Agricultural Extension

This product is toxic into bird baths or fish PONDS, AND STREAMS and containers and pit in non-crop land Do not apply in any label.

Injury may occur of Crassula and C. jurious to Chinese E nese Barberry, Priv Do not apply during severe droug

Do not use, pour, spray flame. Do not reuse reconditioners or dest and burying in a safe p

10-13-72  
551-207