

FEB 8 1973

DIRECTIONS

GENERAL WEED CONTROL

551-214

For use on bare ground to prevent weed growth and for weed control in enclosed industrial areas such as Tank Farms, Lumber Storage Yards and Substations. Also for treating areas to be covered by paving for weed prevention.

TIMING: Where weed growth is present, for best results apply when weeds are less than 6 inches high. For treatment of bare ground apply at any time the ground is not frozen.

APPLICATION: Mix the recommended amount with water and apply with sprayer or sprinkling can.

FOR BARE GROUND AND ENCLOSED AREAS: For use in sprayers mix two gallons of this product in 20 gallons of water. **Do Not** use more than 125 gallons of this mixture per acre. For use in sprinkling cans mix 1/2 cup of this product in 1 1/4 gallons of water. **Do Not** use more than this amount per 110 square feet.

FOR AREAS TO BE COVERED BY PAVEMENT: Use 15 to 60 gallons per 1000 square yards applied just before the pavement is to be applied. Use the amount of water needed to give proper distribution with the equipment available. Apply at this rate only to areas to be paved.

NET CONTENTS GALLONS

**HIGH STRENGTH
SODIUM ARSENITE "4"
SOLUTION**

Contains 4 Pounds of Arsenic Trioxide (As₂O₃)
Equivalent Per Gallon For Weed Control

☒ POISON ☒

DANGER: Keep out of reach of children
See Antidote and Other Warnings on Right Panels

EPA Reg. No. 551-214

ACTIVE INGREDIENTS:

Sodium Arsenite 2(NaH₂AsO₃) · H₃AsO₃ 46.9%

INERT INGREDIENTS: 53.1%

(Total Arsenic, expressed as metallic, all in water-soluble form 25.0%)

DANGER: POISONOUS IF SWALLOWED!

DO NOT GET IN EYES, ON SKIN OR ON CLOTHING.

DO NOT BREATHE SPRAY MIST, WEAR RESPIRATOR.

IN CASE OF CONTACT WASH THOROUGHLY.

KEEP AWAY FROM FEED AND FOODSTUFFS AND OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS.

KEEP CHILDREN, LIVESTOCK AND DOMESTIC ANIMALS OFF TREATED AREAS.

☒ POISON ☒

FIRST AID: If swallowed, give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Then give 2 tablespoonfuls of Epsom Salts or Milk of Magnesia in water, and plenty of milk or water. Have patient lie down and keep quiet.

CALL A PHYSICIAN IMMEDIATELY

Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material, not in strict accordance with directions given herewith.

ACCEPTED

FEB 8 1993

551-214

DIRECTIONS

GENERAL WEED CONTROL

For use on bare ground to prevent weed growth and for weed control in enclosed industrial areas such as Tank Farms, Lumber Storage Yards and Substations. Also for treating areas to be covered by paving for weed prevention.

TIMING: Where weed growth is present, for best results apply when weeds are less than 6 inches high. For treatment of bare ground apply at any time the ground is not frozen.

APPLICATION: Mix the recommended amount with water and apply with sprayer or sprinkling can.

FOR BARE GROUND AND ENCLOSED AREAS: For use in sprayers mix two gallons of this product in 20 gallons of water. Do Not use more than 125 gallons of this mixture per acre. For use in sprinkling cans mix 1/2 cup of this product in 1 1/4 gallons of water. Do Not use more than this amount per 110 square feet.

FOR AREAS TO BE COVERED BY PAVEMENT: Use 15 to 60 gallons per 1000 square yards applied just before the pavement is to be applied. Use the amount of water needed to give proper distribution with the equipment available. Apply at this rate only to areas to be paved.

NET CONTENTS GALLONS

**HIGH STRENGTH
SODIUM ARSENITE "4"
SOLUTION**

Contains 4 Pounds of Arsenic Trioxide (As₂O₃)
Equivalent Per Gallon For Weed Control

☒ POISON ☒

DANGER: Keep out of reach of children
See Antidote and Other Warnings on Right Panels

EPA Reg. No. 551-214

ACTIVE INGREDIENTS:

Sodium Arsenite 2(NaH₂AsO₃) · H₃AsO₃ 46.9%

INERT INGREDIENTS: 53.1%
(Total Arsenic, expressed as metallic, all in water-soluble form 25.0%)

DANGER: POISONOUS IF SWALLOWED!

DO NOT GET IN EYES, ON SKIN OR ON CLOTHING.

DO NOT BREATHE SPRAY MIST, WEAR RESPIRATOR.

IN CASE OF CONTACT WASH THOROUGHLY.

KEEP AWAY FROM FEED AND FOODSTUFFS AND OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS.

KEEP CHILDREN, LIVESTOCK AND DOMESTIC ANIMALS OFF TREATED AREAS.

☒ POISON ☒

FIRST AID: If swallowed, give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Then give 2 tablespoonfuls of Epsom Salts or Milk of Magnesia in water, and plenty of milk or water. Have patient lie down and keep quiet.

CALL A PHYSICIAN IMMEDIATELY

Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

DO NOT USE TREATED VEGETATION AS FOOD OR BEDDING FOR LIVESTOCK.

DO NOT ALLOW SPRAY OR SPRAY DRIFT TO CONTACT DESIRABLE PLANTS.

DECONTAMINATE DRUMS BY THOROUGHLY FLUSHING OUT WITH WATER. DO NOT USE CONTAINER IN ANY CONNECTION WITH FEED, FOOD, OR DRINKING WATER.

Do Not use or store Sodium Arsenite in or around the home.

Do Not use Sodium Arsenite where it may be leached into wells, or to roots of desirable plants which may be injured or killed. **Do Not** use on Lawns or Turf.

Do Not apply within the dripline of desirable trees and shrubs.

DO NOT contaminate irrigation ditches or domestic water supplies. Keep out of lakes, streams or ponds. Apply only as specified on the label.

THIS PRODUCT IS TOXIC TO WILDLIFE. BIRDS AND OTHER WILDLIFE IN TREATED AREAS MAY BE KILLED.

Do Not apply where runch may occur. **Do Not** contaminate any body of water by direct application, cleaning of equipment, or disposal of wastes and containers.

CONTAINER DISPOSAL

Do Not reuse empty container. Wash thoroughly with water and detergent. Discard in a safe place.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place away from water supplies.