

BAIRD'S FLY SPRAY

NET CONTENTS

ACCEPTED

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal

PESTICIDE DISPOSAL (all except household) Pesticide, spray mixture or rinsate that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act

METAL (all sizes) Triple rinse (or equivalent) and offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other approved State and local procedures

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Wash thoroughly with soap and water after handling and before eating or smoking. Do not contaminate feed or food. Avoid breathing of spray mist.

Avoid wetting the hides of animals

STATEMENT OF PRACTICAL TREATMENT

If swallowed — Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. **DO NOT INDUCE VOMITING** vomiting may cause aspiration pneumonia

If inhaled — Remove victim to fresh air. Apply artificial respiration if indicated

If on skin — Remove contaminated clothing and wash affected areas with soap and water

If in eyes — Flush eyes with plenty of water. Get medical attention if irritation persists

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and wildlife. Do not apply directly to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes

BAIRD'S FLY SPRAY is a registered trademark of Baird & McGuire, Inc. All other trademarks are the property of their respective owners. © 1988 Baird & McGuire, Inc. See label for complete directions.

BAIRD'S FLY SPRAY is compounded primarily for the dairy industry. This product will not destroy the metal of any sprayer, no waste or sediment in can

DIRECTIONS FOR USE FOLLOW THOROUGHLY

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

Spray on walls, ceilings, pens, posts, stalls, windows, doors where flies congregate, holding sprayer about one foot from surface being sprayed and close doors and windows for 10 minutes after treatment to avoid draft, waste and obtain better results

CATTLE, CALVES, HOGS, PIGS Spray animals with a fine mist at least once a day to kill horn flies, houseflies, mosquitoes. **DAIRY CATTLE** For killing these flies, spray lightly at milking time and only when necessary. No more than 2 ounces of spray should be applied per animal per day. For young animals, apply no more than one ounce per animal as a spray. Tabanids to be killed must be hit directly by spray

CHICKEN MITES Spray roosts, empty nests before spraying, paying particular attention to all cracks and crevices and other hidden places. Thoroughly clean the premises before spraying as this will help in controlling mites. Repeat application in about 2 weeks if necessary. Spray entire interior of the coop and house thoroughly

BARN SPRAY Use BAIRD'S FLY SPRAY in barns, milk houses, outbuildings, pens for effective control of Stable Flies, House Flies, Horn Flies. Use powder or compressed air sprayer, if preferred, that throws a good fine even spray. Direct the mist toward the upper portion of the enclosure, filling the air with fine mist, using 2 ounces of mist per 1000 cubic feet of air space. For best results keep doors and windows closed when possible for 10 minutes after application

Do not remain in treated areas and ventilate the area before reoccupying. Avoid contact with food or milk utensils

Do not use on Brahmin or Brahmin cross cattle as they may show hypersensitivity

Do not apply dermally in combination with trichlorofon

Baird's FLY SPRAY

**KILLS Stable Flies - Horn Flies - House Flies -
Mosquitoes and Chicken Mites -
When used as directed
100% ACTIVE INGREDIENTS**

Petroleum Distillate	99.439%
*Piperonyl butoxide (Technical)	0.277%
2,2-dichlorovinyl dimethyl phosphate	0.239%
Related compounds	0.020%
Pyrethrins	0.034%

*Equivalent to 222% (butylcarbityl) 16-propylpiperonyl ether and 055% related compounds

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE PANEL FOR ADDITIONAL CAUTIONS

EPA Reg. No. 551-262
EPA Est. No. 551-MA 1

Baird & McGuire, Inc.
Holbrook, MA 02343