

MALATHION E-8

ACTIVE INGREDIENTS:
Malathion*

Xylene
INERT INGREDIENTS:
Total

*O,O-Dimethyl dithiophosphate of d

**KEEP OUT OF REACH OF
CHILDREN
CAUTIC
STATEMENT OF PRACTICE**

If swallowed — Call a physician immediately. Gastric
emesis may be induced by drinking unless
vomiting occurs spontaneously. If necessary,
induce vomiting by giving 1-2 glasses of water and
induced finger in back of throat. Do not vomit if
vomiting is prolonged or if anything is vomited.
If inhaled — Remove victim to fresh air. Apply
respirator. If on skin — Wash immediately with
soap and water. If in eyes — Flush eyes for at least
15 minutes with water. See side back panel for
additional information.

EPA Reg. No. 263
NET CONTENTS

**Manufacturer
BAIRD & McGUIRE
Holbrook, MA**

**PRECAUTIONARY
STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed. May be absorbed through
skin. Do not breathe spray mist. Do not get in
eyes or on skin or clothing. Wash thoroughly
after handling. Avoid contamination of food and
feed. Keep out of reach of children and pets. Do
not use on humans, household pets, or live
stock. Do not permit children or pets to go onto
the treated area until the spray has completely
dried.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other
wildlife. Birds and other wildlife in treated areas
may be killed. Keep out of lakes, streams, and
ponds. Do not apply when rain is likely to
occur. Do not apply when weather conditions
favor drift from treated areas. Do not contaminate
water with live or dead fish, poultry, or other
livestock. Apply this product only as specified
on the label.

This pesticide must not be used to be exposed to
direct treatment of trees, shrubs, and other
treated area. Do not apply when bees are

DESIGNATED AMOUNT OF PRODUCT IN THE FOLLOWING GALLONS
PER ACRE UNLESS OTHERWISE NOTED. GROUND APPLICATION

APPLICATION

ALFALFA (0)

ALMONDS (0)

APPLES (0)

APPLES (DORMANT AND DELAYED DORMANT SPRAYS)

APRICOTS (7)

ASPARAGUS (1)

AVOCADOS (7)

BARLEY (7)

BEANS (1)

BEEFS (7) (If tops are to be used as feed)

BLACKBERRIES (1)

BLUEBERRIES (1)

BOYSENBERRIES (1)

BROCCOLI (7)

BRUSSELS SPROUTS (7)

CABBAGE (7)

CANTALOUPE (1)

CARROTS (7)

CELERY (7)

CHEERIES (3)

CITRUS (7) (Grapefruit Kumquats Lemons Limes Oranges Tangerines and Tange- os)

CLOVER (0)

COLLARDS (7)

CORN (FIELD SWEET POP) (5)

COTTON (0)

COWPEA HAY (0)

CUCUMBERS (1)

DANDELIONS (7)

DEWBERRIES (1)

EGGPLANT (3)

ENDIVE (7)

FIGS (3)

FILBERTS (0)

GARLIC (3)

GRAIN SORGHUM (7)

GRAPES (0)

GRASS AND GRASS HAY (0)

GRASS (BARNGRASS CANARY GRASS FESCUE ORCHARD GRASS RED TOP TIMOTHY YELLOW FOXTAIL)

HONEYDEWS (1)

HOPS (10)

KALE (7)

KIDNEY BEANS (7)

LENTILS (1)

LESPEDEZA (10)

LETTUCE (1) (Leaf 14 Head 7)

LOGANBERRIES (1)

LYNNES (1)

MACADAMIA NUTS (1)

MELONS (1)

MINT (7)

MUSKMELONS (1)

MUSTARD GREENS (7)

NECTARINES (7)

OATS (7)

OKRA (1)

ONIONS (3)

PAPAYAS (0)

PARSLEY (21)

PARSNIPS (7)

PASTURE AND RANGE GRASS (0)

PEACHES (7)

PEANUTS (0)

PEARS (1)

PEAS (7) (If vines are used as animal feed 3. If vines are not used as animal feed)

PECANS (0)

PEPPERS (3)

PLUMS (3)

POTATOES (0)

PRUNES (3)

PUMPKINS (3)

QUINCES (3)

RASPBERRIES (1)

RICE (7)

RUTABAGAS (7)

RYE (7)

SAFFLOWER (3)

SALSIFY (7)

SHALOTS (3)

SOYBEANS (3)

SPINACH (7)

SQUASH (1)

STRAWBERRIES (1)

SUGAR BEETS (3)

SWEET POTATOES (3)

SWISS CHARD (7)

TOBACCO (7)

TOMATOES (1 for 10oz 25oz 15oz rates 3 for 55oz rate)

TURNIPS (3)

VETCH (0)

WATERCRESS (7)

WATERMELONS (1)

WHEAT (7)

BEST DOCUMENT AVAILABLE

MALATHION E-8

ACTIVE INGREDIENTS

Malathion*

78.6

Xylene

1.60

INERT INGREDIENTS

Total

19.8

100.00

*C,O-Dimethyl dithiophosphate of diethyl mercaptosuccinate

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

If swallowed — Call a physician immediately. Gastric lavage and administration of activated charcoal are indicated. DO NOT INDUCE vomiting or use other treatment not prescribed by a physician. Do not cause aspiration pneumonia. If necessary, induce vomiting by giving the patient two glasses of water and a salt solution in back of the throat. Expel the vomitus into a container. Do not vomit directly into the mouth of another person. If necessary, repeat the procedure.

If inhaled — Remove victim to fresh air. Apply respiration if indicated.

If on skin — Wash immediately with soap and water.

If in eyes — Flush eyes for at least 15 minutes with water. Call a physician immediately.

See side-back panel for additional precautions and statements.

EPA Reg. No. 444-200-01
NET CONTENTS

Manufactured by:
BAIRD & MCGUIRE, INC.
Holbrook, MA 02343

EPA Reg. No. 444-200-01

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. May be absorbed through skin. Do not breathe spray mist. Do not get in eyes. If on skin, wash thoroughly with soap and water. Avoid contamination of food and feed. Keep out of reach of children and animals. Do not use on humans, household pets, or livestock. Do not permit children to play in or on the sprayed grass until spray has completely dried.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply where birds, fish, and other wildlife may be present. Keep out of lakes, streams, and ponds. Do not apply where crops, ornamentals, or other plants may be present. Do not apply where weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this product only to specific target areas.

This pesticide is highly toxic to bees exposed to direct treatment. Do not apply when bees are present.

a. If swallowed, call a physician immediately. Gastric lavage and administration of activated charcoal are indicated. DO NOT INDUCE vomiting or use other treatment not prescribed by a physician. Do not cause aspiration pneumonia. If necessary, induce vomiting by giving the patient two glasses of water and a salt solution in back of the throat. Expel the vomitus into a container. Do not vomit directly into the mouth of another person. If necessary, repeat the procedure.

PHYSICAL OR CHEMICAL HAZARDS

Do not use pump sprayer or other mechanical device for application.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Pesticide Disposal — Aerially applied Malathion E-8 spray mixture should be disposed of by the user. Do not use a pump sprayer or other mechanical device for application. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this product only to specific target areas.

Container Disposal — If a pump sprayer is used, it should be cleaned and disposed of in accordance with local, state, and federal regulations. Do not use a pump sprayer or other mechanical device for application. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this product only to specific target areas.

HOGS

Apply Malathion E-8 spray mixture to the body of the hog, paying particular attention to the head, neck, and ears. Do not apply to the face or eyes. Do not use on pregnant hogs. Do not use on hogs that are sick or stressed.

BEEF CATTLE

Apply Malathion E-8 spray mixture to the body of the beef cattle, paying particular attention to the head, neck, and ears. Do not apply to the face or eyes. Do not use on pregnant cattle. Do not use on cattle that are sick or stressed.

POULTRY

Apply Malathion E-8 spray mixture to the body of the poultry, paying particular attention to the head, neck, and ears. Do not apply to the face or eyes. Do not use on pregnant poultry. Do not use on poultry that are sick or stressed.

OUTDOORS — Mosquitoes and Small Flying Insects

Apply Malathion E-8 spray mixture to the area where the mosquitoes and small flying insects are present. Do not use in areas where children or animals are present. Do not use in areas where crops or ornamentals are present.

OUTDOOR ADULT MOSQUITO CONTROL — To control the adult mosquito population, apply Malathion E-8 spray mixture to the area where the mosquitoes are present. Do not use in areas where children or animals are present. Do not use in areas where crops or ornamentals are present.

FLY CONTROL

Apply Malathion E-8 spray mixture to the area where the flies are present. Do not use in areas where children or animals are present. Do not use in areas where crops or ornamentals are present.

PROTECTION OF STORED GRAINS

Apply Malathion E-8 spray mixture to the area where the stored grains are present. Do not use in areas where children or animals are present. Do not use in areas where crops or ornamentals are present.

RESIDUAL SPRAY — Apply Malathion E-8 spray mixture to the area where the residual spray is needed. Do not use in areas where children or animals are present. Do not use in areas where crops or ornamentals are present.

RESIDUAL SPRAY — BOXCARS FOR LOADING AND TRANSPORTING BAGGED FLOUR AND PACKAGED CEREALS — Apply Malathion E-8 spray mixture to the area where the residual spray is needed. Do not use in areas where children or animals are present. Do not use in areas where crops or ornamentals are present.

RESIDUAL SPRAY — BOXCARS FOR LOADING AND TRANSPORTING BAGGED FLOUR AND PACKAGED CEREALS — Apply Malathion E-8 spray mixture to the area where the residual spray is needed. Do not use in areas where children or animals are present. Do not use in areas where crops or ornamentals are present.

HOUSEHOLD PESTS — Apply Malathion E-8 spray mixture to the area where the household pests are present. Do not use in areas where children or animals are present. Do not use in areas where crops or ornamentals are present.

FOREST CROPS — Apply Malathion E-8 spray mixture to the area where the forest crops are present. Do not use in areas where children or animals are present. Do not use in areas where crops or ornamentals are present.

DECIDUOUS FOREST AND SHADE TREES — Apply Malathion E-8 spray mixture to the area where the deciduous forest and shade trees are present. Do not use in areas where children or animals are present. Do not use in areas where crops or ornamentals are present.

PINES — Apply Malathion E-8 spray mixture to the area where the pines are present. Do not use in areas where children or animals are present. Do not use in areas where crops or ornamentals are present.

EASTERN PINES — Apply Malathion E-8 spray mixture to the area where the eastern pines are present. Do not use in areas where children or animals are present. Do not use in areas where crops or ornamentals are present.

RED PINE — Apply Malathion E-8 spray mixture to the area where the red pines are present. Do not use in areas where children or animals are present. Do not use in areas where crops or ornamentals are present.