

ACCOUNTED
 8-16-67
 554-31
 UNDER

**NET WEIGHT 50 POUNDS
 KILL WEED DUST IE-5**

Contains 2,4-D

INGREDIENTS

ACTIVE INGREDIENTS:	
*Isopropyl ester of 2,4-Dichlorophenoxyacetic acid	6.25%
INERT INGREDIENTS	93.75%
	100.00%

*Equivalent of 2,4-Dichlorophenoxyacetic acid 5.05%

**CAUTION
 KEEP OUT OF REACH OF CHILDREN**

Causes irritation of skin and eyes. Do not get in eyes. Avoid contact with skin or clothing. In case of contact with weed killer, flush eyes with plenty of water for 15 minutes and get medical attention. Remove and wash contaminated clothing and shoes before reuse.

DIRECTIONS

This is a contact dust used for the control of susceptible weeds in growing wheat and barley. Best results are obtained from 2,4-D application when soil and climate conditions are conducive to rapid weed growth. The following dosages are suggested on growing resistant crops for the control of susceptible weeds, such as mustard, Frenchweed, groundsel, cocklebur, dandelion, gumweed, marsh elder, hedge bindweed, pigweed, ragweed, field horsetail, plantain and similar susceptible species.
WHEAT, BARLEY, RYE Use 3 to 6 lbs. of this herbicide per acre. It is recommended that the lower dosage be used for more susceptible weeds such as common mustard, and the higher dosage level may be necessary for the control of more resistant weeds such as Canada thistle. Make application only between the staling and joint stages. A tarp should be attached to front of duster or sprayer that about 6 to 8 feet of tarp will trap on grain holding dust from drifting to adjacent areas.

WARNING

AVOID INHALING DUST
 Drift or spray from the product may cause injury to susceptible plants in the immediate vicinity. Do not spray from airplanes. Do not apply the product downwind or otherwise permit to come in contact with vegetable, fruit, grape, or other desirable plants which are resistant to this herbicide. Do not permit herbicide to drift onto them since even a thin artificial film of dust may cause severe injury during growing and dormant periods. Accordingly application by ground or hand equipment should be made only when there is no wind from drift. Do not use near fertilizers, seeds, insecticides or fungicides.
 Do not use near or in the neighborhood of desirable animals, birds and fish. Do not contaminate any body of water by dust application. Use proper equipment or disposal of wastes and containers. Excessive amounts of the product in the soil may temporarily affect and retard or stunt plant growth. To avoid injury to desirable plants do not store, handle or apply this agricultural chemical with the same equipment used for this product.
 Local conditions may vary from those of the label. State agricultural authorities in many states are recommended to file and advise. Be sure that you are using the correct product conforms to all applicable regulations.

WARRANTY

We warrant that the active ingredients of this chemical do not contain any lead and is reasonably fit for the uses indicated on the label when used in accordance with the directions and application of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose is extended to the use of this product contrary to label instructions or under any other conditions which are not reasonably foreseeable to retail and farm users. The right of any such user

Manufactured by
AGSCO CHEMICALS, INC.

GRAND FORKS, NORTH DAKOTA

AGS-A-BLG NO. 5-3

1967

IE-5

ACCEPTED

AUG 16 1967

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 55439 SUBJECT
TO ATTACHED COMMENTS.

**NET WEIGHT 50 POUNDS
KILL WEED DUST IE-8**

Contains 2,4-D

INGREDIENTS

ACTIVE INGREDIENTS:

*Isopropyl ester of 2,4-Dichlorophenoxyacetic acid

10.00%

INERT INGREDIENTS

90.00%

100.00%

*Equivalent of 2,4-Dichlorophenoxyacetic acid 8.00%

CAUTION

KEEP OUT OF REACH OF CHILDREN

Causes irritation of skin and eyes. Do not get in eyes. Avoid contact with skin or clothing. In case of contact with weed killer, flush eyes with plenty of water for 15 minutes and get medical attention. Remove and wash contaminated clothing and shoes before re-use.

DIRECTIONS

This herbicide is a selective dust used for the control of susceptible weeds in growing wheat and barley. Best results are obtained from 2,4-D application when soil and climate conditions are conducive to rapid weed growth.

The following dosages are suggested on growing resistant crops for the control of susceptible weeds, such as mustard, Frenchweed, arrowweed, cocklebur, dandelion, gumweed, marsh elder, hedge bindweed, pigweed, ragweed, field horsetail, plantain and similar susceptible species.

WHEAT, BARLEY, RYE --- Use 3 to 6 lbs. of this herbicide per acre. It is recommended that the lower dosage be used for more susceptible weeds such as common mustard, and the higher dosage level may be necessary for the control of more resistant weeds such as Canada thistle. Make application only between the stooling and joint stages. A tarp should be attached to boom of trailer in such a way that about 6 to 8 feet of tarp will trail on grain holding dust from drifting to adjacent areas.

WARNING

AVOID INHALING DUST.

Drift or vapors from this product may cause injury to susceptible plants in the immediate vicinity. Do not apply from airplanes. Do not apply this herbicide directly or otherwise permit to come in contact with vegetables, flowers, grapes, or other desirable plants which are sensitive to herbicides. Do not permit herbicide to drift onto them since even minute quantities of the dust may cause severe injury during growing and dormant periods. Accordingly application by ground or hand equipment should be made only when there is no hazard from drift. Do not store near fertilizers, seeds, insecticides or fungicides.

Avoid excessive use in neighborhood of desirable animals, birds and fish. Toxic to fish. Do not contaminate any body of water, by direct application, cleaning of equipment or disposal of wastes and containers. Excessive amounts of this product in the soil may temporarily inhibit seed germination or plant growth. To avoid injury to desirable plants do not store, handle or apply other agricultural chemicals with the same equipment used for this product.

Local conditions may affect the use of herbicides. State agricultural authorities in many state issue recommendations to fit local conditions. Be sure that the use of this product conforms to all applicable conditions.

WARRANTY

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

Manufactured by

AGSCO CHEMICALS, INC.

GRAND FORKS, NORTH DAKOTA

USDA REG. NO. 554-39

30567

IE-8