



POISON SIGNS (Symptoms)

Methyl Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die. Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

⊕ FIRST AID TREATMENT ⊕

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately. In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

DIRECTIONS FOR USE

ALFALFA AND VETCH: Spotted alfalfa aphid. Use 1½ pints of this product per acre. Do not apply within 15 days of harvest. Birds and other wildlife in treated areas may be killed.

SMALL GRAINS (wheat, barley, oats, rye): Greenbug, barley thrip and corn leaf aphids. Use 1½ pints of this product per acre. Do not apply within 15 days of harvest.

SUGARBEETS: Webworms. Use 1½ pints of this product per acre. Do not apply within 2 days of harvest. If beet tops are to be fed to live stock do not apply within 60 days of harvest.

"Workers entering treated fields within 24 hours should wear protective clothing."

POST TREATED AREA: Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

"Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place away from water supplies."

"This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service."

NET CONTENTS

GALLONS



7-19-72
554-63

NOT FOR HOME USE

METHYL PARATHION

2 LBS. PER GALLON EMULSIFIABLE CONCENTRATE



POISON



ACTIVE INGREDIENTS:

*O, O-Dimethyl O-p-nitrophenyl Phosphorothioate 25.5%

Aromatic petroleum distillate..... 69.5%

INERT INGREDIENTS 5.0%

100.0%

*Contains 2 Lbs. Methyl Parathion per gallon

DANGER

KEEP OUT OF REACH OF CHILDREN

(See side panels for additional warning and antidote statements.)

Keep away from heat and open flame. Keep container closed. Leaking packages should be removed to a safe place. Protect from temperatures below freezing.

NOTE TO PHYSICIAN

Antidote—administer atropine sulfate in large doses. TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement; VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

Manufactured by

AGSCO, INC.

Grand Forks, North Dakota



DANGER - POISON - PREC

FOISONOUS IF SWALLOW

This product can kill you if swallowed even in mist or dust may be fatal if swallowed.

POISONOUS BY SKIN CONI

Poisonous if touched by hands or spilled on eyes or on clothing (liquid goes through clot

POISONOUS IF BREATHI

Breathing vapors, spray mist or dust may b

POISONOUS TO FISH AND V

This product is toxic to fish and wildlife. Bi in treated areas may be killed. Keep out c Do not apply when weather conditions fav areas. Do not apply where runoff is likely taminante any body of water by direct ap equipment or disposal of waste and contain

USE ONLY WHEN WEARING THE PROTECTIVE EQUIPMENT AND

(1) Wear water-proof pants, coat, hat, rubber shoes. (2) Wear safety goggles. (3) Wear approved by the U. S. Bureau of Mines for (4) Wear heavy duty, natural rubber glove

WORK SAFETY RULES

Keep all unprotected persons and children a or where there is danger of drift.

Do not rub eyes or mouth with hands. If you STOP WORK and get help right away. Cal clinic or hospital—immediately. Explain th exposed to parathion and describe his condi given (see First Aid Treatment Section) and if take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash water. Always wash hands, face and arms before smoking, eating or drinking.

AFTER WORK, take off all work clothes and soap and water. Wear only clean clothes not wear contaminated clothing. Wash protective equipment with soap and water after should be cleaned and filter replaced acc included with respirator.

WARRANTY

Seller warrants that the product conforms to its chemical fit for the purpose stated on the label when used in acc normal conditions of use, but neither this warranty nor chantability or fitness for a particular purpose, express a of this product contrary to label instructions, or under a conditions not reasonably foreseeable to seller, and buy such use.

FPA No. 554-63

ptoms)
 on. It rapidly enters the
 eyes. Clothing wet with
 it. Exposed persons must
 be removed. Some of the
 symptoms are: dizziness,
 headache, nausea, vomiting,
 blurred vision, tightness in
 chest, watering of eyes,
 muscle spasms and coma.

TREATMENT ⊕
 First aid immediately. Explain
 condition to doctor and describe his
 condition. If swallowed and
 vomit immediately. Induce vomit-
 ing with soap or strong
 solution. Never give any-
 thing by mouth. Have victim lie down
 in case of contact, imme-
 diately wash with water for at least 15 min-
 utes. Wash hands and shoes. See doctor

USE
 Use 1½ pints of this
 product per acre. Birds
 should be killed.
 Greenbug, barley thrip
 and other insects. Do

of this product per acre.
 Beet tops are to be fed
 after harvest.

in 24 hours should
 be used.

the Agricultural Extension
 office in treated areas.

by perforating or crush-
 ing from water supplies."

not to direct treatment or
 may be obtained from
 service."



ACCEPTED
 7-19-72
 554-63

NOT FOR HOME USE
METHYL PARATHION

2 LBS. PER GALLON EMULSIFIABLE CONCENTRATE



ACTIVE INGREDIENTS:

*O, O-Dimethyl O-p-nitrophenyl Phosphorothioate	25.5%
Aromatic petroleum distillate.....	69.5%
INERT INGREDIENTS.....	5.0%
	<hr/>
	100.0%

*Contains 2 Lbs. Methyl Parathion per gallon

DANGER
KEEP OUT OF REACH OF CHILDREN

(See side panels for additional warning and antidote statements.)

Keep away from heat and open flame. Keep container
 closed. Leaking packages should be removed to a safe
 place. Protect from temperatures below freezing.

NOTE TO PHYSICIAN

Antidote—administer atropine sulfate in large doses. TWO
 to FOUR mg. intravenously or intramuscularly as soon as
 cyanosis is overcome. Repeat at 5 to 10 minute intervals
 until signs of atropinization appear. 2-PAM chloride is also
 antidotal and may be administered in conjunction with
 atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS.
 Parathion is a strong cholinesterase inhibitor affecting the
 central and peripheral nervous systems and producing car-
 diac and respiratory depression. At first sign of pulmonary
 edema, the patient should be given supplemental oxygen
 and treated symptomatically. Continued absorption of the
 poison may occur and fatal relapses have been reported
 after initial improvement; VERY CLOSE SUPERVISION OF
 THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

Manufactured by
AGSCO, INC.
 Grand Forks, North Dakota

DANGER - POISON - PRECAUTIONS

POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts: spray
 mist or dust may be fatal if swallowed.

POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in
 eyes or on clothing (liquid goes through clothes).

POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife
 in treated areas may be killed. Keep out of any body of water.
 Do not apply when weather conditions favor drift from treated
 areas. Do not apply where runoff is likely to occur. Do not con-
 taminate any body of water by direct application, cleaning of
 equipment or disposal of waste and containers.

**USE ONLY WHEN WEARING THE FOLLOWING
 PROTECTIVE EQUIPMENT AND CLOTHING**

- (1) Wear water-proof pants, coat, hat, rubber boots or rubber over-
 shoes.
- (2) Wear safety goggles.
- (3) Wear mask or respirator
 approved by the U. S. Bureau of Mines for parathion protection.
- (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area
 or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way,
 STOP WORK and get help right away. Call a doctor (physician),
 clinic or hospital—immediately. Explain that the victim has been
 exposed to parathion and describe his condition. After first aid is
 given (see First Aid Treatment Section) and if a doctor cannot come,
 take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and
 water. Always wash hands, face and arms with soap and water
 before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using
 soap and water. Wear only clean clothes when leaving job. Do
 not wear contaminated clothing. Wash protective clothing and pro-
 tective equipment with soap and water after each use. Respirator
 should be cleaned and filter replaced according to instructions
 included with respirator.

WARRANTY

Seller warrants that the product conforms to its chemical description and is reasonably
 fit for the purpose stated on the label when used in accordance with directions under
 normal conditions of use, but neither this warranty nor any other warranty of mer-
 chantability or fitness for a particular purpose, express or implied, extends to the use
 of this product contrary to label instructions, or under abnormal conditions, or under
 conditions not reasonably foreseeable to seller, and buyer assumes the risk of any
 such use.