


NET CONTENTS _____ GALLONS



AGSCO 400 HERBICIDE

A low volatile formulation

ACTIVE INGREDIENTS:

*Isooctyl ester of 2,4-Dichlorophenoxyacetic acid 71.26%

INERT INGREDIENTS: 28.74%

100.00%

*2,4-Dichlorophenoxyacetic acid equivalent 46.6%

Contains 4#/gal acid equivalent

CAUTION - 18 pt

KEEP OUT OF REACH OF CHILDREN -- 12 pt

(Additional precautionary statements on side panel)

Harmful if swallowed. Do not get in eyes. Avoid contact with skin or clothing. In case of contact with herbicide, flush with plenty of water for fifteen (15) minutes. For eyes, get medical attention. Remove and wash contaminated clothing and shoes before re-use.

Protect from temperatures below 0°F.

Manufactured by

AGSCO CHEMICALS, INC.

GRAND FORKS, NORTH DAKOTA

ACCEPTED

JAN 2 1955

551-76 SUBJECT

DIRECTIONS

This selective herbicide is used for the control of susceptible weeds in small grains and corn and for control of weeds in alfalfa and pastures and for control of weeds in soybeans and other legumes. It is also used for control of weeds in cotton and sorghum. It is effective against many of the most troublesome weeds in these crops.

Apply to the soil in the row or broadcast. It is effective against many of the most troublesome weeds in these crops. It is also used for control of weeds in cotton and sorghum. It is effective against many of the most troublesome weeds in these crops.

Do not harrow or plow after application. It is effective against many of the most troublesome weeds in these crops. It is also used for control of weeds in cotton and sorghum. It is effective against many of the most troublesome weeds in these crops.

It is effective against many of the most troublesome weeds in these crops. It is also used for control of weeds in cotton and sorghum. It is effective against many of the most troublesome weeds in these crops.

It is effective against many of the most troublesome weeds in these crops. It is also used for control of weeds in cotton and sorghum. It is effective against many of the most troublesome weeds in these crops.

It is effective against many of the most troublesome weeds in these crops. It is also used for control of weeds in cotton and sorghum. It is effective against many of the most troublesome weeds in these crops.

It is effective against many of the most troublesome weeds in these crops. It is also used for control of weeds in cotton and sorghum. It is effective against many of the most troublesome weeds in these crops.

NET CONTENTS 5 GALLONS

AGSCO 300

HERBICIDE

CAUTION

KEEP OFF OF FACE AND HANDS

Do not use in areas where there is a possibility of contamination of water. It is effective against many of the most troublesome weeds in these crops. It is also used for control of weeds in cotton and sorghum. It is effective against many of the most troublesome weeds in these crops.

AGSCO CHEMICAL CO.

FST D

40

5

ACCEPTED

JAN 2 1954

551-76
INSECTICIDE
E ACT
REGISTER
SUBJECT

NET CONTENTS 5 GALLONS

AGSCO 300

HERBICIDE

CAUTION

KEEP OUT OF REACH OF CHILDREN

AGSCO CHEMICALS, INC.

DIRECTIONS

Use for the control of weeds in corn and soybean crops. Apply to the soil in the row or broadcast. Mustard type herbicide. Active ingredient: S-metolachlor. Do not use on alfalfa, clover, or other legumes. Do not use on crops to be grazed or fed to livestock.

Apply to the soil in the row or broadcast. Mustard type herbicide. Active ingredient: S-metolachlor. Do not use on alfalfa, clover, or other legumes. Do not use on crops to be grazed or fed to livestock.

Apply to the soil in the row or broadcast. Mustard type herbicide. Active ingredient: S-metolachlor. Do not use on alfalfa, clover, or other legumes. Do not use on crops to be grazed or fed to livestock.

Apply to the soil in the row or broadcast. Mustard type herbicide. Active ingredient: S-metolachlor. Do not use on alfalfa, clover, or other legumes. Do not use on crops to be grazed or fed to livestock.

BEST BY

40

554-16

41