

ACCEPTED
JAN 29 1969
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC POISON REGISTERED
 UNDER NO. 554-105 SUBJECT
 TO ATTACHED COMMENTS.

**NET WEIGHT 50 POUNDS
 BLITEX 40 MN**

**FUNGICIDE
 For Use on Potatoes and Sugar Beets
 INGREDIENTS**

ACTIVE INGREDIENTS:		
Maneb (Manganese ethylene bisdithiocarbamate)	40.0%
INERT INGREDIENTS	60.0%
		100.0%

DIRECTIONS FOR USE AND CONDITIONS OF SALE

IMPORTANT. Read these entire Directions and Conditions of Sale, including the Warranty and Limitation of Damages provision, before use of BLITEX 40 MN.

CONDITIONS OF SALE AND USE. These Directions for Use reflect the opinion of experts based on tests of effectiveness, of toxicity to plants and laboratory animals and of residues on or in food and feed. However, because of the wide range of conditions under which this product may be used, it is impossible to eliminate all risks inherently associated with its use, such as the risks of ineffectiveness, of plant and animal injury, of compatibility with other products, of condition of the application equipment, or of excessive residues, etc., even though the product is used in accordance with these directions. AGSCO CHEMICALS, INC. and the Seller offer, and the Buyer uses this product subject to the understanding that the Buyer assumes all such risks.

DIRECTIONS

POTATOES: For early and late blight. Start applications at 2 lb. per acre when plants are 4 to 6 inches high. Increase dosage with each successive application until 4 lbs. per acre is being applied to fully grown plants. Apply every 5 to 10 days as required for control. Apply with 100 gallons of water with each application. Add fungicide to water before combining it with any insecticide or spreader-sticker.

SUGAR BEETS: For Cercospora leaf spot. Apply at the rate of 3 to 4 lbs. per acre in 100 gal. water. Begin application before disease affects plant growth. Apply every 7 to 10 days as required for control. Do not apply within 14 days of harvest. Add fungicide to water before combining it with any insecticide or spreader-sticker.

CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed inhaled or absorbed through the skin. Do not breathe dust or spray mist. Avoid contact with skin, eyes, or clothing. In case of contact with eyes or skin, flush with plenty of water; for eyes get medical attention. Wash with soap and water after handling and before eating or smoking; wear clean clothing. Avoid contamination of feed and foodstuffs.

Do not allow to drift into areas occupied by unprotected humans or beneficial animals. This product will kill fish and wildlife. Keep out of any body of water. Do not apply when weather conditions favor drift of spray from areas treated.

IMPORTANT: Store in a cool, dry place.

WARRANTY AND LIMITATION OF DAMAGES

AGSCO CHEMICALS, INC. warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use and Conditions of Sale, subject to the inherent risks referred to therein. AGSCO CHEMICALS, INC. makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY, and no agent of AGSCO CHEMICALS, INC. is authorized to do so except in writing, with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or value, etc.

Manufactured by
AGSCO CHEMICALS, INC.

USDA REG. NO. 554-105

GRAND FORKS, NORTH DAKOTA

122068

40 MN