



Net Weight 10 Lbs.

ACCEPTED
3-26-70
554-113

AGSCO DB-YELLOW

Seed Disinfectant For Drill
Or Planter Box Application

WHEAT -- BARLEY -- OATS -- FLAX -- RYE
CORN -- SOYBEANS

INGREDIENTS

Net Weight 10 Lbs.



AGSCO DB-YELLOW

Seed Disinfectant For Drill
Or Planter Box Application

WHEAT -- BARLEY -- OATS -- FLAX -- RYE
CORN -- ϕ BEANS

INGREDIENTS

ACTIVE INGREDIENTS:

MANEB (Manganese ethylene bisdithiocarbamate) 50.00%

INERT INGREDIENTS: 50.00%

100.00%

**A READY TO USE FORMULATION FOR THE CONTROL
OF SEED-BORNE AND SOIL-BORNE DISEASES.**

WARNING

KEEP OUT OF REACH OF CHILDREN

(For Additional Precautionary Statements See Back Panel)

PRODUCT INFORMATION

AGSCO DB-YELLOW is a special seed treatment formulation of Maneb which, when used in accordance with Directions For Use, protects crops against seed borne diseases such as stinking smut of wheat, oat smut, covered and false loose smut of barley, and bunt of rye. It also gives temporary protection to cereal crops, corn and soybeans against certain soil-borne diseases such as root rot and seedling blight.

AGSCO DB YELLOW is especially designed for on-the-farm application as a Drill Box Treatment.

DIRECTIONS FOR USE

WHEAT, BARLEY, OATS, RYE: Use rate of 2 oz. per bushel.

FLAX: Use rate of 4 oz. per bushel.

CORN AND SOYBEANS: Use rate of 2¾ oz. per bushel.

Mix AGSCO DB - YELLOW thoroughly into the seed until uniformly applied by:

1) Use an AGSCO Automatic Seed Treater that meters in the proper amount of DB-YELLOW and uniformly mixes it as clean untreated seed is augered from the grain box into the planter or drill box as uniformly treated seed.

2) Placing and leveling one-half of the seed in the drill or planter box and sprinkle one-half the total DB-YELLOW required (for the full planter box) uniformly on or under the surface of the seed. Mix thoroughly with a stick or paddle, then fill the box with seed and sprinkle the remaining one-half of the powder on or under the surface and mix again until all streaking has disappeared and coloring of seed appears uniform. **DO NOT MIX WITH HANDS.**

3) Dribble the required amount of DB-YELLOW into each bushel of seed as it is poured into the drill box and mix with a paddle until uniform.

Avoid very deep seeding and exceptionally early sowing under poor conditions for maximum benefits. Use only recommended rates. Seed should be well cured, dry and clean before treatment.

USDA REG. NO. 554-113

WARNING

AGSCO DB YELLOW may be harmful if swallowed, inhaled or absorbed through the skin. Do not breathe dust. In case of contact with eyes or skin, flush with plenty of water; for eyes get medical attention. Wash with soap and water after handling and before eating or smoking; wear clean clothing.

Avoid any contamination of feed and foddstuffs. Do not use treated seed for feed.

Keep container closed when not in use. If Maneb becomes wet in storage, its fungicidal effectiveness may be reduced and it may also produce flammable vapors. Store in a cool dry place.

Toxic to fish. Do not contaminate any body of water by cleaning of equipment and disposal of wastes and containers.

Destroy empty containers by burying.

Treated seed should be labeled as follows:

DISINFECTED SEED

**POISONOUS TO ANIMAL
AND MAN**

**DO NOT USE FOR FOOD,
FEED OR OIL**

WARRANTY AND

LIMITATION OF DAMAGES:

AGSCO CHEMICALS, INC. warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance in the Directions For Use. AGSCO CHEMICALS, INC. makes no other express or implied warranty, including any other express or implied warranty of fitness or of Merchantability, and no agent of AGSCO CHEMICALS, INC. is authorized to do so except in writing with specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or value, etc.

LABEL CODE 113-1113

Manufactured By
AGSCO CHEMICALS, INC.

Grand Forks, North Dakota