WARNING

Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing vapor or spray mist. Do not get in eyes, on skin or on clothing. In case of contact, immediately remove contaminated clothing and flush skin or eyes with plenty of water; for eyes get medical attention. Wash thoroughly with soap and water before eating or smoking; wear clean clothing. Prolonged and careless use may cause cholinesterase inhibition. ATROPINE IS ANTIDOTAL.

DIRECTIONS FOR USE

POTATOES: For control of Aphids and Leafhoppers----use at the rate of 2 pints per acre.

- SMALL GRAINS: (Wheat, Oats, Barley, Rye) For control of Army Worms, Aphids, Grasshoppers and Greenbugs-use at the rate of 2 pints per acre. Do not apply within 7 days of harvest.
- SUGAR BEETS: For control of Aphids and Spider Mites use at the rate of 2 pints per acre. Do not apply within 7 days of harvest if tops are to be used for food or feed.
- FLY CONTROL: For use in and around farm buildings-use at the rate of 2 gallons diluted to 100 gallons with water and sprayed on at the rate of 1-2 gallons per 1000 sq. ft.

CAUTION: Avoid contamination of milk; milk equipment; water; drinking water and feed troughs; food and food products.

Remove lactating animals and calves from buildings before treating.

GROUND APPLICATION: Apply at the rate of 5 - 10 gallons of diluted pesticide per acre.

AIRCRAFT APPLICATION: Apply at the rate of 3-5 gallons of diluted pesticide per acre.

• • • • • • • • • • • • • • • • •



Malathi of INERT INGF

KEEP



Emulsifiable Agricultural Insecticide

ACTIVE INGREDIENTS:

ion (0,0-dimethyl dithiophosphate	
diethyl mercaptosuccinate)	. 57.0%
REDIENTS:	43.0%
	100.0%

Contains 5 pounds Malathion per gallon

CAUTION OF REACH OF CHILDREN OUT

(Additional precautionary statements on side panel)

Protect from temperature below 0° F.

Use only at the that pesticidal residu established tolerance

AD

Do not apply or a tected humans or b feed and foodstuffs.

This product is t lakes or ponds.

For additional inf application for local tural Experiment Sta

To protect bees of

Dispose of empty crop land. Do not a of equipment or dis


Do not store near

WARRANTY

AGSCO CHEMICAL to its chemical des poses stated on the Directions for Use. express or implied w plied warranty of fit AGSCO CHEMICAL writing with specific arising from a bread damages, and shall ages such as loss of

USDA Reg. No. 554

AGSCO CHEMICALS, INC. Grand Forks, North Dakota



ADDITIONAL PRECAUTIONS

Use only at the recommended rates and intervals in order that pesticidal residues on food and forage crops will not exceed established tolerances.

Do not apply or allow to drift into areas occupied by unprotected humans or beneficial animals. Avoid contamination of feed and foodstuffs.

This product is toxic to fish. Do not contaminate streams, lakes or ponds.

For additional information as to timing, number and rate of application for local conditions consult the local State Agricultural Experiment Station or State Agricultural Extension Service.

To protect bees do not apply when crops are in bloom.

Dispose of empty containers by piercing and burying in noncrop land. Do not contaminate any body of water by cleaning of equipment or disposal of waste.

Do not store near heat or open flames.

WARRANTY AND LIMITATION OF DAMAGES

AGSCO CHEMICALS, INC. warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the Directions for Use. AGSCO CHEMICALS, INC. makes no other express or implied warranty, including any other express or implied warranty of fitness or of Merchantability, and no agent of AGSCO CHEMICALS, INC. is authorized to do so except in writing with specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or value, etc.

USDA Reg. No. 554-116

40170