

CAUTION:

Keep out of reach of children.

Harmful if swallowed. Do not induce vomiting. Call a physician immediately. Avoid contact with eyes and skin. In case of skin contact, wash with soap and water.

Avoid inhalation of spray mist. Avoid contamination of food and feed.

Do not contaminate water used for irrigation or domestic purposes.

Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Do not reuse container. Destroy when empty.

Do not use, pour, spill or store near heat or open flame.

Store at temperatures above 32 F.

DIRECTIONS FOR USE

Uniformly spray one gal. of BAIRD'S VEGETATION KILLER mixed in ten gal. of water over 1,000 sq. ft. of soil surface. Thoroughly wet all foliage to insure contact action. Best results are

BAIRD'S VEGETATION KILLER

For non-selective weed control on non-cropland areas such as parking lots, fence rows, railroad sidings, drainage ditch banks, storage yards, around buildings or industrial sites.

ACTIVE INGREDIENTS:

Prometon 2,4 bis (isopropylamino) 6 methoxy s triazine	84.64%
Petroleum distillate	3.73%
	81.04%

INERT INGREDIENTS:

TOTAL	100.00%
-------	---------

CAUTION

KEEP OUT OF REACH OF CHILDREN


This product is a Restricted Use Pesticide under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and the Federal Environmental Pesticide Control Act (FEPCA).

Since weather and other conditions under which this product may be used will vary, the Seller makes no warranty of any kind, express or implied, concerning the use of this product. The user assumes all risks of use or handling not in accordance with directions or suggestions.

U.S. STANDARD MEASURE GALLONS

EPA Reg. No. 151-239 EPA Est. No. 551 MA-1

Manufactured by
BAIRD & McGUIRE, INC.
Hulbrook, Mass. 02343



DIRECTIONS FOR USE

obtained when applications are made during or after weed emergence while growth is succulent. Where vegetation is tall and dense, use 1½ gal. of BAIRD'S VEGETATION KILLER in ten gallons of water per 1,000 sq. ft. For control of hard-to-kill perennial weeds and grasses such as johnson-grass, bindweed, and wild carrot, use 3-4½ gals. per 1,000 sq. ft. Although BAIRD'S VEGETATION KILLER has considerable activity through foliar contact, much of its activity is through the roots and, therefore, adequate rainfall to move the chemical into the root zone is necessary.

Under conditions where the rainfall is high and the growing season long, a second application may be necessary to maintain a weed free soil surface.

Care must be taken to keep this herbicide away from desirable flower beds, lawns and shrubs. Do not apply over roots of valuable trees or woody ornamental plants. Only apply herbicide outside the dripline of trees. Avoid spray drift to desirable plants.

Do not reuse empty drum. Return to drum reconitioner or destroy by perforating or crushing and burying in a safe place away from water supplies.

551-1-239