

AGSCO MA

HERBICIDE

INGREDIENTS

JAN 24 1973
554-123

ACTIVE INGREDIENTS:

*2-Methyl-4-Chlorophenoxyacetic acid,
Diethanolamine Salt 62.49

INERT INGREDIENTS 37.51

100.00%

*Equivalent to 41.0% 2-Methyl-4-Chlorophenoxyacetic acid.
Contains 4 pounds Acid Equivalent Per Gallon.

WARNING

KEEP OUT OF REACH OF CHILDREN

(For Additional Warning Statements See Side Panel)

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED--Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. DO NOT give anything by mouth to an unconscious person. Get medical attention.
IF ON SKIN--Wash with plenty of soap and water. Get medical attention if irritation persists.
IF ON EYES--Flush with water for 15 minutes. Get medical attention.

EPA EST. NO. 554-ND-1

NET CONTENTS: _____ GALLON

EPA REG. NO. 554-123

MANUFACTURED BY

AGSCO, INC.

GRAND FORKS, ND

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC STOCK

WARNING

Harmful if swallowed. Wash thoroughly after handling. Avoid contact with skin, eyes, or clothing. Avoid breathing spray mist.

ENVIRONMENTAL HAZARDS

DO NOT APPLY directly to water. DO NOT apply when weather conditions favor drift from target area. Toxic to fish.

DO NOT contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE:

DO NOT contaminate water, food or feed by storage or disposal, or cleaning of equipment. Open dumping is prohibited. DO NOT reuse empty container. DO NOT store near fertilizer, other pesticides or seeds. Store at a temperature above 0° F. If allowed to freeze, remix before use.

PESTICIDE DISPOSAL:

Pesticide, spray mixture, or rinsate that cannot be used or chemically reprocessed, should be disposed of in a landfill approved for pesticides.

CONTAINER DISPOSAL:

Triple rinse (or equivalent) or dispose in approved landfill. DO NOT BURN. Consult Federal, State, or Local Disposal Authorities for approved alternate procedures.

DIRECTIONS FOR USE

WHEAT, OATS, BARLEY: Use 1 pint per acre in 5 gallons of water by ground application or in 3-5 gallons of water by airplane application. Apply anytime from emergence to boot stage of grain. DO NOT spray from boot to dough stage. DO NOT use on small grains interplanted with sweet clover unless injury to the legume can be tolerated. Use on grain underseeded with Alfalfa only where specifically recommended by local agricultural experiment station and extension service weed specialists. For Canada Thistle, use 1-1/3 pint per acre rate, but at this high rate do not use on small grains underseeded with legumes.

DO NOT forage or graze meat animals on treated areas within seven days of slaughter.

FLAX: Use 1/2 pint per acre in 5 gallons of water by ground application or in 3-5 gallons of water by airplane application. Apply when weeds are up and when Flax is 2 to 6 inches high and before it comes into bud. Treatment after early bud stage may result in severe damage. If Canada Thistle is present it may be necessary to go as high as 3/4 pint per acre. Some injury to Flax may result. DO NOT forage or graze meat animals on treated areas within seven days of slaughter.

Avoid use of small diameter spray nozzles to avoid spray drifts onto susceptible plants such as, vegetables, flowers, tomatoes, beans, sugar beets, sunflowers and other legumes. Coarse sprays are less likely to drift. DO NOT spray at all in the vicinity near susceptible plants to prevent any drift.

Susceptible weeds controlled are; Lambsquarters, Marsh Elder, Annual Mustards, Ragweed, Field Pennycress, Yellow Rocket, Cocklebur, Kochia, Shepherdspurse and many others. Less susceptible weeds controlled (may have more erratic results) are; Canada Thistle, Dandelions, Plantains, Sunflowers, Pigweed, Purslane, Wild Buckwheat, Hempnettle, Stinging Nettle and many others.

WARRANTY

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

COPY C

It is a violation of Federal law and may endanger the applicator or third parties to use this product without complying with all label directions and warnings

COPY D

USE STRICTLY IN ACCORDANCE WITH DANGER STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

DO NOT get on skin, eyes or clothing.
DO NOT inhale spray mist
WASH SPLASHES from skin and eyes immediately
REMOVE and wash contaminated clothing
WASH before eating, smoking and drinking
WEAR full face shield, rubber gloves and apron and waterproof footwear when handling or mixing concentrate
WEAR waterproof footwear and clothing when spraying or when contacting vegetation wet with spray.
AVOID working in spray mist. If there is risk of exposure wear goggles and approved face mask capable of filtering spray droplets

IMPORTANT: The hazard from swallowing Paraquat far outweighs the hazard from skin contact or inhalation of spray mist. No opportunity for mist or product to cause serious injury or death should arise when used in strict compliance with these rules but the opportunity may arise in case of gross violations so strictly follow all these rules as if your life depends on it.

The effect of swallowing paraquat is far more severe than that which usually results from skin contact or inhalation of spray mist.
D. J. Nye
1/20/83