

NET CONTENTS

GALLONS

DIRECTIONS

In preparing spray mixtures, add at least half the water to the spray tank before adding the AGSCO MXL Herbicide. Apply at moderate pressure by air or ground equipment during warm weather when weeds are growing actively.

THE USE OF THIS MATERIAL IS LIMITED TO THE NORTH-CENTRAL SPRING WHEAT AREA OF THE UNITED STATES.

WEED CONTROL IN FLAX: For control of mustard and other susceptible weeds, use $\frac{1}{3}$ pint of AGSCO MXL Herbicide per acre in the necessary amount of water for uniform distribution (5-15 gallons). Treat flax when 2 to 8 inches tall and before buds begin to form. Under ideal conditions where mustard is the only problem and is young and succulent, as little as $\frac{1}{4}$ pint will be effective. However, in general, $\frac{1}{3}$ pint per acre will give more uniform and predictable results. Amounts up to one pint per acre may be needed to control certain weeds, such as Canada thistle, and some injury to the flax may result.

WEED CONTROL IN SMALL GRAINS (Oats, Barley, Wheat): For control of mustard, lambsquarter and other susceptible weeds use $\frac{1}{3}$ pint of AGSCO MXL Herbicide in sufficient water for coverage. Apply any time from emergence to the boot stage of the grain. With certain weed species such as Canada thistle that are more difficult to control and under conditions where normally easy to control weed species are more resistant to weed killers, as much as $\frac{1}{2}$ to 1 pint of AGSCO MXL Herbicide may be required for effective weed control. If mustard is the only problem and if young and in a susceptible stage of growth, as little as $\frac{1}{4}$ pint per acre may be effective. Do not use on small grains interplanted with sweet clover unless injury to the legume can be tolerated. Use on grain undersowed with alfalfa only where specifically recommended by local agricultural experiment station and extension service weed specialists.

Do not apply within 20 days of harvest.

NOTICE: Do not forage or graze on treated grain fields within two (2) weeks after treatment. Do not feed treated straw to livestock.

**AGSCO MXL****HERBICIDE****A LOW VOLATILE FORMULATION****ACTIVE INGREDIENTS:**

2-Methyl-4-chlorophenoxyacetic acid 78.20%

Isocetyl ester

INERT INGREDIENTS:

21.80%

100.00%

Equivalent to 49.0

2-Methyl-4-chlorophenoxyacetic acid

Contains 4 Pounds Acid Equivalent Per Gallon

CAUTION**KEEP OUT OF REACH OF CHILDREN**

(Additional caution statements on side panel)

Protect from temperatures below 0 F.

WARNING — FLAMMABLE!
Keep Away from Heat or Open Flame

Manufactured By

AGSCO CHEMICALS, INC. Grand Forks, North Dakota

CAUTION

Harmful if swallowed. Do not get in eyes. Avoid contact with skin or clothing. In case of contact with herbicide, flush with plenty of water for fifteen (15) minutes. For eyes, get medical attention. Remove and wash contaminated clothing and shoes before re-use.

Avoid inhaling spray.

Coarse sprays are less likely to drift.

Applications by air, ground or hand equipment should be made only when there is no hazard from drift. Spray drift or vapors may cause injury to susceptible plants such as vegetables, flowers, grapes or other plants sensitive to minute quantities of herbicide. To avoid injury to desirable plants, do not apply other agricultural chemicals with the same equipment used for this herbicide. Do not apply by air in the vicinity of sugar beets. Do not store near fertilizers, seeds, insecticides, fungicides, feed or foodstuffs.

Excess amounts of this product in soil may temporarily inhibit seed germination or plant growth.

Local conditions may affect the use of herbicides. State agricultural authorities in many states issue recommendations to fit local conditions. Be sure that the use of this product conforms to all applicable conditions.

ENVIRONMENTAL AND WILDLIFE WARNING: Do not contaminate any body of water by direct application, cleaning of equipment or disposal of waste and containers.

Destroy empty container by perforating and bury in a safe place. Do not burn.

Toxic to fish.

WARRANTY

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

USDA Reg. No. 554-125

12271

5-18-71
554-125