


554-125

10-11-2001

1/4

AGSCO MXL HERBICIDE

A LOW VOLATILE FORMULATION



ACTIVE INGREDIENT:

2-methyl-4-chlorophenoxyacetic acid, 2-ethylhexyl ester*	74.93%
INERT INGREDIENTS:**	25.07%
TOTAL	100.00%

*Equivalent to 47.83% 2-methyl-4-chlorophenoxyacetic acid. Contains 4 pounds acid equivalent per gallon.

**Contains petroleum distillates.

KEEP OUT OF REACH OF CHILDREN WARNING/AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail).

FIRST AID	
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none"> • Immediately call a poison control center or doctor. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give any liquid to the person. • Do not give anything by mouth to an unconscious person.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. NOTE TO PHYSICIAN: Contains petroleum distillate. Vomiting may cause aspiration pneumonia.</p>	

See side panel for additional precautionary statements.

EPA Reg. No. 554-125

EPA Est. No. 554-ND-2

Manufactured By:
AGSCO, INC.
Grand Forks, ND

Net Contents
2 1/2 Gallons

PRECAUTIONARY STATEMENTS

WARNING

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

May be fatal if absorbed through skin. Do not get in eyes, on skin, or on clothing. Harmful if swallowed or inhaled. Avoid breathing vapor or spray mist. Causes moderate eye irritation.

PERSONAL PROTECTIVE EQUIPMENT

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category E on an EPA chemical resistance category selection chart.

Applicators and other handlers must wear coveralls over short-sleeved shirt and short pants, chemical-resistant gloves, such as barrier laminate, nitrile rubber, neoprene rubber, or viton, chemical-resistant footwear plus socks, chemical-resistant headgear for overhead exposure, chemical-resistant apron when cleaning equipment, mixing, or loading, and protective eyewear.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS

Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water when disposing of equipment washwaters or rinsate.

GROUNDWATER CONTAMINATION: Most cases of groundwater contamination involving phenoxy herbicides such as MCPA have been associated with mixing/loading and disposal sites. Caution should be exercised when handling MCPA pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing and transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

CLEANING OF EQUIPMENT: When cleaning equipment, do not pour washwater on the ground; spray or drain over a large area away from wells and other water sources.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated such as plants, soil, or water is: Coveralls over short-sleeved shirt and short pants, chemical-resistant gloves, such as barrier laminate, nitrile rubber, neoprene rubber, or viton, chemical-resistant footwear plus socks, chemical-resistant headgear for overhead exposure, and protective eyewear.

STORAGE AND DISPOSAL

STORAGE

Do not contaminate water, food or feed by storage or disposal.

Open dumping is prohibited. Do not reuse empty container. Do not store near fertilizer, other pesticides or seeds. Store at a temperature above 0°F. If allowed to freeze, remix before use.

DISPOSAL

PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinsate that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke. Or if this is an "OUT-N-BACK" returnable container, it must be returned to AGSCO, INC.

GENERAL INSTRUCTIONS

Susceptible weeds controlled are lambsquarters, marshelder, annual mustards, ragweed, field pennycress, yellow rocket, cocklebur, shepherdspurse and many others. Less susceptible weeds controlled (may have more erratic results) are Canada thistle, dandelions, kochia, plantains, sunflowers, pigweed, purslane, wild buckwheat, hempnettle, stinging nettle and many others.

Avoid use of small-diameter spray nozzles. Avoid spray drifts onto susceptible plants such as vegetables, flowers, tomatoes, beans, sugarbeets, sunflowers and other legumes. Coarse sprays are less likely to drift. Do not spray at all in the vicinity near susceptible plants to prevent any vapor drift.

CROPS

WHEAT, OATS, BARLEY: Use 1 pint per acre in 5 gallons of water by ground application or in 3-5 gallons of water by airplane application. Apply any time from emergence to boot stage of grain. Do not spray from boot to dough stage. Do not use on small grains interplanted with sweet clover unless injury to the legume can be tolerated. Use on grain underseeded with alfalfa only where specifically recommended by local agricultural experiment station and extension service weed specialists. For Canada thistle, use 1 1/3 pint per acre rate. Do not forage or graze meat animals on treated areas within seven days of slaughter.

FLAX: Use 1/2 pint per acre in 5 gallons of water by ground application or in 3-5 gallons of water by airplane application. Apply when weeds are up and when flax is 2 to 6 inches high and before it comes into bud. Treatment after early bud stage may result in severe damage. If Canada thistle is present, it may be necessary to go as high as 3/4 pint per acre. Some injury to flax may result.

WARRANTY LIMITATIONS, DISCLAIMER AND LIMITATION OF REMEDY

AGSCO, INC. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purpose stated on the label when used in strict accordance with the directions therein under normal growing conditions. **This is the only warranty made on this product.** The manufacturer neither makes nor intends, nor does it authorize any agent or representative to make any other warranties, express or implied, and expressly excludes all implied warranties of merchantability or fitness for a particular purpose. Buyer or user's exclusive remedy and manufacturer's or seller's exclusive liability for any and all claims, losses, damage, or injuries resulting from the use or handling of this product, whether or not based on contract, negligence, strict liability in tort or otherwise shall be limited to one of the following, at the election of the seller:

- (1) Refund of the purchase price paid by the buyer or user for the product bought and used with respect to the claim for which damages are sought, or
- (2) Replacement of the amount of product used incident to the crop for which damages are sought.

The seller will not be liable for consequential or incidental damages or losses resulting from the use or handling of this product. The terms of this limited warranty and remedy cannot be varied by any written or verbal statements or agreements. No employee or sales agent of the seller is authorized to vary or exceed the terms of the limitations stated above.

