

Net Weight 10 Pounds

AGSCO DB-YELLOW-A

Seed Disinfectant For Drill or
Planter Box Application

WHEAT - BARLEY - OATS - FLAX - RYE
CORN - SOYBEANS

INGREDIENTS

ACTIVE INGREDIENTS:

Hexachlorobenzene	10.0%
Maneb (Manganese ethylene bisdithiocarbamate)	40.0%
INERT INGREDIENTS	50.0%
	<hr/>
	100.0%

A READY TO USE FORMULATION FOR THE CONTROL
OF SEED-BORNE AND SOIL-BORNE DISEASES.


WARNING

KEEP OUT OF REACH OF CHILDREN

(For Additional Precautionary Statements See Back Panel)

Manufactured by
AGSCO CHEMICALS, INC.
Grand Forks, North Dakota





Product Information

AGSCO DB-YELLOW-A is a special seed treatment formulation of Maneb and Hexachlorobenzene which, when used in accordance with Directions For Use, protects crops against seed-borne diseases such as stinking smut of wheat, oat smut, covered and false loose smut of barley, and bunt of rye. It also gives temporary protection to cereal crops, corn and soybeans against certain soil-borne diseases such as root rot and seedling blight.

AGSCO DB-YELLOW-A is especially designed for on-the-farm application as a Drill Box Treatment.

Directions For Use

WHEAT, BARLEY, OATS, RYE— Use rate of 2 oz. per bushel.

FLAX—Use rate of 4 oz. per bushel.

CORN AND SOYBEANS—Use rate of 2½ oz. per bushel.

MIX AGSCO DB-YELLOW-A thoroughly ...to the seed until uniformly applied by:

- 1) Use an AGSCO Automatic Seed Treater that meters in the proper amount of DB-YELLOW-A and uniformly mixes it as clean untreated seed is augered from the grain box into the planter or drill box as uniformly treated seed.
- 2) Placing and leveling one-half of the seed in the drill or planter box and sprinkle one-half the total DB-YELLOW-A required (for the full planter box) uniformly on or under the surface of the seed. Mix thoroughly with a stick or paddle, then fill the box with seed and sprinkle the remaining one-half of the powder on or under the surface and mix again until all streaking has disappeared and coloring of seed appears uniform. DO NOT MIX WITH HANDS.
- 3) Dribble the required amount of DB-YELLOW-A into each bushel of seed as it is poured into the drill box and mix with a paddle until uniform.

Avoid very deep seeding and excavation.

WARNING

Avoid contact with AGSCO DB-YELLOW-A. It may be fatal if inhaled, swallowed or absorbed through the skin. Do not breathe dust. Wear mask over mouth and nose while handling. Wash thoroughly with soap and water after handling and before eating or smoking. In case of contact with eyes, flush with plenty of water and get medical attention.

Do not treat seed indoors unless there is thorough ventilation. Store treated seed in a ventilated place away from feedstuffs. Keep container tightly closed when not in use. Avoid any contamination of feed and foodstuffs. Do not use any treated seed for feed.

If Maneb becomes wet in storage, its fungicidal effectiveness may be reduced and it may also produce flammable vapors. Keep away from flames or sparks. Store in a cool dry place.

Environmental and Wildlife Warning: Toxic to fish and wildlife. Do not contaminate any body of water by cleaning of equipment and disposal of wastes and containers. Treated seed exposed on soil surface will be hazardous to birds and other wildlife.

Destroy empty containers by burying.

Treated seed should be labeled as follows:

**DISINFECTED SEED
POISONOUS TO ANIMAL
AND MAN
DO NOT USE FOR FOOD,
FEED OR OIL**

Warranty and Limitation of Damages

Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the Directions For Use. AGSCO CHEMICALS, INC. makes no other express or implied warranty of fitness or of Merchantability, and no agent of AGSCO CHEMICALS, INC. is authorized to do so except in writing with specific reference to this warranty. Any damages...

achlorobenzene which, when used in accordance with Directions For Use, protects crops against seed-borne diseases such as stinking smut of wheat, oat smut, covered and false loose smut of barley, and bunt of rye. It also gives temporary protection to cereal crops, corn and soybeans against certain soil-borne diseases such as root rot and seedling blight.

AGSCO DB-YELLOW-A is especially designed for on-the-farm application as a Drill Box Treatment.

Directions For Use

WHEAT, BARLEY, OATS, RYE— Use rate of 2 oz. per bushel.

FLAX—Use rate of 4 oz. per bushel.

CORN AND SOYBEANS—Use rate of 2½ oz. per bushel.

MIX AGSCO DB-YELLOW-A thoroughly into the seed until uniformly applied by:

- 1) Use an AGSCO Automatic Seed Treater that meters in the proper amount of DB-YELLOW-A and uniformly mixes it as clean untreated seed is augered from the grain box into the planter or drill box as uniformly treated seed.
- 2) Placing and leveling one-half of the seed in the drill or planter box and sprinkle one-half the total DB-YELLOW-A required (for the full planter box) uniformly on or under the surface of the seed. Mix thoroughly with a stick or paddle, then fill the box with seed and sprinkle the remaining one-half of the powder on or under the surface and mix again until all streaking has disappeared and coloring of seed appears uniform. **DO NOT MIX WITH HANDS.**
- 3) Dribble the required amount of DB-YELLOW-A into each bushel of seed as it is poured into the drill box and mix with a paddle until uniform.

Avoid very deep seeding and exceptionally early sowing under poor conditions for maximum benefits. Use only recommended rates. Seed should be well cured, dry and clean before treatment.

or absorbed through the skin. Do not breathe dust. Wear mask over mouth and nose while handling. Wash thoroughly with soap and water after handling and before eating or smoking. In case of contact with eyes, flush with plenty of water and get medical attention.

Do not treat seed indoors unless there is thorough ventilation. Store treated seed in a ventilated place away from feedstuffs. Keep container tightly closed when not in use. Avoid any contamination of feed and foodstuffs. Do not use any treated seed for feed.

If Maneb becomes wet in storage, its fungicidal effectiveness may be reduced and it may also produce flammable vapors. Keep away from flames or sparks. Store in a cool dry place.

Environmental and Wildlife Warning: Toxic to fish and wildlife. Do not contaminate any body of water by cleaning of equipment and disposal of wastes and containers. Treated seed exposed on soil surface will be hazardous to birds and other wildlife.

Destroy empty containers by burying.

Treated seed should be labeled as follows:

**DISINFECTED SEED
POISONOUS TO ANIMAL
AND MAN
DO NOT USE FOR FOOD,
FEED OR OIL**

Warranty and Limitation of Damages

Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the Directions For Use. AGSCO CHEMICALS, INC. makes no other express or implied warranty of fitness or of Merchantability, and no agent of AGSCO CHEMICALS, INC. is authorized to do so except in writing with specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or value, etc.

EPA REG. NO. 554-128

101971

Manufactured by
AGSCO CHEMICALS, INC.
GRAND FORKS, NORTH DAKOTA