

180

AGSCO DB-GREEN L

A Liquid Seed Fungicide and Insecticide for  
Drill or Planter Box Application

A dual purpose, ready-to-use, liquid formulation, for the control of smuts,  
seed decay and seedling blight and for temporary protection of seeds and  
seedling against wireworms.

For on-the-farm treatment of seeds

WHEAT - BARLEY - OATS - RYE

CORN - SOYBEANS - SUNFLOWERS

**ACCEPTED**  
with **COMMENTS**  
in EPA Letter Dated:

**APR 16 1984**

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

554-133

ACTIVE INGREDIENTS

Maneb (Manganese Ethylenebisdithiocarbamate) . . . . .	25.60%
Lindane (Gamma Isomer of Benzenehexachloride) . . . . .	8.60%

INERT INGREDIENTS . . . . .	65.80%
-----------------------------	--------

TOTAL . . . . .	100.00%
-----------------	---------

<p>KEEP OUT OF REACH OF CHILDREN</p> <p>WARNING</p> <p>See side panel for additional precautionary information.</p>
---

EPA EST. NO. 554-ND-1

NET CONTENTS: \_\_\_\_\_ GALLON

EPA REG. NO. 554-133

MANUFACTURED BY  
AGSCO, INC.  
GRAND FORKS, ND

•  
•  
•  
•  
•  
•  
•  
•  
•  
•

554-135

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND

DOMESTIC ANIMALS

WARNING

Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing dust when handling treated seed. Applicators who apply this product manually or without the use of a closed system treatment procedure must wear the following protective clothing during the application process: long-sleeved shirt; long pants; gloves; and a disposable, paper dust mask which covers at least one-third of the face. Treat outdoors or in a well ventilated place only. Wash thoroughly after handling and before smoking or eating. Avoid contamination of feed and foodstuffs

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED, call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED, remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN, remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES, flush eyes with plenty of water. Call a physician immediately.

ENVIRONMENTAL HAZARDS

Product is toxic to fish, birds and other wildlife. Exposed treated seeds may be hazardous to birds and other wildlife. Dispose of all excess treated seeds by burial away from bodies of water. Do not contaminate any body of water by cleaning of equipment, disposal of waste and container. Apply this product only as specified on this label.

PRODUCT INFORMATION

AGSCO DB-GREEN L is a special seed treatment formulation of maneb and lindane, which when used at the correct dosage rates, protects crops against seed-borne diseases such as stinking smut (bunt) of wheat, oat smuts, covered and false loose smuts of barley and bunt of rye. It also protects cereal crops against certain seed and soil-borne diseases such as root rot and seedling blight and for temporary protection of seeds and seedlings against wireworms. AGSCO DB-GREEN L is especially designed for on-the-farm treatment using a seed treater suitable for metering and mixing flowable seed treatments.

133

(3)

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

AGSCO DB-GREEN L is a ready-to-use seed treatment for on-the-farm use in suitable seed treating equipment at the following rate:

Wheat, Oats, Barley and Rye - 3 fluid oz. per bushel. Corn, Soybeans and Sunflowers - 4 fluid oz. per bushel. Use only the recommended rate - lower amounts may not give the desired control. Higher amounts may cause seed injury. Seed should be well cured, dry and cleaned before treatment. For maximum benefits, avoid deep seeding and exceptionally early sowing under poor growing conditions.

Treat only those seeds needed for immediate use, minimizing the interval between treatment and planting. Do not store excess treated seeds beyond planting time. Treated seed must not be used for or mixed with food or animal feed, or processed for oil.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store above 32°F.

PESTICIDE DISPOSAL: Pesticide or rinsate that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under Resource Conservation and Recovery Act.

CONTAINER DISPOSAL: Triple rinse and dispose of in a sanitary landfill or by incineration if permitted by State and local authorities.

#### NOTICE-READ CAREFULLY LIMITED WARRANTY STATEMENT

AGSCO, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for purposes stated on the label only when used in accordance with directions and instructions specified on the label. AGSCO, Inc. neither makes, nor authorizes any agent or representative to make, express or implied, concerning this material. In the event of any breach by AGSCO, Inc. of this limited warranty, AGSCO, Inc. shall not be liable for consequential damages.



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

~~435~~ / 118411  
37 / 3

16 APR 1984

OFFICE OF  
PESTICIDES AND TOXIC SUBSTANCES

Mr. F. R. Yagelowich  
Agasco, Inc.  
P.O. Box 458  
Grand Forks, ND 58201

300 / 118411  
17 / 3

Dear Mr. Yagelowich:

Subject: Lindane RPAR  
Agasco DB-Green L  
EPA Reg. No.: 554-133  
Appl. Date: November 29, 1983

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable provided that you make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

1. Delete "a disposable paper dust mask which covers at least one third of the face." and insert:

"wear a pesticide respirator jointly approved by MSHA (Mine Safety and Health Administration) and by NIOSH (National Institute for Occupational Safety and Health) under the provisions of 30 CFR Part 11 for Lindane/Maneb protection."

2. Revise your "STORAGE AND DISPOSAL" section in accordance with PR Notices 83-3 and 84-1.

A stamped copy of the label is enclosed for your records.

If you hold a Federal registration, a supplemental registration, or a Special Local Needs registration, you may continue to produce new stocks of such products, using current labeling, until May 1, 1984. After that date, all remaining inventories of affected products will fall under the Existing Stocks provisions stated in our letter of October 28, 1983.

Sincerely yours,

George T. LaRocca  
Product Manager (15)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767C)

Enclosure