

554-140

11/7/2001

1/4

AGSCO
DB-GREEN* L

A LIQUID SEED FUNGICIDE AND INSECTICIDE
FOR DRILL OR PLANTER BOX APPLICATION

A dual purpose ready-to-use, liquid formulation for control of smuts, seed decay and seedling blight
and for temporary protection of seeds and seedlings against wireworms

For use on wheat, barley, oats, rye, and corn

ACTIVE INGREDIENTS:

Maneb (manganese ethylenebisdithiocarbamate).....	25.6%
Lindane (gamma isomer of benzene hexachloride).....	8.6%
INERT INGREDIENTS:.....	65.8%
TOTAL.....	100.0%

KEEP OUT OF REACH OF CHILDREN


CAUTION

FIRST AID	
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	

See side panel for additional precautionary statements.

EPA Reg. No. 554-140
EPA Est. No. 554-ND-1

Net Contents
____ Gallons



Manufactured By:
AGSCO, INC.
Grand Forks, ND

PRECAUTIONARY STATEMENTS

CAUTION

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with skin or clothing. Avoid breathing dust and contact with eyes when handling treated seed.

PERSONAL PROTECTIVE EQUIPMENT

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category E on an EPA chemical resistance category selection chart.

Applicators and other handlers must wear coveralls over long-sleeved shirt and long pants, chemical-resistant gloves, such as barrier laminate, or nitrile rubber, or neoprene rubber, or viton, shoes plus socks, protective eyewear, chemical-resistant apron when cleaning equipment, mixing, or loading, and a respirator with either an organic vapor-removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G) or a NIOSH-approved respirator with an organic vapor (OV) cartridge or canister with any R, P or HE prefilter.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENGINEERING CONTROLS STATEMENTS

When handlers use closed systems in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Exposed treated seeds may be hazardous to birds and other wildlife. Dispose of all excess treated seeds by burial away from bodies of water. Do not apply directly to water. Do not contaminate water by disposal of equipment washwaters. Apply this product as specified on this label.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse and dispose of in an approved sanitary landfill or by incineration if permitted by State and local authorities, or if this is an OUT-N-BACK container, it must be returned to AGSCO, INC.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

If the product is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is coveralls over long-sleeved shirt and long pants, chemical-resistant gloves, such as barrier laminate or nitrile rubber or neoprene rubber or viton, shoes plus socks, and protective eyewear.

AGSCO DB-GREEN L is a special seed treatment formulation of maneb and lindane, which when used at the correct dosage rates, protects crops against seed-borne disease such as stinking smut (bunt) of wheat, oat smuts, covered and false loose smuts of barley and bunt of rye. It also protects cereal crops against certain seed and soil-borne diseases such as seedling blight (phase of root rot) caused from black-pointed seed or scabby seed and for temporary protection of seeds and seedlings against wireworms. AGSCO DB-GREEN L is especially designed for on-the-farm treatment using a seed treater suitable for metering and mixing flowable seed treatments.

Use AGSCO DB-GREEN L at the following rate:

WHEAT, OATS, BARLEY and RYE: 3 fl. oz. per bushel. **CORN:** 4 fl. oz. per bushel. Use only the recommended rate. Lower amounts may not give the desired control. Higher amounts may cause seed injury.

Uneven treating of seed may cause over-treatment on some seed kernels and under-treatment on other seed kernels. Seed should be well cured, dry and cleaned before treatment. For maximum benefits, avoid deep-seeding and exceptionally early sowing under poor growing conditions.

USE RESTRICTIONS

Treat only those seeds needed for immediate use, minimizing the interval between treatment and planting. Do not store excess treated seeds beyond planting time. Treated seed must not be used for or mixed with food or animal feed, or processed for oil.

DISCLAIMER FOR SEED TREATMENT

The treatment of mechanically damaged seed or the treatment of seed known to have low vigor or poor quality may result in reduced germination and/or reduction of seed and seedling vigor. Treat and conduct your own germination tests on a small portion of seed before committing the total seed lot to a selected chemical treatment. Due to seed quality conditions beyond the control of AGSCO, INC., no guarantees are made concerning germination of treated seed.

AGSCO, INC. warrants that the material conforms to the chemical description on the label and is reasonably fit for the purpose stated on the label only when it is used in accordance with directions and instructions specified on the label. AGSCO, INC. neither makes nor does it authorize any agent or representative to make any other warranties, expressed or implied. AGSCO, INC. expressly excludes and disclaims all implied warranties of merchantability or fitness for a particular purpose.

Since storage, weather, soil and planting conditions, farming practices, herbicide and insecticide stress or other factors beyond AGSCO, INC.'s control may adversely affect crop emergence, stand and yield, even when the product is used in accordance with label directions, the buyer agrees that the buyer's exclusive remedy and the manufacturer's or seller's exclusive liability for any and all claims, losses, damages or injuries resulting from the use or handling of this product, whether based on contract, negligence, strict liability and tort, or otherwise, shall be limited to one of the following remedies, at the election of the seller:

1. Refund of the purchase price paid by the buyer or user for the product bought and used with respect to the claim for which damages are sought, or
2. Replacement of the amount of product used incident to the crop for which damages are sought.

The sellers will not be liable for consequential or incidental damages or losses resulting from the use or handling of this product.

The terms of this limited warranty and remedy cannot be varied by any written or verbal statements or agreements. No employee or sales agent of the seller is authorized to vary or exceed the terms of the limitations stated above.

*DB-GREEN is a registered trademark of AGSCO, INC.