

554-149

05/10/2007

Jawit 116



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

554-149

Date of Issuance:

MAY 10 2007

NOTICE OF PESTICIDE:

Registration
 Reregistration
(under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

Agasco DB-RED L

Name and Address of Registrant (include ZIP Code):

Agasco, Inc.
c/o Alice Walker Consulting
3094 Country Club Road
Senatobia, Mississippi 38668

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA Sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA Sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
2. Make the following changes to the label:
 - a. Add the phrase "EPA Registration Number 554-149".

Signature of Approving Official:

Mary L. Waller

Mary L. Waller, Product Manager (21)
Fungicide Branch, Registration Division (7505P)

Date:

5/10/2007

Jacket

2/6

ACCEPTED
with COMMENTS
In EPA Letter Dated

AGSCO DB-RED™ L

MAY 10 2007
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
554-149

A LIQUID SEED FUNGICIDE
FOR DRILL OR PLANTER BOX APPLICATION

A ready-to-use, liquid formulation for control of smuts, seed decay and seedling blight

For use on wheat, barley, oats, rye, and corn

ACTIVE INGREDIENTS:

Maneb (manganese ethylenebisdithiocarbamate)..... 25.6%

OTHER INGREDIENTS: ~~14.4~~ %

TOTAL 100.0%

Contains 2.65 pounds a.i. per gallon.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

FIRST AID

If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance; then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.

See side panel for additional precautionary statements.

EPA Reg. No. 554-____
EPA Est. No. 554-ND-1

Net Contents
____ Gallons

Manufactured By:
AGSCO, INC.
1168 12th St., NE
Grand Forks, ND 58201-9515

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with skin or clothing. Avoid breathing dust.

PERSONAL PROTECTIVE EQUIPMENT

Some materials that are chemical-resistant to this product are barrier laminate, nitrile rubber, neoprene rubber, or viton. If you want more options, follow the instructions for category E on an EPA chemical resistance category selection chart.

Mixers, loaders, applicators, and other handlers must wear:

- Long-sleeved shirt and long pants,
- Shoes plus socks,
- Chemical-resistant gloves,

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENGINEERING CONTROLS STATEMENTS

When handlers use closed systems in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-5)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms. Dispose of all excess treated seeds by burial away from bodies of water. Do not contaminate water by disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.

Exception: If the product is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area without restriction if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls,
- Chemical-resistant gloves made of any waterproof material,
- Shoes plus socks.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

PESTICIDE STORAGE: Store in a cool, secure, dry place.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse and dispose of in an approved sanitary landfill or by incineration if permitted by State and local authorities, or if this is an OUT-N-BACK container, return the empty container to AGSCO, INC. after the container has been triple rinsed.

GENERAL INFORMATION

AGSCO DB-RED L is a special seed treatment formulation of maneb, which when used at the correct dosage rates, protects crops against seed-borne disease such as stinking smut (bunt) of wheat, oat smuts, covered and false loose smuts of barley and bunt of rye. It also protects cereal crops against certain seed and soil-borne diseases such as seedling blight (phase of root rot) caused from black-pointed seed or scabby seed.

This product may only be used as a commercial or on-farm seed treatment for barley, wheat, corn, oats, and rye.

APPLICATION RATE

Seed	Rate/Bushel	Rate/CWT
Corn	4 fl. oz.	6.6 fl. oz.
Barley	2.3 fl. oz.	4.8 fl. oz.
Oats	1.5 fl. oz.	4.6 fl. oz.
Rye	2.9 fl. oz.	4.8 fl. oz.
Wheat	2.9 fl. oz.	4.8 fl. oz.

ON-FARM USE: AGSCO DB-RED L is especially designed for on-the-farm treatment using a seed treater suitable for metering and mixing flowable seed treatments.

USE RESTRICTIONS

Plantback restrictions: Leafy vegetables..... 30 days
All other unregistered crops..... 12 months

Use only the recommended rate. Lower amounts may not give the desired control. Higher amounts may cause seed injury.

Uneven treating of seed may cause over-treatment on some seed kernels and under-treatment on other seed kernels. Seed should be well cured, dry and cleaned before treatment. For maximum benefits, avoid deep-seeding and exceptionally early sowing under poor growing conditions.

Federal law requires that bags containing treated seed shall be labeled with the following information: This seed has been treated with maneb fungicide. Do not use for feed, food, or oil purposes. Store away from feed and foodstuffs.

When opening this bag or loading/pouring the treated seed, wear long-sleeved shirt, long pants, shoes, socks, chemical-resistant gloves, and a NIOSH-approved respirator with a dust/mist filter with MSHA/NIOSH approval number prefix TC-21C or any R, P, or HE filter.

After the seeds have been planted, do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 24 hours. Exception: Once the seeds are planted in soil or other planting media, the Worker Protection Standard allows workers to enter the treated area without restriction if there will be no worker contact with the soil/media subsurface.

Leafy vegetables must not be planted prior to 30 days after planting of treated seed. All other crops must not be planted prior to one year.

Treat only those seeds needed for immediate use, minimizing the interval between treatments and planting. Do not store excess treated seeds beyond planting time.

LIMITATIONS OF WARRANTY AND LIABILITY

NOTE: Read the entire Directions for use and this Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the unopened product container at once. By buying or using this product, user or buyer accepts the following conditions of this Limitation of Warranty and Liability.

It is impossible to eliminate all risks associated with the use of this product. Those risks include, but are not limited to, weather conditions, soil conditions, moisture, seed and plant variations, herbicide and insecticide stress, farming techniques and practices, manner of use or application, the presence of materials or products other than those set forth in the Directions in or on the soil, crop or treated vegetation, and conditions beyond the control of this Company. These risks can affect the effectiveness of the product and could cause injuries from the product's use. BY USING THIS PRODUCT, TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, YOU AGREE TO ASSUME RESPONSIBILITY FOR THESE RISKS AND ANY LOSS CAUSED AS A RESULT.

This Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purpose set forth in the directions and instructions for use label booklet ("Directions"), subject to the inherent risks described above, when used in strict accordance with the Directions. NO WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE

IS MADE AND THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED, WHICH EXTEND BEYOND THE FACE HEREOF. This warranty is also subject to the conditions and limitations stated herein.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE LIMIT OF LIABILITY OF THIS COMPANY OR ANY OTHER SELLER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT (INCLUDING CLAIMS BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY, OTHER TORT OR OTHERWISE) SHALL BE RECOVERY OF THE PURCHASE PRICE PAID BY THE USER OR BUYER FOR THE QUANTITY OF THE PRODUCT INVOLVED, OR, AT THE ELECTION OF THIS COMPANY OR, ANY OTHER SELLER, THE REPLACEMENT OF SUCH QUANTITY, OR, IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THIS COMPANY OR ANY OTHER SELLER BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES.

Buyer and all users must promptly notify this Company of any claims whether based in contract, negligence, strict liability, other tort or otherwise from the use of the product or be barred from any remedy. NOTICE MUST BE GIVEN WITHIN THIRTY (30) DAYS AFTER FIRST PLANTING OR APPLICATION OF PRODUCT TO THE TREATED AREA, WHICHEVER OCCURS LATER.

This LIMITATION OF WARRANTY AND LIABILITY may not be varied or amended by any verbal or written agreement. No employee or sales agent of the seller or this Company is authorized to vary or exceed the terms of the limitations stated herein.

DB-RED is a registered trademark of AGSCO, INC.