

YELLOW PINK RED BLUE GREEN BLACK 6-3173

VIGORO®

ACCEPTED
March 6, 1973

557-1458

ROSE AND FLOWER SPRAY

Kills
rose and
flower
insects.

Prevents
black spot
and mildew,
too!!!



NET WEIGHT 17 OZ. (1 lb. 1 oz.)

ACTIVE INGREDIENTS:

	By Wgt.
Pyrethrins	.020%
Permethrin	.100%
Other active ingredients	.200%
Dichloro (2,3-Dichloro-1,4-naphthoquinone)**	.120%
N-Octyl bicycloheptene dicarboximide***	.300%
Methoxychlor, Technical****	.300%
2,4-Dinitro 6-Octyl phenyl crotonate**** and 2,6-Dinitro 4-Octyl phenyl crotonate****	.091%
Hydroxyethyl phenols (principally dinitro)****	.066%
Petroleum distillate	.115%

INERT INGREDIENTS 98.749%

TOTAL 100.000%

*A mixture of 1-methyl-heptyl, 1-ethylhexyl, and 1-propenyl isomers.

**U.S. Patent No. 2,345,777

***MXG 2615, registered U.S. Patent No. 4,955,512.

****Karatane

*****Equivalent to 0.264% 2,2-bis(p-methoxyphenyl)-1,1,1-trichloroethane and 0.036% of other isomers and related compounds.

VIGORO® ROSE AND FLOWER SPRAY

GENERAL INFORMATION:
VIGORO ROSE AND FLOWER SPRAY is recommended for use on roses, African violets, asters, azaleas, begonias, carnations, camellias, chrysanthemums, dahlias, delphiniums, geraniums, gladioli, marigolds, grape ivy, fuchsia, rhododendrons, zinnias, and certain other ornamentals.

Do not spray delicate new growth or sensitive plants, such as cyclamen, lantana, nasturtium, or dull-leaved varieties of roses. Do not use on vegetable plants.

INSECTS:
For control of aphids (plant lice), spider mites, white flies, ants, lace bugs, leaf hoppers. When hit by spray, controls thrips, Japanese beetles, rose chaffer, and soft brown scale insects.

PLANT DISEASES:
Controls black spot and powdery mildew of roses and powdery mildew of zinnias. Spray before and after bud break and repeat at 7 to 10-day intervals.

DIRECTIONS FOR USE:
Remove protective cap. Hold container upright 12-20 inches from plant to avoid propellant-freezing injury to plant. Press valve down and spray with sweeping motion in one-second bursts. Avoid excessive wetting of foliage since overspraying may cause injury. Do not spray when temperature is high, plants in direct sunlight, or when foliage is wet. Spray preferably in early morning or in evening when air is still.

CAUTION:
AVOID BREATHING OF SPRAY MIST. THIS MATERIAL MAY IRRITATE OR SENSITIZE THE SKIN. If sprayed on skin, wash with soap and water. Do not spray on skin or in eyes, pets, food, or around birds and fish. Avoid spraying on dishes, glass, tile, or furniture. Keep away from children. Harmful if swallowed. Avoid overlap of fingers on front of press valve. Wash with soap and water after using. Avoid contamination of feed and foodstuffs.

WARNING:
Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130° F. may cause bursting. Never throw container into fire or incinerator.

VIGORO

23

ROSE AND FLOWER SPRAY



ROSE AND FLOWER SPRAY

GENERAL INFORMATION:

VIGORO ROSE AND FLOWER SPRAY is recommended for use on roses, African violets, asters, azaleas, begonias, carnations, camellias, chrysanthemums, dahlias, delphiniums, geraniums, gladioli, marigolds, grape ivy, fuchsia, rhododendrons, zinnias, and certain other ornamentals.

Do not spray delicate new growth or sensitive plants, such as cyclamen, lantana, nasturtium, or dull-leaved varieties of roses. Do not use on vegetable plants.

INSECTS:

For control of aphids (plant lice), spider mites, white flies, ants, lace bugs, leaf hoppers. When hit by spray, controls thrips, Japanese beetles, rose chafer, and soft brown scale on roses.

PLANT DISEASES:

Controls black spot and powdery mildew of roses and powdery mildew of zinnias. Spray before spores infect plants and repeat at 7 to 10-day intervals.

DIRECTIONS FOR USE:

Remove protective cap. Hold container upright 12-20 inches from plant to avoid propellant-freezing injury to plant. Press valve down and spray with sweeping motion in one-second bursts. Avoid excessive wetting of foliage since overspraying may cause injury. Do not spray when temperature is high, plants in direct sunlight, or when foliage is wet. Spray preferably in early morning or in evening when air is still.

CAUTION:

AVOID BREATHING OF SPRAY MIST. THIS MATERIAL MAY IRRITATE OR SENSITIZE THE SKIN. If sprayed on skin, wash with soap and water. Do not spray on skin or in eyes.

ACTIVE INGREDIENTS:

	By Wgt.
Pyrethrins	.020%
Rotenone	.100%
Other cube resins	.200%
Dichloro (2, 3-Dichloro-1,4-naphthoquinone)**	.120%
N-octyl bicycloheptene dicarboximide***	.300%
Methoxychlor, Technical****	.300%
2,4-Dinitro-6 Octyl* phenyl crotonate**** and 2,6-Dinitro-4-Octyl* phenyl crotonate****	.091%
Nitrooctyl* phenols (principally dinitro)*****	.006%
Petroleum distillate	.115%

INERT INGREDIENTS 98.748%

TOTAL 100.000%

ROSE

AND

LOWER

SPRAY

OR
POSITION
ONLY

WEIGHT 17 OZ. (1 lb. 1 oz.)

ACTIVE INGREDIENTS:

	By Wgt.
Pyrethrins	.020%
Resmethrin	.100%
Other active ingredients	.200%
Dichloro (2, 3- Dichloro-1,4- bisphenol none)**	.120%
N-octyl bicyclo- heptene dicar- boximide***	.300%
Methoxyphenyl Tech- nic****	.300%
2,4-Dinitro-1 Octyl phenyl carbamate****	
and 2,6- Dinitro-4- Octyl phenyl carbamate****	.091%
Nitro-octyl phenyl (nonylphenyl dinitro)****	.606%
Petroleum distillate	.115%

INERT INGREDIENTS 98.748%

TOTAL 100.000%

- *A mixture of 1-methyl-2-heptyl, 1-methyl-2-hexyl, and 1-methyl-2-pentyl isomers.
- **U.S. Patent No. 2,475,117.
- ***MKG 145, reg. U.S. Patent No. 2,475,512.
- ****Karatane.
- *****Equivalent to 1.264% 2,2-bis(4-methoxyphenyl)-1,1,1-trichloroethane, 0.299% of other isomers and related compounds.

vegetable plants.

INSECTS:

For control of aphids (plant lice), spider mites, white flies, ants, lace bugs, leaf hoppers, when hit by spray, controls thrips, Japanese beetles, rose chater, and soft brown scale insects.

PLANT DISEASES:

Controls black spot and powdery mildew of roses, geraniums, and zinnias. Spray before and repeat at 7 to 10-day intervals.

DIRECTIONS FOR USE:

Remove protective cap, hold container upright 12-20 inches from plant to avoid propellant-freezing injury to plant. Press valve down and spray with sweeping motion in one-second bursts. Avoid excessive wetting of foliage since over-spraying may cause injury. Do not spray when temperature is high, plants in direct sunlight, or when foliage is wet. Spray preferably in early morning or in evening when air is still.

CAUTION:

AVOID BREATHING OF SPRAY MIST. THIS MATERIAL MAY IRRITATE OR SENSITIZE THE SKIN. If sprayed on skin, wash with soap and water. Do not spray on skin or in eyes, pets, food, or around birds and fish. Avoid spraying on plastics, oil-soaked, or furniture. Keep away from children. If rubbed or swallowed, avoid contact of fingers on front of nose and eyes. Wash with soap and water after using. Avoid contamination of food and foodstuffs.

WARNING:

Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130° F. may cause bursting. Never throw container into fire or incinerator.