

ZIP

VIGORO



MW-10-69-2503

DORMANT SPRAY

KILLS CERTAIN OVER WINTERING INSECT EGGS

FOR USE ON ORNAMENTAL SHRUBS AND FRUIT TREES

ACTIVE INGREDIENTS:

- Calcium Polysulfides 5.0%
- Calcium Thio-sulphate 0.3%
- *Petroleum Oils 66.0%
- INERT INGREDIENTS 28.7%
- Total 100.0%
- *U. R. (Minimum Unsulfonated Residue) - 92%

VIGORO DORMANT SPRAY

DIRECTIONS FOR USE

Vigoro Dormant Spray is a combination of lime sulfur and petroleum oils especially formulated for use on ornamental shrubs and fruit trees. See specific directions below for amount to use per gallon of water for control of insects on various plants. Keep mixture agitated by shaking while spraying. Completely cover all parts of the plant with spray mixture. A regular pressure sprayer may be used, or a Vigoro Lawn Weed and Feed Gun or similar siphoning, or hose-on type applicator.

PLANTS OR CROPS (Insects)	Amount to Use Per Gallon of Water	SPECIAL INSTRUCTIONS
Ornamentals, Roses, Shade Trees Scales (Black, Rose, San Jose, Red, Chaff, Cottony Cushion & Tea), Red Spider, White Flies, Mealy Bugs, Hawthorne Lace Bug, Spider Mite Eggs.	5 Tbs. (1/2 pt. in 3 gals. of water).	Apply in dormant season only. Burn all old leaves. Prune all dead or old branches and burn or destroy.
FRUIT TREES Apples, Cherries, Nectarines, Peaches, Pears, Plums, Prune Scales (Italian Pear, Brown, San Jose), Mites (Brown, Pacific, Red, Two-spotted), Mite Eggs.	5 Tbs. (1/2 pt. in 3 gals. of water).	Apply in dormant season only.
ALMONDS, WALNUTS Scales (Calcio, Italian Pear, Putnam, San Jose, Brown), Mite Eggs.	5 Tbs. (1/2 pt. in 3 gals. of water).	Apply in dormant season only.
RASPBERRIES, BLACKBERRIES, CURRANTS, GOOSEBERRIES, San Jose Scale, European Red Spider, Mite Eggs.	5 Tbs. (1/2 pt. in 3 gals. of water).	Apply in dormant season only.

CAUTION: Wash hands after using. Avoid contamination of feed and foodstuffs. Harmful if swallowed. May cause skin irritation. Avoid contact with skin or eyes. In case of contact with skin or eyes, flush immediately with plenty of water for at least 15 minutes.

Do not use dormant sprays when temperature is below 40°F. or likely to drop below freezing the following night. Avoid spraying when temperature is above 90°F. or when plants are suffering from draught. **DO NOT APPLY ON EVERGREENS.** Keep container tightly closed when not in use. When container is empty, immediately wash thoroughly and destroy. Never reuse container. Shake well before using as separation may occur, but product quality is not impaired. Do not spray on painted surfaces. Spray early enough in morning so that spray can dry before night.

CAUTION: This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

53

ACCEPTED
 NOV 29 1971
 UNDER THE FEDERAL INSECT
 FURGEON AND FORESTAL ACT
 FOR EXPORT OF INSECT RESISTER
 ED UNCLE .0597/608 SUBJECT
 TO ALL OTHER REGULATIONS

