

ASSCO



Chip 'N' Store

ACCEP
8-18-70
554-118

May be fatal if swallowed or absorbed through skin. Do not get in eyes, on skin, on clothing. In case of contact remove clothing and wash thoroughly with soap and water; for eyes flush with water and get medical attention.

Do not take internally.
 Avoid breathing spray drift.
 Do not breathe vapor.
 Combustible—keep away from heat and open flames.
 Do not wear contaminated clothing or shoes.
 Do not store below 32 F.
 Not for use or storage in or around the home.

DIRECTIONS FOR USE

KILLING POTATO VINES: Total coverage of all growing parts is essential for the most successful results. Note: Browning of the vascular ring of potato tubers sometimes occurs when using vine killers. Do not spray exposed tubers or graze treated areas.

GROUND APPLICATION: Spray 10-20 days before harvest using 1-3 quarts of AGSCO SKIN-SET in 25-40 gallons of water per acre (depending on the density of growth of the vines).

AERIAL APPLICATION: Spray 10-20 days before harvest using 1-3 quarts of AGSCO SKIN-SET in 5 gallons of water per acre.

RECEIVED
 01-22-70
 5541120
 AGSCO



SKIN-SET

A HERBICIDE FOR POTATO VINE KILLING

ACTIVE INGREDIENTS:	
*4,6-dinitro-c-sec-butyphenol	27.5%
INERT INGREDIENTS:	72.5%
	100.0%

*Contains 2.5 pounds per gallon of active ingredient

DANGER  POISON

KEEP OUT OF REACH OF CHILDREN

Additional precautionary statements on side panels

Made in U.S.A.

First Aid Treatment - Antidote

SYMPTOMS OF POISONING Excessive Fatigue, Sweating, Thirst and Fever. If symptoms of poisoning develop from any type of exposure **SEND FOR A PHYSICIAN**.
FIRST AID Have patient lie quiet in coolest spot available. If feverish, cool with cold compresses or by immersion in cool water.

If Swallowed, SEND FOR A PHYSICIAN. Induce vomiting by giving an emetic such as 2 tablespoonfuls of table salt in a glass of warm water, repeat until vomit fluid is clear, then give two tablespoonfuls of baking soda in a glass of water. Treat as in FIRST AID, above.

If Splashed in Eyes, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention.

If Spilled on Skin, immediately remove contaminated clothing, including shoes, and wash skin with soap and plenty of water. If symptoms of poisoning develop, send for a physician and treat as in FIRST AID, above. Discard contaminated clothing and shoes or clean them thoroughly before reuse.

NOTE TO ATTENDING PHYSICIAN: Active ingredient is a metabolic stimulant. Treat symptomatically.

IMPORTANT:

This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds. Birds feeding in treated areas may be killed. Do not apply when weather conditions favor drift from areas treated.

Rinse equipment and containers and surplus of water by burying in soil or pouring away from water. Containers should be cleaned by purchasing new or them and burying with water.

WARRANTY AND LIMITATION OF DAMAGES:

AGSCO CHEMICALS, INC. warrants that the product conforms to its chemical description and is suitable for the purposes stated on the label when used in accordance with the Directions for Use. AGSCO CHEMICALS, INC. makes no other express or implied warranty, including any other express or implied warranty, of fitness or of MERCHANTABILITY, as an agent of AGSCO CHEMICALS, INC. is authorized to do so, except in writing with specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential or commercial damages such as loss of profits or value, etc.

USDA Reg. No. 554-123

112375

MAR 16 1954
REGISTERED FEDERAL INVENTIONS
PATENTED AND REGISTERED
FOR ECONOMIC PROMOTION
IN 1950

VIGORO.

VIGORO, VITAMIN B1

GENERAL INFORMATION

Vigoro Vitamin B₁ plus Alpha Naphthalene Acetic Acid Hormone-Like
but may be used with Water Soluble Instant Vigoro in the same solution, thus adding the necessary plant food nutrients for healthier growth. Vigoro Vitamin B₁ plus Alpha Naphthalene Acetic Acid Hormone-Like Chemical stimulates the small feeder roots that are generally damaged when transplanting takes place. This product may be used in repeat applications when watering the new transplants. The addition of Water Soluble Instant Vigoro in each watering will give plants more vigor during the critical period until they become well established in the ground.

DIRECTIONS FOR USE

Apply at transplanting time and periodically until plants are established.
BARE ROOT ROSES, TREES AND SHRUBS: Mix at rate of one teaspoon to a gallon of water—apply so that area around plants is thoroughly saturated. Use a follow up feeding of Vigoro Rose Food for roses and All Purpose Vigoro Complete Plant Food for trees and shrubs.
POTTED PLANTS AND PLANTERS: Mix at rate of one teaspoon to a gallon of water—apply weekly until transplants are established. Follow with periodic feedings of Liquid Vigoro Plant Food for House Plants or Liquid Vigoro Plant Food for African Violets.
ROOTED CUTTINGS: Mix one teaspoon to a gallon of water. Apply so that area around plants is completely saturated—continue application until plants become established. Follow with periodic feedings of Water Soluble Instant Vigoro.
BEDDING PLANTS: Mix at rate of one teaspoon to a gallon of water. Apply so that area around plants is thoroughly saturated. Continue with watering of solution until plants are established. Feed periodically with Vigoro All Purpose Plant Food or Liquid Vigoro Complete Plant Food.

RECOMMENDED FOR
BARE ROOT ROSES
POTTED PLANTS
BEDDING PLANTS
ROOTED CUTTINGS
SHRUBS • TREES

VITAMIN B₁ PLUS

**ALPHA-NAPHTHALENE ACETIC ACID
ROOT STIMULANT
STOPS TRANSPLANT SHOCK**

ACTIVE INGREDIENTS
A-NAPHTHALENE ACETIC ACID . . . 0.12%
INERT INGREDIENTS 99.88%
TOTAL 100.00%
THIS PRODUCT ALSO CONTAINS VITAMIN B₁₂, THIAMIN HYDROCHLORIDE 0.18%.
WARNING: This product is not for human consumption. Keep out of reach of children and pets.

CAUTION: Keep Out of Reach of Children. See Other Panel For Additional Caution.

MANUFACTURED BY SWIFT AGRICULTURAL CHEMICALS CORPORATION, CHICAGO, ILLINOIS

Cameraman's Note
Poor Copy

626543