

3-25-71
557-1654

20 LBS ^{NET}_{WT}

WEEDER & FEEDER

**COVERS
5000 SQ. FT.**

Herbicide

ACTIVE INGREDIENT


**Dimethyamine salt of
2,4-dichlorophenoxyacetic acid 1.22%

INERT INGREDIENT

98.78%

CAUTION:

Keep out of reach of children.
See back panel for additional caution.



NET WT 20 LBS

SWIFT

Lawn Weeder & Feeder 10-6-4

* GUARANTEED ANALYSIS

TOTAL NITROGEN (N) 10.0%
10.0% Ammoniacal Nitrogen
AVAILABLE PHOSPHORIC ACID (P_2O_5) 6.0%
SOLUBLE POTASH (K_2O) 4.0%
Nitrogen derived from Ammoniated Superphosphate. Ammoniacal Nitrogen derived from Ammoniated Superphosphate and Potassium Nitrate. Phosphoric Acid derived from Ammoniated Superphosphate. Potash derived from Potassium Nitrate. Available Plant Food per 1 Kilogram (2.2 Pounds) 10.0%.

WEED & Feed your lawn in one EASY Application. Specially formulated to kill dandelions, plantain and other broad leaf weeds. The plant food supplies a quick pick-up needed to fill out the bare spots left by dead weeds and help prevent re-establishment of weeds by encouraging growth and formation of thick, weed resistant turf.

HOW TO USE

APPLY ONLY IN WARM WEATHER WHEN SOIL MOISTURE IS PLENTIFUL.

Weeds are hard to kill when weather is cold in the early spring or during hot dry summer weather. For best results, apply when lawn is wet with dew or after sprinkling lightly. Apply several days after mowing to allow for the presence of plenty of leaf surface to catch and retain Swift Lawn Weeder and Feeder, then do not mow or water the lawn for another day. Set your spreader as shown below, then cover your lawn evenly.

Suggested Spreader Settings:

(May vary with age, model, and condition of spreader.
Check your spreader by trial over a known area.)
1 bag feeds and weeds - 5,000 square feet.

Spreader	Setting Number
Lawn Beauty 16"	3½
Sears 1962 20"	6
Scott 18"	4
Wards Garden Club 20"	4½
Jackson 1962 20"	6
Northrup King 20"	5
Cyclone 20"	4½

CAUTION


Avoid contact with eyes. Do not take internally. Avoid contact with skin and clothing.
Not recommended for use on bent grass, dichondra, centipede grass, St. Augustine grass, or on lawns where clover is present and desired. Do not apply to newly seeded lawns.
Avoid drift to or contact with vegetables, flowers, shrubs, ornamentals, or other plants that are sensitive to 2,4-D.
Clean spreader after each use. Do not store near growing plants or fertilizers, seeds, insecticides, and fungicides.

COVERS 5000 SQ FT

Lawn Weeder & Feeder

Lawn Weeder & Feeder

NET WT. 20 LBS.



and

and

COVERS 5000 SQ. FT.

INGREDIENTS	
ACTIVE INGREDIENTS	1.00%
INERT INGREDIENTS	99.00%
TOTAL	
100.00%	
EQUIVALENT TO 1.00% POTASSIUM	
1.01%	
LAWN FOOD GUARANTEED ANALYSIS	
TOTAL NITROGEN (N)	10.0%
AVAILABLE PHOSPHORIC ACID (P ₂ O ₅)	6.0%
WATER SOLUBLE POTASH	4.0%
(Potential Acidity Equivalent to 1.00% Potassium Carbonate Per Ton)	

Manufactured in U.S.A. for S. S. FRESKO COMPANY, Detroit, Michigan 48212
by Swift Agricultural Chemicals Corporation, Chicago, Ill., 60606

CAUTION: Read and Follow Instructions Carefully and See Back Label for Additional Cautions

100
100