
SWIFT

193

LAWN
WEEDER
& FEEDER



COVERS 5000 SQ. FT.

#### KEEP OUT OF REACH OF CHILDREN

CAUTION

In case of contact, wash skin with soap and water; for eyes, flush with water for 15 minutes and get medical attention.

See back panel for additional precautionary statements.

INGREDIENTS
ACTIVE INGREDIENT  *Dimethylamine salt of 2,4-dichloro- phenoxyacetic acid
INERT INGREDIENTS 98.85Z Total 100.00Z
*Equivalent to 2,4-dichlorophenoxyacetic acid
Isomer Specific by AOAC method 6DO1-5
E.P.A. Est. No. 557-IL-1 EPA Reg. No. 557-1654

NET WT. 20 LBS

SWIFT

### LAWN WEEDER

## AND FEEDER

10 - 6 - 4

#### GUARANTEED ANALYSIS

TOTAL NITROGEN (N) 1	0.0%
10.0% Ammoniacal Nitrogen	
AVAILABLE PHOSPHORIC ACID (P205)	6.0%
AVAILABLE PHOSPHORIC ACID (P <sub>2</sub> O <sub>5</sub> )	4.0%

Derived from Ammoniated Superphosphate, Ammonium Sulphate, and Muriate of Potash, Potential Acidity 1000 lbs. Calcium Carbonate Equivalent per ton.

Manufactured by ESTECH BRANDED FERTILIZERS, INC. Fairview Heights, Illinois 62208

WEED & FEED your lawn in one EASY Application. Specially formulated to kill dandelions, plantain and other broadleaf weeds. The plant food supplies a quick pick-up needed to fill out the bare spots left by dead weeds and help prevent re-establishment of weeds by encouraging growth and formation of thick, weed resistant turf.

# PRECAUTIONARY STATEMENTS HAZARD TO HUMANS & DOMESTIC ANIMALS

#### CAUTION

Avoid contact with skin, eyes or clothing. Avoid breathing dust. Wash thoroughly after handling. Harmful if swallowed.

#### ENVIRONMENTAL HAZARD

Do not apply directly to water. Do not apply when weather conditions favor drift from target area. Do not contaminate water intended for irrigation or domestic use.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### APPLY ONLY IN WARM WEATHER WHEN SOIL MOISTURE IS PLENTIFUL

Weeds are hard to kill when weather is cold in the early spring or during hot dry summer weather. For best results, apply when lawn is wet with dew or after sprinkling lightly. Apply several days after mowing to allow for the presence of plenty of leaf surface to catch and retain Swift Lawn Weeder and Feeder, then do not mow or water the lawn for another day. Set your spreader as shown below, then cover your lawn evenly.

Storage: Store in original container in safe, dry place. Do not contaminate other pesticides, fertilizer, seeds, food or feed. Return spillage to original container prior to disposal.

Product Disposal: Securely wrap original container in several layers of newspaper and discard in trash.

Container Disposal: Do not re-use bag. Discard bag in trash.

#### SUGGESTED SPREADER SETTINGS:

(May vary with age, model and condition of spreader. Check your spreader by trial over a known area.) 1 bag feeds and weeds -- 5,000 square feet.

SPREADER APPROX. SETTING	SPREADER APPROX.	SETTING
Precision (Kmart) 4 1/2	Ward's Garden Mark	6 1/4
Model 20C	Model AX-109 3A	
Central 1662 6 1/2	Lawn Beauty	5
Sears Craftsman 5 1/4	16", 18" or 24"	
Model 452-19203 (20")	Cyclone	3 3/4
Model 452-19183 (18")	Model B & C	
Model 452-19194 (19")	Scott's	4
	Mode1 35-8	

CAUTION: Close spreader openings when loading, turning or when stopped.

PRECAUTIONS: Not recommended for use on bent grass, dichondra, centipede grass, St. Augustine grass or on lawns where clover is present and desired. Do not apply to newly seeded lawns. Do not store near growing plants. Avoid drift to or contact with vegetables, flowers, shrubs, ornamentals or other plants that are sensitive to 2,4-D. Clean spreader after each use.

COVERS 5000 SQ. FT.