

Reg # 557-1654

PM-23

195




CERTIFICATION OF COMPLIANCE

I, Judith K. Lucash, being an authorized representative of Vigoro Industries, Inc., certify that all containers of


SWIFT'S LAWN WEEDER AND FEEDER

EPA Reg. No. 557-1654

produced by June 15, 1994 will bear revised labeling in accordance with the revised labeling required for Task Force technical and manufacturing use products. I further certify that all containers of said product sold or distributed by this company by January 1, 1995 will bear revised labeling in accordance with the revised labeling required for Task Force technical and manufacturing-use products.


Judith K. Lucash
Manager of Regulatory Affairs

December 21, 1992



275

FRONT PANEL

S W I F T
L A W N
W E E D E R & F E E D E R

COVERS 5000 SQ. FT.


KEEP OUT OF REACH OF CHILDREN

CAUTION

In case of contact, wash skin with plenty of
soap and water; for eyes, flush with water
for 15 minutes and get medical attention.
See back panel for additional precautionary
statements.

ACTIVE INGREDIENT:	
*Dimethylamine salt of 2,4-dichlorophenoxyacetic acid	1.15%
(NERT INGREDIENTS:	
TOTAL	
*Equivalent to 2,4-dichlorophenoxyacetic acid	0.96%
Isomer specific by AOAC Method 6D01.5	
EPA Reg. No. 557-1654	EPA Est. No. 557-IL-1

NET WT. 20 LBS.



REAR PANEL

NET WT. 20 LBS.

395

S W I F T

LAWN

WEEDER & FEEDER

10 - 6 - 4
GUARANTEED ANALYSIS

TOTAL NITROGEN (N) 10.0%
10.0% Ammoniacal Nitrogen
AVAILABLE PHOSPHORIC ACID (P_2O_5) 6.0%
SOLUBLE POTASH (K_2O) 4.0%
Derived from ammoniated superphosphate, ammonium sulfate and
muriate of potash. Potential Acidity 1000 lbs. Calcium Carbonate
Equivalent per ton.

PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS & DOMESTIC ANIMALS
CAUTION

Avoid contact with skin, eyes and clothing. Avoid breathing
dust. Wash thoroughly after handling. Harmful if swallowed.
Keep out of reach of children. When using this product, wear
long-sleeved shirt, long pants, socks and shoes. After using
this product, remove clothing and launder separately before
reuse, and promptly and thoroughly wash hands and exposed skin
with soap and water.

ENVIRONMENTAL HAZARDS
Do not apply directly to water. Do not apply when weather
conditions favor drift from target area. Do not contaminate water
intended for irrigation or domestic use.

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner
inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment
areas during application. Do not enter treatment areas until
spray has dried or dust has settled.

KILLS WEEDS AS IT FEEDS YOUR LAWN

WEED AND FEED your lawn in one EASY application. Specially formulated to
kill dandelions, plantain and other broadleaf weeds.

The plant food supplies a quick pick-up needed to fill out the bare spots
left by dead weeds and help prevent re-establishment of weeds by encouraging
growth and formation of thick, weed resistant turf.

REAR PANEL

APPLY ONLY IN WARM WEATHER WHEN SOIL MOISTURE IS PLENTIFUL AND WEEDS ARE ACTIVELY GROWING.

Weeds are hard to kill when weather is cold in the early spring or during hot, dry summer weather. For best results, apply while lawn is wet with dew or after sprinkling lightly. Apply several days after mowing to allow for the presence of plenty of leaf surface to catch and retain Swift Lawn Weeder & Feeder , then do not mow or water lawn for another day. Set your spreader as shown below, then cover your lawn evenly.

The maximum application rate for this product is 4.0 lbs. per 1,000 sq. ft. The maximum number of broadcast applications per treatment site is 2 per year.

Approximately 4 weeks after weed kill is evident, an application of 16% or higher nitrogen fertilizer should be made at a rate of 6 lbs. per 1,000 sq. ft. and watered in well.

Storage: Store in original container in safe, dry place. Do not contaminate other pesticides, fertilizer, seeds, food or feed. Return spillage to original container prior to disposal. Keep bag tightly closed. Do not store near growing plants.	Product Disposal: Securely wrap original container in several layers of newspaper and discard in trash. Container Disposal: Do not re-use bag. Discard bag in trash.
--	---

SUGGESTED SPREADER SETTING

Note: Mechanical condition of spreader, walking speed, climatic conditions and terrain can cause wide variation in application rate. Calibrate spreader with each application. Close spreader openings when loading, turning or when stopped. Hand spreading is not recommended. One bag WEEDS AND FEEDS 5,000 sq. ft.

SPREADER	SUGGESTED SETTING
PRECISION 20C	4 1/2
CENTRAL 1662	6 1/2
SEARS CRAFTSMAN	5 1/4
Model 452-19203 (20")	
Model 452-19183 (18")	
Model 452-19194 (19")	
WARD'S GARDEN MARK	6 1/4
Model AX-109 3A	
LAWN BEAUTY	5
16", 18" or 24"	
CYCLONE	3 3/4
Model B & C	
SCOTTS 35-8	4

Clean spreader after each use.

575

REAR PANEL CONT.

CAUTION:

Avoid drift to or contact with vegetables, flowers, shrubs, ornamentals, or other plants that are sensitive to 2,4-D. Do not apply to areas underlaid by roots of desirable trees and shrubs.

Not recommended for use on bent grass, dichondra, centipede grass, St. Augustine grass or on lawns where clover is present and desired. DO NOT APPLY TO NEWLY SEEDED LAWNS.

MANUFACTURED BY VIGORO INDUSTRIES, INC., FAIRVIEW HEIGHTS, IL 62208