

BACK PANEL (Cont'd.)

GUARANTEED ANALYSIS - 100% FOLD

17-8-4

TOTAL NITROGEN (N).....	17.0%
Ammoniacal Nitrogen	1.7%
(Derived from Ammonium Sulfate and Ammoniated Superphosphate)	
Water Insoluble Nitrogen.....	1.3%
(Derived from Ureaform)	
Water Insoluble Nitrogen.....	1.7%
(Derived from Ureaform)	
Urea Nitrogen (derived from Urea).....	12.3%
AVAILABLE PHOSPHORIC ACID (P ₂ O ₅).....	8.0%
(Derived from Ammoniated Superphosphate)	
SOLUBLE POTASH (K ₂ O).....	4.0%
(Derived from Muricite of Potash)	
Potential Acidity equivalent to 60 lbs. Calcium Carbonate per ton.	
Total Pound Available Plant Food per 100 Pounds -- 27 lbs.	

MANUFACTURED BY GIFFT & COMPANY, AGRICULTURAL CHEMICAL DIVISION - CHICAGO, ILLINOIS

EFFECTIVE AND EASY ACTION:

In a single application, THE K-100 FOLD ION EXCHANGE PREVENTER gives positive pre-emergent crabgrass control and feeds your lawn.

RECOMMEND:

All crabgrass controls that are really effective will affect the germination of lawn grasses, so if it is necessary to reseed large bare spots either (1) do so early enough so young grass can be mowed once before applying, or (2) cover large bare spots with 1/2 inch of crabgrass-free top soil after applying, then sow seed, tamping it into the bed soil.

HOW TO USE: Apply in late winter or early spring before crabgrass germinates.

WATER WITH PREVENTER kills crabgrass as it germinates, not after growth has started. This bag covers 5,000 sq. ft., no more! Apply on a calm day to avoid wind drift. Set your spreader according to the chart below, then cover the area twice, the second time at right angles to the first to insure thorough coverage. Do not rake lawn or disturb soil surface after application. If no rain falls within a week after application, water lightly to bring PREVENTER DOWN TOP WITH CRABGRASS PREVENTER in contact with the soil. DO NOT APPLY TO FESCUE LAWNS. On lawns newly seeded in spring, wait until after mowing once to apply. Some thinning of fescues has been observed occasionally.

HOW TO SET YOUR SPREADER

(Settings may vary with age, model, and condition of spreader.
Check your spreader by trial over a known area.) One bag covers
5,000 sq. ft.

(Settings to follow)

C A U T I O N

Harmful if swallowed. Do not take internally. Avoid contact with skin,
eyes, and clothing. Wash after handling or using. Do not contaminate feed
or foodstuffs. Store in a dry place.

Do not reuse this container. Destroy when empty.

CONTENTS LICENSED UNDER U. S. PATENT NO. 2,923,634

Deep Green VIGORO LAWN FERTILIZER & WEED CONTROL

NET WT 20 LBS

Deep Green VIGORO LAWN FERTILIZER & WEED CONTROL

23-3-7

MONEY BACK GUARANTEE
 You must be pleased with results or you are entitled to your money back. Simply send sales slip to Vigoro, Chicago, Illinois 60604 for prompt refund.

EASY TO USE
 - **APPLY EASILY** - One over your lawn does it all! For best results apply when lawn is wet. Apply during warm weather (70° and above) when weeds are growing. Do not mow or water your lawn for several days after applying.
 - **DOUBLE ACTION** - Enriches and greener lawn, controls and kills weeds, plus dethatching at one time for a fresh lawn.
 - **ECONOMICAL** - This package covers 5,000 sq. ft.
 - **CONTAINS** the Vigoro exclusive, patented *Active-N* Nitrogen.

CAUTION - Keep out of eyes and avoid contact with skin. Avoid contact with clothing. Do not use in areas where children or pets play. Do not use on lawns of trees or shrubs. Do not use on lawns of plants or flowers.

MONEY BACK GUARANTEE
 You must be pleased with results or you are entitled to your money back. Simply send sales slip to Vigoro, Chicago, Illinois 60604 for prompt refund.

HOW TO SET YOUR SPREADER

1. Turn the spreader on to the "ON" position.
 2. Turn the spreader to the "OFF" position.
 3. Turn the spreader to the "ON" position.
 4. Turn the spreader to the "OFF" position.
 5. Turn the spreader to the "ON" position.

ACCEPTED

J.

UNDER THE PROVISIONS OF THE
 FINGERPRINT ACT
 FOR ECONOMIC DEVELOPMENT
 BY UNDER NO.

Deep Green VIGORO LAWN FERTILIZER & WEED CONTROL