PM25 557-1740

1/3

FRONT PANEL

TREATS 2,000 SQ. FT.

VIGORO

ACCEPTED

AUG 3 | 1938

FID'S 3 | 1800

Under the Federal Insecticide. Fungicide, and Rotenticide Act, as amended, for the pesticide registered under EPA Reg. No.557-/740

WEED

CONTROL PLUS

DICHONDRA

FERTILIZER

FOR EXCLUSIVE USE ON DICHONDRA LAWNS Stops Crabgrass, Chickweed, and Many Other Lawn Weeds

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

In case of contact, for skin, wash with plenty of soap and water; for eyes, flush with water for 15 minutes and get medical attention if irritation persists. See back panel for additional precautionary statements.

ACTIVE INGREDIENT: Diphenamid (N,N-INERT INGREDIENTS.	dimethyldip	nenylacetamid	e).		. 1.	42%
INERT INGREDIENTS.	TOTAL		• •	•	,,,,98 ,100.	.58% (*) .00% (*)
EPA Reg. No. 557-174	0 EPA Est.	No. 557-CA-1		•		·, , ,

NET WT 35 LBS.

VIGORO

Weed Control Plus Dichondra Fertilizer NET WT. 35 LBS.

Treats 2,000 Sq. Ft.

VIGORO

Weed Control

Plus Dichondra

Fertilizer

7-4-2

GUARANTEED ANALYSIS									
TOTAL NITROGEN (N)	7.00%								
0.60% Ammoniacal Nitrogen									
4.40% Urea Nitrogen									
2.00% Water Insoluble Nitrogen									
AVAILABLE PHOSPHORIC ACID (P O)	4.00%								
SOLUBLE POTASH (K_O)	2.00%								
AVAILABLE PHOSPHORIC ACID (P 0)	1.60%								

Derived from ammoniated phosphates, urea, ureaformaldehyde, muriate of potash and iron sulphate. Potential Acidity 200 lbs. Calcium Carbonate Equivalent per ton. Manufactured by Vigoro Industries, Inc., Fairview Heights, Illinois 62208. Vigoro is a registered trademark of Vigoro Industries, Inc.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Keep out of reach of children

Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing dust or spray mist. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Remove and wash contaminated clothing before reuse. Do not allow children cr... pets on treated areas until this material has been watered into the soil and Dichondra is completely dry. Avoid contamination of feed or foodstuffs.

ENVIRONMENTAL HAZARD

Do not apply directly to water. Do not apply when weather conditions favor drift from target area. Do not use on fine, turf lawns such as bentgrass, bermuda grass, bluegrass and fescue. Do not use on grass lawns—for dichondra lawns only. Do not recreat within gix months after application. Do not apply in areas underlaid by roots of desirable trees and shrubs. Cover, incorporate or collect granules spilled on the soil surface. Do not contaminate water by cleaning of equipment or disposal of wastes. Remove all product spillage immediately to avoid staining cement, stone or paint.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

container in safe, dry place. Do not contaminate other pesticides, fertilizer, seeds, food or feed. Return spillage to original container prior to disposal.

Storage: Store in original Product Disposal: Securely wrap original container in several layers of newspaper and discard in trash. Container Disposal: Do not re-use bag. Discard bag in trash.

Apply when dichondra foliage is dry. To avoid possibility cupshaped leaves will trap and hold enough fertilizer to cause temporary injury, water in.

TO CONTROL WEEDS EARLY: Apply in early spring before crabgrass germinates. Susceptible weed seedlings will be killed as they sprout. Apply again in fall. May be applied regularly with no harm to mature or germinating dichondra. Frequent use insures against weeds.

TO CONTROL MATURE BERMUDA GRASS: Apply in early spring when bermuda starts. Will be greatly reduced and weakened. Overseed with dichondra to help crowd out the bermuda. A second application should be made in the fall. Fall applications are most effective.

FOR NEW DICHONDRA LAWNS: Rake into seed bed. Plant seed. Will not harm germination of dichondra seeds. Do not incorporate a soil insect control at this time -- wait until dichondra is established.

WEEDS CONTROLLED: Crabgrass, bermuda, bluegrase, chickweed (common), foxtail, red sorrel, pigweed, knotweed, lambsquarter, goosegrass, stinkgrass, carpetweed, barnyard grass.....

SPREADER SETTING

SPREADER							SETTING	SPREADER	•	 SETTING
Cyclone.	•	•		•	•	•	5 1/4	Lawn Beauty		
Sears	•	•	•	•	•	•	8 1/4	Scotts		
Wards	•		٠				9 1/4	Kmart		 11

NOTE: Spreader rate varies with walking speed, check spreader over known area.