

Reg no: 557-1763

PM-25


124

TREATS 5000 Sq. Ft.

# VIGORO®

## WEED CONTROL PLUS LAWN FERTILIZER

FOR EXCLUSIVE USE ON  
CENTIPEDE, ST. AUGUSTINE,  
AND ZOYSIA GRASSES



### GREEN GRASS GUARANTEE

Vigoro guarantees to return your purchase price in full if you are not satisfied with results.

C o n t r o l s  
d o l l a r w e e d  
a n d m a n y o t h e r  
l a w n w e e d s

KEEP OUT OF REACH OF CHILDREN  
CAUTION

In case of contact, for skin, wash with plenty of soap and water; for eyes, flush with water for 15 minutes and get medical attention if irritation persists. See back panel for additional precautionary statements.

#### ACTIVE INGREDIENT:

*Atrazine (2-chloro-4-ethylamino-6-isopropylamino-s-triazine).....	0.40Z
*Related compounds .....	0.02Z
INERT INGREDIENTS .....	99.58Z
TOTAL .....	100.00Z

\*Contains 8.4 lbs. of atrazine and related compounds per ton

EPA Reg. No. 557-1763 EPA Est No 557-FL-1

NET WT. 50 LBS. (22.72 Kg)

VIGORO  
WEED CONTROL PLUS  
LAWN FERTILIZER

274

NET WT. 50 LBS. (22.72 kg)

Treats 5000 Sq. Ft.

# VIGORO

## WEED CONTROL

### PLUS LAWN FERTILIZER

735-4567

FOR EXCLUSIVE USE ON CENTIPEDE,  
ST. AUGUSTINE & ZOYSIA GRASSES

12-5-7

**BEST AVAILABLE COPY**

#### GUARANTEED ANALYSIS

TOTAL NITROGEN (N).....	12.0%
12.0% Ammoniacal Nitrogen	
AVAILABLE PHOSPHORIC ACID (P <sub>2</sub> O <sub>5</sub> ) .....	5.0%
SOLUBLE POTASH (K <sub>2</sub> O).....	7.0%

Derived from ammoniated phosphates, ammonium sulphate and muriate of potash.

#### Statement of Secondary Nutrients

Sulphur, combined (S) .....	11.0%
-----------------------------	-------

Derived from ammonium sulphate.

Chlorine, not more than .....	5.8%
-------------------------------	------

Potential Acidity 900 lbs. Calcium Carbonate Equivalent per ton.

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

#### C A U T I O N

Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Keep out of reach of children. Do not take internally.

#### ENVIRONMENTAL HAZARD

Atrazine can leach through soil and can enter ground water which may be used as drinking water. Atrazine has been found in groundwater. Users are advised not to apply atrazine to sand and loamy sand soils where the water table (groundwater) is close to the surface and where these soils are very permeable, i.e., well drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of groundwater.

VIGORO  
WEED CONTROL  
LAWN FERTILIZER  
PLUS

This pesticide is toxic to aquatic invertebrates. Do not apply directly to water or wetlands. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when cleaning of equipment or disposal of wastes. Do not contaminate water when disposing of equipment washwaters. Do not use north of North Carolina. Do not use on lawns of Bahiagrass, Bermudagrass, Dichondra, Bentgrass or Carpetgrass or where clover is present and desired.

Avoid application to the root zones of trees and shrubs. Avoid applications on garden plants, flowers and shrubs. Delay spring planting for one month after application. Do not apply in areas underlaid by roots of desirable trees and shrubs. Clean spreader after use.

Apply only in Winter, Spring and Fall. This product is not recommended for use during the months of July, August and September.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

For best results, apply before weeds come up (pre-emergent). Established weeds are more difficult to control and may require an application in Spring and Fall. On newly sprigged St.

Augustine, Centipede or Zoysia lawns, apply immediately after planting to prevent weeds from retarding growth. Use herbicides properly. Do not overdose. Read directions for use carefully. Water in well. Apply between January 1 and March 31 (Florida and other southern states to June 15).

Storage: Store in original container in safe, dry place. Do not contaminate other pesticides, fertilizer, seeds, food or feed. Return spillage to original container prior to disposal.	Product Disposal: Securely wrap original container in several layers of newspaper and discard in trash. Container Disposal: Do not re-use bag. Discard bag in trash.
---	---

CONTROLS THESE WEEDS

Germinating: Crabgrass, Wiregrass, Paspalum Seedlings (Dallisgrass, Vaseygrass, Bahiagrass), Sedges (such as Cyperus Compressus), and Spurge.

Established and Germinating: Betony, Blackmedic (yellow trefoil), Burclover, Chickweed, Dandelion, Oxalis, Florida Pusley, Pennywort (arrowweed), and Creeping Charlie (weed).

**BEST AVAILABLE COPY**

494

SPREADER SETTINGS

SPREADER	SETTING	SPREADER	SETTING
Vigoro Rotary .....	5	Wards .....	5 1/4
Vigoro Drop .....	7 1/4	Lawn Beauty .....	5
Cyclone.....	5	Scotts PF-1 .....	8
Sears Mark II .....	8 1/4	Kmart .....	5

NOTE: Spreader rate varies with walking speed, check spreader over known area.

CAUTION: Close spreader openings when loading, turning or when stopped.

Manufactured by Vigoro Industries, Inc., Fairview Heights, IL 62208.  
Vigoro® is a registered trademark of Vigoro Industries, Inc.