

10-16-70  
557-1768



**GOLDEN VIGORO** LAWN FERTILIZER & WEED CONTROL

NET WT 25 LBS  
TREATS  
5,000  
IRON ADDED

GOLDEN VIGORO LAWN FERTILIZER

GOLDEN VIGORO LAWN FERTILIZER

# GOLDEN VIGORO

18-4-8 LAWN FERTILIZER AND WEED CONTROL

**WEEDS  
AS IT  
FEEDS**

*Cleans out  
Dandelions &  
many other  
Broad-leaf weeds*



**CAUTION**  
Keep out of reach of children.  
See back panel for  
additional cautions.

HERBICIDE

**GOLDEN VIGORO** LAWN FERTILIZER & WEED CONTROL

10-16-70  
557-1768

**GOLDEN VIGORO** LAWN FERTILIZER & WEED CONTROL

**NET WT 25 LBS**  
Covers 5,000 sq ft

**GOLDEN VIGORO** LAWN FERTILIZER & WEED CONTROL

**18-4-8**

**\*GUARANTEED ANALYSIS**

TOTAL NUTRIENTS  
15% Available Nitrogen derived from ammonium sulfate  
4.0% Water Soluble Phosphorus derived from condensed phosphate  
8.0% Water Soluble Potassium derived from water soluble potassium sulfate  
0.5% Iron (Fe) derived from iron sulfate  
0.5% Manganese (Mn) derived from manganese sulfate  
0.5% Zinc (Zn) derived from zinc sulfate  
0.5% Boron (B) derived from boron acid  
0.5% Copper (Cu) derived from copper sulfate  
0.5% Molybdenum (Mo) derived from molybdenum sulfate

**MONEY BACK GUARANTEE**

**EASY TO USE**

Apply when weeds are young and growing actively.  
Weather should be above 50°F but below 90°F.  
Do not apply if rain is expected within 24 hours.  
Apply evenly to lawn from side or right spreading.  
Do not walk 2 days after mowing and 7 days mowing or watering to 24-48 hours to be sure that weeds have enough time to absorb the fertilizer.  
Clear out clippings, twigs, leaves, etc. from lawn before spreading fertilizer. Do not use on bare soil and many other lawn areas.

**CAUTION**

Harmful if swallowed. Avoid contact with eyes. Avoid contact with skin or clothing. Keep out of reach of children. Avoid dust or contact with vegetation. Remove seeds or weeds, or other plants that are sensitive to 2,4-D, or similar. Not recommended for use on carpet grass, bent grass, dandelion, or clover grass as well as other clover in present and absent. Do not apply to areas adjacent to roots of desirable trees and shrubs. Clean spreader after use. Do not store near growing plants or lawns or other sensitive areas. Do not reuse this container. Destroy when empty. Do not burn.

**SPREADER SETTINGS**

SPREADER MAKE:	SETTING:
Coleman	1/2
McCormick	1/2
John Deere	1/2
John Deere	1/2
Sears Craftsman	1/2
Wards Garden Mower	1/2

NOTE: Spread evenly, apply with existing lawn. Do not use on bare soil. Coverage: 1/2 inch spreader, 1/2 inch spreader.

**VIGORO**  
CHICAGO 6680

30 71881W

REGISTERED TRADEMARK  
© 1970 GOLDEN VIGORO  
CHICAGO, ILL. 60660

**GOLDEN VIGORO** LAWN FERTILIZER & WEED CONTROL

**VIGORO & WEED CONTROL**

**GOLDEN VIGORO & WEED CONTROL**

55

UNDER THE  
FUNGICIDE  
FOR ECONO  
ED UNDER

**LAWN FERTILIZER  
& WEED CONTROL**

**GOLD  
VIG**

**18-4-8 LAWN FERTIL**

**WEED**

**AS IT**

**FEED**

**MINN**

**LAWN FER**

VIGORO  
LAWN FERTILIZER

# VIGORO

18-4-8 LAWN FERTILIZER AND WEED CONTROL

## WEEDS AS IT FEEDS

*Cleans out  
Dandelions &  
many other  
Broad-leaf weeds*



VIGORO LAWN  
FERTILIZER

**CAUTION:**  
Keep out of reach of children.  
See back panel for  
additional cautions.

<b>HERBICIDE</b>	
ACTIVE INGREDIENTS	
1,1-Dichloro-2,2-bis(4-chlorophenyl)ethane	1.10%
2,4-Dichlorophenoxyacetic acid	0.18%
2,4-Dichlorophenoxypropionic acid	0.02%
INERT INGREDIENTS	
Diatomaceous earth	0.91%
Other inert ingredients	0.14%
<hr/>	
	100.00%

**GOLDEN VIGORO** LAWN FERTILIZER  
& WEED CONTROL

10-16-70  
557-1768

UNDER THE FEDERAL INERT INGREDIENTS ACT  
EPA REG. NO. 100-100-0100  
EPA EST. NO. 100-100-0100  
EPA REG. NO. 100-100-0100  
EPA EST. NO. 100-100-0100

**GOLDEN VIGORO** LAWN FERTILIZER & WEED CONTROL

**NET WT 25 LBS**  
Covers 5,000 sq ft

**GOLDEN VIGORO** LAWN FERTILIZER & WEED CONTROL

**18-4-8**

**\*GUARANTEED ANALYSIS**

TOTAL NITROGEN (N) .....	18.0%
3.5% Ammoniacal Nitrogen (derived from ammonium phosphate and ammonium sulfate)	
5.0% Water Insoluble Nitrogen (derived from condensed urea-formaldehyde)	
9.5% Water Soluble Nitrogen (derived from urea, urea-formaldehyde)	
AVAILABLE PHOSPHORIC ACID (P <sub>2</sub> O <sub>5</sub> ) (derived from ammonium phosphate)	4.0%
SOLUBLE POTASH (K <sub>2</sub> O) (derived from Muriate of Potash)	8.0%
IRON (Fe) expressed as elemental .....	0.8%
Potential Acidity 1200 lbs Calcium Carbonate Equivalent per ton.	

\*Minimum guaranteed analysis in Michigan  
Manufactured by Swift Agricultural Chemicals Corporation, Box 68, Chicago, Illinois 60690

**MONEY BACK GUARANTEE**  
You must be pleased with results or you are entitled to your money back. Simply send sales slip to Vigoro, Box 68, Chicago, Illinois 60690 for prompt refund

**EASY TO USE**

Apply when weeds are young and growing actively  
Weather must be above 70° F but below 90° F  
Soil must be moist  
Foliage should be moist from dew or light sprinkling  
Best to wait 2 days after mowing - - and to delay mowing or watering for 24 - 48 hours to be sure that weeds have enough time to absorb the killer  
Clears out dandelions, plantain, chickweed, clover, oxalis, spurge, ground ivy, burr clover, and many other lawn weeds.

**CAUTION**

Harmful if swallowed. Avoid contact with eyes. Avoid contact with skin or clothing. Keep out of reach of children. Avoid drift or contact with vegetables, flowers, shrubs, or ornamentals, or other plants.

**VIGORO & WEED CONTROL**

**GOLDEN VIGORO & WEED CONTROL**

W  
&  
M  
I  
V  
I  
G  
O  
R  
O  
L  
A  
W  
N  
F  
E  
R  
T  
I  
L  
I  
Z  
E  
R  
&  
W  
E  
E  
D  
C  
O  
N  
T  
R  
O  
L

3.0% Ammoniacal Nitrogen (derived from ammonium phosphate and ammonium sulfate)  
5.0% Water Insoluble Nitrogen (derived from condensed urea-formaldehyde)  
9.5% Water Soluble Nitrogen (derived from urea, urea-formaldehyde)  
AVAILABLE PHOSPHORIC ACID (P<sub>2</sub>O<sub>5</sub>) (derived from ammonium phosphate) ..... 4.0%  
SOLUBLE POTASH (K<sub>2</sub>O) (derived from Muriate of Potash) ..... 8.0%  
IRON (Fe) expressed as elemental ..... 0.8%  
Potential Acidity 1200 lbs. Calcium Carbonate Equivalent per ton.  
\*Minimum guaranteed analysis in Michigan  
Manufactured by Swift Agricultural Chemicals Corporation, Box 68, Chicago, Illinois 60690

**MONEY BACK GUARANTEE**  
You must be pleased with results or you are entitled to your money back. Simply send sales slip to Vigoro, Box 68, Chicago, Illinois 60690 for prompt refund.

### EASY TO USE

Apply when weeds are young and growing actively  
Weather must be above 70° F but below 90° F  
Soil must be moist  
Foliage should be moist from dew or light sprinkling  
Best to wait 2 days after mowing - - and to delay mowing or watering for 24 - 48 hours to be sure that weeds have enough time to absorb the killer  
Clears out dandelions, plantain, chickweed, clover, oxalis, spurge, ground ivy, burr clover, and many other lawn weeds.

### CAUTION

Harmful if swallowed. Avoid contact with eyes. Avoid contact with skin or clothing. Keep out of reach of children. Avoid drift or contact with vegetables, flowers, shrubs, ornamentals, or other plants that are sensitive to 2,4-D, or dicamba. Not recommended for use on carpet grass, bent grass, dichondra, centipede grass, or on lawns where clover is present and desired. Do not apply to areas underlaid by roots of desirable trees and shrubs. Clean spreader after each use. Do not store near growing plants or fertilizers, seeds, insecticides and fungicides. Do not reuse this container. Dispose when empty. Do not burn.

SPREADER SETTINGS	
SPREADER MAKE	SETTING
Cyclone .....	4
K-Mart (Precision) .....	6½
Lawn Beauty .....	10½
Scotts .....	5
Sears Craftsman .....	4½
Wards Garden Mark .....	8½

NOTE: Spreading rate varies with walking speed. To insure proper coverage, check spreader over known area.

**VIGORO.**  
CHICAGO 60690

3-0-7188 HF1.

FREIGHT SHIPPING BAG  
Meeting requirements of Package 1288  
APPLICABLE PERMIT CLASSIFICATION  
Guaranteed by U.S.I. FILM PRODUCTS

**GOLDEN VIGORO. LAWN FERTILIZER & WEED CONTROL**

ACC. # 10-16-70  
557-1768

**GOLDEN VIGORO** LAWN FERTILIZER & WEED CONTROL

NET WT 25 LBS  
TREATS  
5,000  
IRON ADDED

# GOLDEN VIGORO

18-4-8 LAWN FERTILIZER AND WEED CONTROL

**WEEDS  
AS IT  
FEEDS**

*Cleans out  
Dandelions &  
many other  
Broad-leaf weeds*



CAUTION:  
Keep out of reach of children.  
See back panel for  
precautions.

MERCHISEL  
ACTIVE INGREDIENTS

**GOLDEN VIGORO** LAWN FERTILIZER & WEED CONTROL

GOLDEN VIGORO LAWN FERTILIZER

GOLDEN VIGORO LAWN FERTILIZER

10-16-70  
557-1768

**GOLDEN VIGORO** LAWN FERTILIZER & WEED CONTROL

**NET WT 25 LBS**  
**Covers 5,000 sq ft**

**GOLDEN VIGORO** LAWN FERTILIZER & WEED CONTROL

**18-4-8**

**\*GUARANTEED ANALYSIS**

TOTAL NITROGEN (N)	18.0%
1.5% Ammoniacal Nitrogen (derived from ammonium phosphate and urea/ammonia sulfate)	
5.0% Water Soluble Nitrogen (derived from condensed urea-formaldehyde)	
1.5% Water Soluble Nitrogen (derived from urea)	
4.4% Soluble Phosphoric Acid (P <sub>2</sub> O <sub>5</sub> ) (derived from ammonium phosphate)	4.0%
SOLUBLE POTASH (K <sub>2</sub> O) (derived from potassium phosphate)	8.0%
IRON (Fe) (expressed as element)	0%

Contains 4.0% Zinc (Zn) and 0.5% Manganese (Mn) (expressed as elements)  
Maximum guaranteed analysis in 100 lbs.  
Manufactured by Golden Vigoro, Chicago, Illinois 60608. See label for complete instructions.

**MONEY BACK GUARANTEE**

If you are not satisfied with this product, you are entitled to your money back. Simply return the unused portion to the manufacturer for a full refund.

**EASY TO USE**

Apply when weeds are young and growing actively.  
Weather must be above 70°F but below 90°F.  
Soil must be moist.  
Weeds should be mowed from area or light spraying.  
Do not water 2 days after spraying and do not mow or rake for 24-48 hours to be sure that weeds have enough time to absorb the herbicide.  
Clear cut sodas, plants, etc. from lawn before spraying. Do not mow lawn after spraying.

**CAUTION**

Warning: If swallowed, avoid contact with eyes. Avoid contact with skin or clothing. Keep out of reach of children. Avoid daily or contact with vegetables. Do not drink or eat, or use other plants that are sensitive to 2,4-D or dicamba. Not recommended for use on ornamental trees, shrubs, etc. Avoid contact with plants where clover is present and desired. Do not apply to areas underlain by roots of desirable trees and shrubs. Clean spreader after each use. Do not store this growing plants or fertilizers, acids, caustics and herbicides. Do not reuse this container. Empty when empty. Do not burn.

**SPREADER SETTINGS**

SPREADER MAKE	SETTING
Cycloze	4
W. Star (Precision)	10%
Lawn Blasty	10%
Scotts	5
Woods-Craftsmen	5%
Woods-Craftsmen Mark	5%

NOTE: Spreading rate varies with mowing speed. To insure proper coverage, check spreader over known area.

**VIGORO**

CHICAGO 60608

30-7188-1

REGISTERED SERVICE TAG  
Always use this tag to identify your fertilizer  
Number 10-18-70-100-075

**GOLDEN VIGORO** LAWN FERTILIZER & WEED CONTROL

**GOLDEN VIGORO** LAWN FERTILIZER & WEED CONTROL