ACCEPTED

APR 1 8 1986 Under the Federal Insecticide,

Fungicide, and Rodersticide Act. as amended, for the pesticide registered under 757-1818

EPA Reg. No.

FRONT PANEL

t

K-MART

SNAIL & SLUG

KILLER

PELLETS

FOR USE ON FRUIT AND VEGETABLE GROWING AREAS

NET WT. 50 LBS.

ACTIVE INGREDIENT: 2.75% Metaldehyde 97.25% INERT INGREDIENTS: TOTAL 100.00% E.P.A. Est. No. 557-CA-1 E.P.A. Reg. No. 557-1818 KEEP OUT OF REACH OF CHILDREN AVISO WARNING PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que le etiqueta haya sido. explicado ampli-mente. This pesticide may be fatal to children and dogs or oth . pets if eaten. Keep children and pets out of treated areas. See March Parch for Additional Precautionary Statements.

SIDE PANEL

SNAIL AND SLUG KILLER PELLETS

K-mart Snail and Slug Killer is a special preparation for the control of snails. K-mart Snail and Slug Killer attracts and kills snails and slugs with Metaldehyde. The presence of snails and slugs can be detected by their shiny mucous-like trail. They are night feeders and prefer damp, cool places in the ornamental garden, flowers, under boards or flower pots and around fences, hedges and bushes.

NOTE: This package was full when packed. Contents are sold by weight.

TREATS 60,000 SQUARE FEET

NET WT. 50 LBS.

SNAIL & SLUG

KILLER pellets

Read entire label. Use strictly in accordance with label warnings and directions.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

KEEP OUT OF REACH OF CHILDREN. May be fatal if swallowed. If swallowed, induce vomiting. Call physician immediately. Wear protective clothing including long-sleeve shirt and gloves when handling. Avoid breathing dust. Avoid contact with skin, eyes and clothing. In case of contact with skin or eyes, flush with plenty of water. For eyes, get medical attention. Wash hands with soap and water after handling and before eating or smoking. Do not apply this product in such a manner as to directly cr through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

ENVIRONMENTAL HAZARDS

This pesticide may be fatal to children and dogs or other pets if eaten. Keep children and pets out of treated area. Follow directions and use with care. Dogs and chickens may be attracted to this bait.

This product is toxic to fish and wildlife. Birds feeding on treated area may be killed.

Keep out of any body of water. Do not apply where runoff is likely to occur. Do not contaminate water by disposal of wastes. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Do not enter treated areas without protective clothing until application is complete.

Water area to be treated thoroughly. Broadcast K-mart Snail: and Slug Killer late in the day in the areas likely to be infested. Apply to the soil and not directly on plants. Do not apply to edible parts of foliage. Scatter, do not leave.' in piles. In gardens and lawn areas, insure pellets are applied around the base of bedding plants and other low growing plants: where snails and slugs hide. To avoid early damage to your garden, apply before snails and slugs appear at spring planting time.

_ _

REAR PANEL (Page 2)

Continuous watering and high temperatures cause this bait to gradually lose some of its effectiveness. Repeat applications every week to ten days during spring and summer months. Treatment every two weeks during fall and winter months is usually satisfactory. Repeated treatments provide control of new broods emerging during this period. Three baitings ten days apart usually gives control of new batch. Apply one pound of this product to each 1,200 square feet of area.

To control snails and slugs on the following vegetable and fruit crops, apply to soil surface around plants and trees. Do not contaminate edible parts of foliage.

STORAGE AND DISPOSAL

Storage: Store in original container in safe, dry place. Do not contaminate water, food or feed by storage or disposal.

Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

FRUIT CROPS:

Apples, apricots, cherries, grapes, peaches, pears, nectarines, plums, avocados, blackberries, boysenberries, citrus, loganberries, raspberries and strawberries.

VEGETABLES:

Asparagus, beans, blackeyed peas, broccoli, brussel sprouts, cabbage, melons, carrots, cauliflower, corn, cucumbers, eggplants, endive, garlic, kale, kohlrabi, horseradish, leeks, lettuce, okra, onions, peas, peppers, potatoes, pumpkins, radishes, rutabagas, salsify, shallots, spinach, squash, swiss chard, tomatoes and turnips.

FOR SNAILS AND SLUGS IN DICHONDRA, CLOVER AND GRASS LAWNS: Distribute pellets over entire lawn as necessary. One pound. will cover 1,200 sq. ft.

Manufactured in U.S.A. for K-MART CORPORATION, TROY, MICHIGAN 48084 ...

•

by ESTECH Branded Fertilizers, Inc. Fairview Heights, Il 62208