

A-
2-22-71
557-1823




70 lbs. Net Weight
covers 3,000 Sq. Ft.

plus LAWN FOOD



**DANDELION
& WEED CONTROL
plus LAWN FOOD**

23-3-7



FOR EARL MAY SEED & NURSERY CO.
EARL MAY SEED & NURSERY CO.
ACCURATELY FURNISHES THE FOLLOWING INFORMATION:

**DANDELION
& WEED CONTROL**



EARL MAY SEED & NURSERY CO.
Shenandoah Iowa 51601




\$6⁹⁵

**DANDELION
& WEED CONTROL**


**DANDELION
& WEED CONTROL
LAWN FOOD**

COVERS 5,000 SQ FT





CRABGRASS PREVENTER



PLUS

GUARANTY

TOTAL NITROGEN (N)
 0.8% Ammoniacal Nitrogen (Derived from ...)
 4.8% Water insoluble nitrogen (Derived from ...)
 13.4% Water soluble nitrogen (Derived from ...)

AVAILABLE PHOSPHORIC ACID (P₂O₅) (Derived from ...)
 SOLUBLE POTASH (K₂O) (Derived from ...)
 IRON EXPRESSED AS ELEMENTAL (Fe) (Derived from ...)
 Potential Acidity 750 lbs. Calcium Carbonate

Distributed By Earl May

SATISFACTION

If, for any reason you are not satisfied with this product, you are entitled to a refund upon presenting evidence of purchase.

FOR BEST RESULTS
APPLY EARL MAY CRABGRASS PREVENTER
ACCORDING TO THE DIRECTIONS

Earl May Crabgrass Preventer plus Lawn Food is a pre-emergent crabgrass preventer for lawns, golf courses, and certain other annual grasses. It supplies the quick pick-up needed to fill in bare spots, encouraging growth and formation of thick turf.

APPLY IN LATE AUGUST

Kills the crabgrass seedlings just as they are starting to grow.
 It is easy to apply.

- It is essential to apply very evenly and to water in below, then cover the area twice, the first time at least.
- Do not rake the lawn or disturb soil surface.
- Water in lightly if no rain falls within 24 hours.
- On lawns newly seeded in the spring, apply Earl May Crabgrass Preventer plus Lawn Food.

SPREADER
 Cover area twice—second time at right angle to first

SPREADER

Cyclone _____
 Sears _____
 Wards _____
 Lawn Beauty _____
 Scotts _____

Spreading rate varies with walking speed, terrain, and coverage. Check spreader over a known area.

COVER AREA TWICE — SECOND TIME AT RIGHT ANGLE TO FIRST FOR THOROUGH COVERAGE

WHAT ABOUT RESEEDING?

Crabgrass preventers affect the germination of crabgrass seeds. To reseed, do so by one of these methods:


1. Seed early enough in the spring so that the grass can get established before the Earl May Crabgrass Preventer plus Lawn Food is applied.
2. Cover large bare spots with 1/2 inch of soil and apply Earl May Crabgrass Preventer plus Lawn Food to lawn, then reseed.

CAUTION: Harmful if swallowed. Do not use if you are ill or after handling or using. Store in a dry place. Do not contaminate feed or foodstuffs. DO NOT APPLY TO DICHOONDRA LAWNS.

EARL MAY SINCERELY
Shenandoah

**DANDELION
& WEED CONTROL**

plus **LAWN FOOD**



20 lbs. Net Weight
Covers 5,000 Sq. Ft.



**DANDELION
& WEED CONTROL
plus LAWN FOOD
23-3-7**

GUARANTEED ANALYSIS	
TOTAL NITROGEN (N).....	23.0%
1.0% Ammoniacal Nitrogen (Derived from Ammoniated Phosphates)	
5.8% Water insoluble Nitrogen (Derived from Condensed Urea Formaldehyde)	
16.2% Water soluble Nitrogen (Derived from Urea and Urea-Formaldehyde)	
AVAILABLE PHOSPHORIC ACID (P ₂ O ₅) (Derived from Ammoniated Phosphates)	3.0%
SOLUBLE POTASH (K ₂ O) (Derived from Muriate of Potash).....	7.0%
IRON EXPRESSED AS ELEMENTAL (Fe) (Derived from Ferrous Sulfate).....	0.9%
Potential Acidity 950 lbs. Calcium Carbonate Equivalent per ton.	

Distributed By Earl May Seed & Nursery Co., Shenandoah, Iowa 51601

SATISFACTION GUARANTEE
If for any reason you are not completely satisfied with the results of applying this product, you are entitled to a full refund of the purchase price. No other conditions or restrictions apply.

**FOR BEAUTIFUL LAWNS APPLY
EARL MAY DANDELION & WEED CONTROL plus LAWN FOOD
ACCORDING TO THE FOLLOWING RECOMMENDATIONS:**

Earl May Dandelion & Weed Control plus Lawn Food has been specially formulated to kill dandelions, plantains, pigweed, and similar broadleaf weeds. The balance of non-burning, fast-acting and food elements supply the quick pick-up needed to fill out the bare spots left by dead weeds and to prevent re-establishment of weeds by encouraging growth and formation of thick, weed-resistant turf.

APPLY ONLY IN WARM WEATHER WHEN SOIL MOISTURE IS PLENTIFUL

Weeds are hard to kill when weather is cold in the early spring or during hot, dry summer weather. Apply when weeds are young and actively growing. For best results, APPLY EARLY IN THE MORNING WITH DEW OR AFTER DARK. Apply evenly and thoroughly. Apply several times after mowing to allow for the presence of plenty of leaf surface area. Do not mow or water the lawn for 24 hours after application. DO NOT MOW OR WATER THE LAWN FOR ANOTHER 24 HOURS. Set your spreader as shown below, then cover your lawn evenly.

SUGGESTED SPREADER SETTINGS

SPREADER	SETTING NUMBER
	5,000 Sq. Ft.



plus

DANDELION & WEED CONTROL



DANDELION & WEED CONTROL plus LAWN FOOD

23-3-7

GUARANTEED ANALYSIS	
TOTAL NITROGEN (N).....	23.0%
1.0% Ammoniacal Nitrogen (Derived from Ammoniated Phosphates)	
5.8% Water insoluble Nitrogen (Derived from Condensed Urea Formaldehyde)	
16.2% Water soluble Nitrogen (Derived from Urea and Urea-Formaldehyde)	
AVAILABLE PHOSPHORIC ACID (P ₂ O ₅) (Derived from Ammoniated Phosphates).....	3.0%
SOLUBLE POTASH (K ₂ O) (Derived from Muriate of Potash).....	7.0%
IRON EXPRESSED AS ELEMENTAL (Fe) (Derived from Ferrous Sulfate).....	0.9%
*Potential Acidity 950 lbs. Calcium Carbonate Equivalent per ton.	

Distributed By Earl May Seed & Nursery Co., Shenandoah, Iowa 51601

SATISFACTION GUARANTEE

If, for any reason you are not completely satisfied with the results of applying this product, you are entitled to a full refund of the purchase price. No return of product is necessary. We will refund the purchase price if you are not completely satisfied. No return of product is necessary. We will refund the purchase price if you are not completely satisfied. No return of product is necessary.

**FOR BEAUTIFUL LAWNS APPLY
EARL MAY DANDELION & WEED CONTROL plus LAWN FOOD
ACCORDING TO THE FOLLOWING RECOMMENDATIONS:**

Earl May Dandelion & Weed Control plus Lawn Food has been specially formulated to kill dandelions, plantains, pigweeds and similar broadleaf weeds. The balance of non-burning, fast acting weed food elements supply the quick pickup needed to fill the bare spots after dead weeds are killed. This prevents re-establishment of weeds by encouraging growth and formation of thick, weed resistant turf.

APPLY ONLY IN WARM WEATHER WHEN SOIL MOISTURE IS PLENTIFUL

Weeds are hard to kill when weather is cold in the early spring or during hot, dry summer weather. Apply when weeds are young and before mowing. For best results, apply while lawns are WET WITH DEW OR AFTER SPRINKLING GENTLY. Apply several days after mowing to allow for the presence of plenty of soil moisture. Do not mow or water after Earl May Dandelion & Weed Control plus Lawn Food. DO NOT MOW OR WATER THE LAWN FOR ANOTHER 24 HOURS. Set your spreader as shown below, then cover your lawn evenly.

SUGGESTED SPREADER SETTINGS

SPREADER	SETTING NUMBER
	3,000 Sq. Ft.
Sears Craftsman.....	5½
Ward's Garden Mower.....	4
Scott's.....	5
Lawn Beauty.....	7
Cyclone.....	3½

Cover your lawn with a uniform application of product to cover up to 3,000 sq. ft. per application. Do not cover, fertilize or water.

CAUTION:
 Keep out of reach of children.
 Handle with care. Avoid contact with eyes. Avoid contact with skin and clothing. Wash thoroughly after use.
 Not recommended for use on lawn grasses or other plants unless otherwise specified. Do not apply to newly seeded lawns.
 Avoid drift to ornamentals with vegetables, flowers, shrubs, ornamentals or other plants that are sensitive to 2,4-D.
 Clean spreader after each use. Keep bag tightly closed. Do not store near growing plants or ferns, orchids, seed pods and fungicides.

EARL MAY SEED & NURSERY CO.
 Shenandoah, Iowa 51601

REF. 4412



\$695

**DANDELION
& WEED CONTROL**

**DANDELION
& WEED CONTROL**
plus **LAWN FOOD**

COVERS 5,000 SQ. FT.



WEED CONTROL

& WEED CONTROL *plus* **LAWN FOOD**

COVERS 5,000 SQ. FT.



plus
LAWN FOOD

**KILLS DANDELIONS AND
MANY OTHER BROAD-
LEAF WEEDS AS IT
FEEDS YOUR LAWN**

**23-3-7 LAWN FOOD
NON-BURNING
LONG-LASTING
FORTIFIED WITH IRON**

CAUTION:
Keep out of reach of children.
See back panel for additional cautions.

HERBICIDE	
ACTIVE INGREDIENT	
Dimethylamine salt of 2,4-Dichlorophenoxyacetic Acid	1.22%
INERT INGREDIENTS	98.78%
TOTAL	100.00%
Equivalent to 2,4-Dichlorophenoxyacetic Acid	1.01%
U.S.D.A. Reg. No. 557-1823	

NOT CORRECT FOR SHADE



DIRECTIONS TO OPERATE

SURE WAY TO KILL

CAUTION Keep out of reach of children. See back panel for additional Warning and Cautions.

NET CONTENTS: 16 FL. OZ. (1 PT.)



ACCEPTED JAN 25 1972 UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTERED UNDER NO. 327-1847

DO NOT USE ON DICHONDRA LAWNS

DISTRIBUTED BY SWIFT AGRICULTURAL CHEMICALS CORP CHICAGO ILL 60604

SURE WAY TO KILL

Florida Pusley Oxalis Purpletop Wild Lettuce Dock Ragweed Penstemon Henbit Dandelion Lambsquarter Clover Plantain Wild Onion Pigweed Cocklebur Black Medic Spurge Poison Ivy Chickweed Mustard Knotweed and most other broadleaf weeds VIGORO BROADLEAF WEED KILLER for St. Augustine Grass is specially formulated for maximum safety to St. Augustine grasses and effective control of both annual and persistent broadleaf weeds.


ACTIVE INGREDIENTS, % By Wt Dimethylamine salt of 2,4-Dichlorophenoxyacetic acid** 1.072% Dimethylamine salt of 2-(2-methyl-4-chlorophenoxy)propionic acid** 3.505% Dimethylamine salt of dicamba (3,6-dichloro-o-anic acid)** 0.429% INERT INGREDIENTS ... 94.992% Total ... 100.000%

E.P.A. PATENT NO. 3724,465 EQUIVALENT TO 2,4-D AND 0.35% OR 0.75% 2,4-D OR 0.35% OR 0.75% DICAMBA ACID 0.35% OR 0.75% 2,4-D

DO NOT USE ON DICHONDRA LAWNS E.P.A. Reg. No. 557-1847

DISTRIBUTED BY SWIFT AGRICULTURAL CHEMICALS CORP CHICAGO, ILL. 60604

and Other Turf Grasses



Rev. by date Rev. by date Rev. by date Rev. by date

Table with columns: MOLD NO, A, B, C, D, E; NECK SPEC; DIM; GEAR; DIM TO BOTTOM

NECK DESIGN NO.

DIM GEAR DIM TO BOTTOM

BACK CROSS SHADE

FRONT CROSS SHADE

SHOULDER DESIGN NO.

DIM GEAR DIM TO BOTTOM

DIM GEAR DIM TO BOTTOM

SOLID AREAS

CROSS SHADE

SINGLE SHADE

SOLID AREAS

CROSS SHADE

SINGLE SHADE

Owens-Illinois APPLIED COLOR DESIGN FOR

Handwritten notes and design specifications

MOLD NO. 4-1015

CAPACITY 16 FL. OZ.

REVISIONS

DESIGNER

BODY DESIGN NO.

MATERIAL

FINISH

MARKING

TESTING

Cameraman's Note Poor Copy