

CONTAINS 1.0%
IRON

NET WT 25 LBS
TREATS
3000 SQ FT **18-4-4**
SATISFACTION or your money back

VIGORO

DICHONDRA FERTILIZER

PLUS

INSECT CONTROL

NET WT 25 LBS

VIGORO

DICHONDRA FERTILIZER

PLUS

INSECT CONTROL

18-4-4
GUARANTEED ANALYSIS

TOTAL NITROGEN (N)	18.0%
1.0% Available Nitrogen (derived from ammonium phosphate)	
5.0% Water Soluble Nitrogen (from urea and ammonium phosphate)	
12.0% Water Soluble Nitrogen (derived from urea and ammonium phosphate)	
AVAILABLE PHOSPHORIC ACID (P ₂ O ₅) (derived from ammoniated phosphates)	4.0%
SOLUBLE POTASH (K ₂ O) (derived from muriate of potash)	4.0%
IRON EXPRESSED AS ELEMENTAL (Fe) (derived from ferrous sulfate)	1.0%

Potent Acidity 7.0 lbs. Calcium Carbonate equivalent per ton. Isobutylidene Diurea (IBDU) is a fertilizer material providing a slowly available form of Nitrogen. Slow release properties of the material are controlled by virtue of 0.7-0.8 mm. particle size variation. These particles, in this product are embedded in a relatively soluble matrix of associated plant nutrients.

Manufactured by Swift Agricultural Chemicals Corp., Chicago, Illinois 60604.

MONEY BACK PROMISE

You must be pleased with the results or you are entitled to your money back. Simply send sales slip to VIGORO, Chicago, Illinois 60604 for prompt refund.

EASY TO USE

INSECT CONTROL: Ants, certain cutworms, lawnmoths (sod webworms), white grubs, wireworms, crickets, grasshoppers, fleas and earwigs.

ESTABLISHED LAWNS: Apply to established lawns in early spring and late summer.

ESTABLISHED LAWNS: Dichondra is a heavy feeder and should be fertilized every 6 weeks to 2 months to maintain good growth and color. Apply when dichondra foliage is dry. To avoid the possibility of cup-shaped leaves trapping and rotting, avoid application to wet foliage.

NEW DICHONDRA PLANTINGS: Before plugging or sodding, apply a cording to the settings below. Rake fertilizer into the prepared bed.

CAUTION: Harmful if swallowed. Avoid inhalation and contact with eyes and clothing. Avoid contact with children and pets.

Do not allow children or pets on to sod lawn until material has been washed into the ground and completely dried.

For application to established lawns, use 1 lb. per 1000 sq. ft. of bed.

For application to new lawns, use 1 lb. per 1000 sq. ft. of bed. For application to established lawns, use 1 lb. per 1000 sq. ft. of bed. Apply to established lawns only when empty.

KILLS	lawnmoths
INSECTS	(larvae)
AS IT FEEDS	sowbugs
YOUR	ants
	certain
	cutworms