



DIRECTIONS TO OPERATE

SURE WAY TO KILL

557-1847

CAUTION: Keep out of reach of children
back panel for additional Warning and Caution

NET CONTENTS 16 FL OZ (1 PT)

DO NOT USE ON
DICHONDRA LAWNS

DISTRIBUTED BY
SWIFT AGRICULTURAL
CHEMICALS CORP.
CHICAGO, ILL.

SURE WAY TO KILL

Florida Parsley, Drain, Purslane,
Wild Lettuce, Dock, Ragweed,
Pumpkin, Nettle, Dandelion,
Lambquarter, Clover, Plantain,
Wild Onion, Pigweed, Chickweed,
Black Medic, Spurge, Purslane,
Chickweed, Mustard, Knotweed,
and most other broadleaf weeds.

VIGORO BROADLEAF WEED KILLER
for St. Augustine Grass is especially
formulated for maximum safety to
2, 4-D sensitive grasses and effective
control of both annual and per-
sistent broadleaf weeds.

ACTIVE INGREDIENTS: By wt.
Dimethylamine salt of 2,4-D
chlorophenol 3,6-dichloro 1.07%
Dimethylamine salt of 2,4-D
methyl 2,4-dichlorophenoxy
propionate 3.50%
Dimethylamine salt of dicamba
2,4-dichloro 3,6-dichloro 0.25%
INERT INGREDIENTS: 94.99%
Total 100.00%

EQUIVALENT TO:
2,4-D 2.43%
2,4-D 2.43%
2,4-D 2.43%

DO NOT USE ON
DICHONDRA LAWNS

E.P.A. Reg. No. 107-100
DISTRIBUTED BY
SWIFT AGRICULTURAL
CHEMICALS CORP.
CHICAGO, ILL. 60604

BEST DOCUMENT AVAILABLE



ACCEPTED
 557-1850
 APR 10 1972
 FOR E.P.A. REG. NO. 557-1850 SUBJECT
 TO ATTACHED COMMENTS

GOLDEN WING

WEED CONTROL PLUS LAWN FEED

WEED AND FEED

Feeds lawn as 3-way action kills chickweed, dandelion, knotweed, plantains, henbit, spurge and many other weeds

ACTIVE INGREDIENTS

*Dimethylamine salt of 2,4-dichlorophenoxyacetic acid	0.69%
**Dimethylamine salt of 2-(2-methyl-4-chlorophenoxy) propionic acid	0.31%
***Dimethylamine salt of Dicamba (3,6-dichloro-o-anisic acid)	0.07%
INERT INGREDIENTS	98.93%
E.P.A. Reg. No. 557-1850	Total 100.00%
*Equivalent to 2,4-dichlorophenoxyacetic acid	0.57%
**Equivalent to 2-(2-methyl-4-chlorophenoxy) propionic acid	0.26%
***Equivalent to 3,6-dichloro-o-anisic acid	0.06%

CAUTION: Keep out of reach of children. See back of container for directions.

GOLDEN WING

net wt 25 lbs

GOLDEN VIGOR WEED CONTROL PLUS LAWN FERTILIZER WEED & FEED

18-4-8

GUARANTEED ANALYSIS

TOTAL NITROGEN (N) 18.0

0.6 Ammoniacal Nitrogen (derived from ammoniated phosphates)

5.0 Water Insoluble Nitrogen (derived from urea, urea hydrolysis and Isobutylidene Durea)

12.4 Water Soluble Nitrogen (derived from urea, urea hydrolysis and Isobutylidene Durea)

AVAILABLE PHOSPHORIC ACID (P₂O₅) (derived from ammoniated phosphates) 4.0

SOLUBLE POTASH (K₂O) (derived from potassium phosphate) 8.0

Potential acidity 600 lbs calcium carbonate equivalent per ton. Manufactured by Swift Agricultural Chemicals Corporation, Chicago, Illinois.

MONEY BACK PROMISE

You must be pleased with the results or your money back. Simply send sales slip to V. G. Co., Chicago, Illinois.

EASY TO USE

WHEN TO APPLY: For best results apply when weeds are actively growing in the spring or early fall after heavy rains. Apply when soil is wet with rain after sprinkling lightly. To get maximum weed control, do not mow lawn with the lawnmower for at least 24 hours after application.

WHERE TO APPLY: This product must be used on lawns, lawns, Bermuda grass and zoysia lawns. Do not use on other types of lawns or areas where the rate of growth of the lawn is slow. Do not use on areas where the lawn is dormant. No special preparation is required. Apply to the soil.

HOW TO APPLY: Use the spreader to apply to the lawn. Apply 1/2 lb per 1000 sq. ft. to 5000 square feet of lawn area.

WEEDS CONTROLLED: This product will control the following weeds controlled by this product:

Beardgrass	Chickweed	Crabgrass	Field Bindweed
Barnyard Grass	Clover	Galium	Flower Spurge
Buckhorn	Conyza	Ground Squirrel	Goosegrass
Burdock	Crabgrass	Ground Squirrel	Greenhouse Crabgrass
Chenopod	Crabgrass	Ground Squirrel	Ground Squirrel
Chickweed	Crabgrass	Ground Squirrel	Ground Squirrel
Crabgrass	Crabgrass	Ground Squirrel	Ground Squirrel
Cyperus	Crabgrass	Ground Squirrel	Ground Squirrel

CAUTION

Harmful if swallowed. Wash after handling. Avoid inhaling dust. Do not get on face or in eyes. Avoid contact with skin. Avoid contact with water. Do not use in areas where children play. Do not use in areas where livestock graze. Do not use in areas where birds feed. Do not use in areas where bees are active. Do not use in areas where cats or dogs are kept. Do not use in areas where children play. Do not use in areas where livestock graze. Do not use in areas where birds feed. Do not use in areas where bees are active. Do not use in areas where cats or dogs are kept.

HOW TO SET YOUR SPREADER

Cyprus	4 1/2" x 10"	50%
K-Mat	4 1/2" x 10"	50%
Lawn (Bent)	4 1/2" x 10"	50%

NOTE: To make sure you are getting the most out of your spreader, use the following instructions:

★ THIS LABEL FOR ALL DESIGN
SHOW CORRECT MOUNTING IN ALL
GLASS SHEETS

DIRECTIONS TO OPERATE



Apply to the weeds to be killed. Vigoro is a systemic herbicide which is absorbed by the roots of the weeds and moves up to the leaves. It kills the weeds by interfering with their ability to produce food. Vigoro is effective on many types of broadleaf weeds, including Florida Pusley, Oxalis, Purslane, Wild Lettuce, Dock, Ragweed, Peppercorn, Henbit, Dandelion, Lamb's Quarters, Clover, Plantain, Wild Onion, Pigweed, Cocklebur, Black Medic, Spurge, Poison Ivy, Chickweed, Mustard, Knotweed, and most other broadleaf weeds. Vigoro Broadleaf Weed Killer for St. Augustine Grass is specially formulated for maximum safety to St. Augustine grasses and effective control of both annual and persistent broadleaf weeds.

SURE WAY TO KILL

Apply to the weeds to be killed. Vigoro is a systemic herbicide which is absorbed by the roots of the weeds and moves up to the leaves. It kills the weeds by interfering with their ability to produce food. Vigoro is effective on many types of broadleaf weeds, including Florida Pusley, Oxalis, Purslane, Wild Lettuce, Dock, Ragweed, Peppercorn, Henbit, Dandelion, Lamb's Quarters, Clover, Plantain, Wild Onion, Pigweed, Cocklebur, Black Medic, Spurge, Poison Ivy, Chickweed, Mustard, Knotweed, and most other broadleaf weeds. Vigoro Broadleaf Weed Killer for St. Augustine Grass is specially formulated for maximum safety to St. Augustine grasses and effective control of both annual and persistent broadleaf weeds.

DO NOT USE ON DICHONDRA LAWNS

DISTRIBUTED BY
SWIFT AGRICULTURAL
CHEMICALS CORP.
CHICAGO, ILL. 60604

SURE WAY TO KILL

Florida Pusley Oxalis Purslane
Wild Lettuce Dock Ragweed
Peppercorn Henbit Dandelion
Lamb's Quarters Clover Plantain
Wild Onion Pigweed Cocklebur
Black Medic Spurge Poison Ivy
Chickweed Mustard Knotweed
and most other broadleaf weeds.
VIGORO BROADLEAF WEED KILLER
for St. Augustine Grass is specially
formulated for maximum safety to
St. Augustine grasses and effective
control of both annual and per-
sistent broadleaf weeds.

ACTIVE INGREDIENTS: By Wt.
Dinitrophenyl salt of 2,4-Di-
chlorophenoxyacetic acid* 1.072%
Dimethylamine salt of 2-(2-
methyl-4-chlorophenoxy)-
propionic acid** 2.565%
Di-n-butylamine salt of dimamba-
zole (3,6-dichloro-o-anisic acid)** 0.425%
INERT INGREDIENTS: 94.938%
Total 100.000%

DO NOT USE ON DICHONDRA LAWNS

E.P.A. Reg. No. 557-1847
DISTRIBUTED BY
SWIFT AGRICULTURAL
CHEMICALS CORP.
CHICAGO, ILL. 60604

557-1847

Rev. by _____
Rev. by _____
Rev. by _____
Rev. by _____

CAUTION: Keep out of reach of children. See back panel for additional Warning and Cautions.

NET CONTENTS: 16 FL. OZ. (1 PT.)

ACCEPTED
JAN 25 1968
UNDER THE FEDERAL
FUNGICIDE AND ROCKET
FOR ECONOMIC POISON
ED UNDER NO. 272



CAUTION: Keep out of reach of children. See back panel for additional Warning and Cautions.
NET CONTENTS: 16 FL. OZ. (1 PT.)

11

... FOR LEGIBILITY

557-1847

Rev. by... date
Rev. by... date
Rev. by... date
Rev. by... date

CAUTION: Keep out of reach of children. See back panel for additional Warning and Cautions.
NET CONTENTS: 16 FL. OZ. (1 PT.)

WAY TO KILL


DO NOT USE ON
CONDRA LAWNS
DISTRIBUTED BY
AGRICULTURAL
CHEMICALS CORP.
CHICAGO, ILL. 60604

WAY TO KILL

... Purflora
... Ragweed
... Dandelion
... Plantain
... Cocklebur
... Poison Ivy
... Knotweed
... Broadleaf Weeds
... Grass is especially
... of both annual and per-
... weeds.

INGREDIENTS: + By Wt
... 2.4-Di-
... 1.072%
... 2.12-
... 3.56%
... 0.429%
... 94.93%

DO NOT USE ON
CONDRA LAWNS
DISTRIBUTED BY
AGRICULTURAL
CHEMICALS CORP.
CHICAGO, ILL. 60604



ACCEPTED
JAN 25 1972
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 557-1847

and Other Turf Grasses

MOLD NO.	A	B	L	D	E
NECK SPEC					
SHO SPEC					

NECK DESIGN NO.

E DIM GEAR DIM TO BOTTOM

BACK SOLID AREAS

FRONT CROSS SHADE

SHOULDER DESIGN NO.

E DIM GEAR DIM TO BOTTOM

E DIM GEAR DIM TO BOTTOM

BACK COLORS SOLID AREAS

CROSS SHADE

SINGLE SHADE

FRONT COLORS CROSS SHADE

SINGLE SHADE

OWENS-ILLINOIS

APPLIED COLOR DESIGN FOR

(CORDON CORPORATION)

KANSAS CITY, KANSAS

ALTERNATE VIGORO

MOLD NO. A 6748 COLOR OF GLASS AMBER

CAPACITY 16.00 WEIGHT 11.200

REGISTRATION MINIMUM HEIGHT LETTERS

DATE 1/5/72 CHKD OKD

DESIGNER

NOTES

BODY DESIGN NO. BACK FRONT SA-98915-B

DIM TO BOTTOM FRONT 13/16 BACK 13/16

GEAR 20/64

BACK COLORS SOLID AREAS # 2-1 WHITE

CROSS SHADE

SINGLE SHADE

FRONT COLORS SOLID AREAS # 15-17-17

CROSS SHADE # 16-22-12-22-N

SINGLE SHADE # 2-1 WHITE

ID