

ACCEPTED

SEP 17 1973

TREATS 2000 SQ. FT.

VIGORO®

ACCEPTED

SEP 17 1973

GRANULAR
CHINCH BUG
CONTROL

Controls... Chinch Bugs and Sod
Webworms (Lawn Moths) Infesting
Home Lawns and Other Ornamental
Turf Areas.

ACTIVE INGREDIENTS:

Chlorpyrifos (0,0-diethyl 0-(3,5,6-trichloro-
2-pyridyl) Phosphorothioate) 0.5%

INERT INGREDIENTS 99.5%

Controls... Chinch Bugs and Sod Webworms (Lawn Moths) Infesting Home Lawns and Other Ornamental Turf Areas.

ACTIVE INGREDIENTS:

Chlorpyrifos (0,0-diethyl 0-(3,5,6-trichloro-2-pyridyl) Phosphorothioate) 0.5%

INERT INGREDIENTS 99.5%

TOTAL 100.0%

E.P.A. Reg. No. 557-1865

CAUTION: KEEP OUT OF REACH OF CHILDREN
Read Complete Precautions on Back Panel

NET CONTENTS: 10 LBS.

Distributed by

SWIFT CHEMICAL COMPANY

CHICAGO, ILLINOIS 60604 HOUSTON, TEXAS 77007

USE DIRECTIONS

Apply Vigoro Granular Insecticide Chinch Bug Control uniformly to home lawns and other ornamental and recreational turf grass areas using any hand or power operated gravity or rotary type spreader designed for application of granular materials. Treat when insects first appear using Vigoro Granular Insecticide Chinch Bug Control at the rate of 200 pounds per acre. To help obtain uniform distribution, apply one-half the required amount of product in one direction; then apply the balance at a right angle. Immediately after application sprinkle the turf with 1300 gallons of water per acre so as to wash the granules into the zone of insect infestation. Consult the following table to determine amounts of Vigoro Granular Insecticide Chinch Bug Control and water needed for smaller sized areas. Re-treat as necessary.

RATES TO USE

Area to be Treated	Pounds of Vigoro Granular Insecticide Chinch Bug Control	Gallons of Water to Sprinkle on Turf after treatment
1000 sq. ft.	5	30
5000 sq. ft.	25	150
10700 sq. ft.	50	325

1. 1000 sq. ft. 2. 5000 sq. ft. 3. 10700 sq. ft.

CAUTION

KEEP OUT OF REACH OF CHILDREN
MAY BE HARMFUL IF SWALLOWED

RATES TO USE

Area to be Treated	Pounds of Vigoro Granular Insecticide Chinch Bug Control	Gallons of Water to Sprinkle on Turf after treatment
1000 sq. ft.	5	30
5000 sq. ft.	25	150
10700 sq. ft.	50	325

CAUTION

**KEEP OUT OF REACH OF CHILDREN
MAY BE HARMFUL IF SWALLOWED**

Do not take internally. Avoid eye contact. Flush contaminated eyes with plenty of water, and get medical attention if irritation persists. Wash thoroughly after handling. Wash contaminated clothing with soap and hot water before re-use. Keep away from food, feedstuffs and domestic water supplies.

USE PRECAUTIONS

Keep children and pets off treated areas until this material is washed into the soil and grass is dry.

This product is toxic to fish, birds, and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Dispose of empty container and wastes by burning or by burying in non-croplands away from domestic water supply.

NOTE TO PHYSICIAN: Active ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote.