

ACCEPTED
 Sept 11, 1978
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC POISON REGISTERED
 EPH-1864

NET WT. 60 LBS. (27.23 kg)
Treats 5000 SQ. FT.

VIGORO

Weed Control Plus Lawn Fertilizer

FOR EXCLUSIVE USE ON BAHIA, BERMUDA,
 FESCUE, AND ZOYSIA GRASSES

12-5-7

GUARANTEED ANALYSIS
 731-4577

TOTAL NITROGEN (%)	12.0%
8.6% Ammoniacal Nitrogen	
3.0% Water Soluble Nitrogen	
0.4% Water Soluble Organic Nitrogen	
AVAILABLE PHOSPHORUS (P ₂ O ₅) (%)	5.0%
SOLUBLE POTASH (K ₂ O) (%)	7.0%
Derived from ammoniated phosphate, ammonium sulphate, sodium silico-phosphate of potash and sulphate of potash magnesia	
Statement of Secondary Nutrients	
Calcium (%)	4.0%
Total and Water Soluble Magnesium (%)	2.0%
Sulphur (combined) (%)	11.0%
Derived from limestone, sulphate of potash magnesia and ammonium sulphate	
Chlorine - not more than	1.0%
Potential Acidity, 500 lbs. Calcium Carbonate Equivalent per ton. None	
Manufactured by South Agricultural Chemical Corporation, Chicago, Illinois 60602. Vigoro is a registered trademark of South Agricultural Chemical Corporation.	

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Avoid contact with skin, eyes, or clothing. Avoid breathing dust. Keep out of reach of children. Wash thoroughly after handling. Harmful if swallowed.

ENVIRONMENTAL HAZARD

Keep out of lakes, streams or ponds. Do not apply when weather conditions favor drift from target area. Do not apply on windy days. Do not apply on newly seeded lawns. Do not use on ornamental plants or trees. Do not use on areas where irrigation ditches or water used for irrigation purposes. Avoid drift to desirable plants. Do not use on Lawns, St. Augustine, Dichondra, Lagoon or other ground covers. Do not apply in areas underlain by roots of desirable trees and shrubs.

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Vigoro Weed Control Plus Lawn Fertilizer destroys growing broadleaf weeds in Bahiá, Bermuda, Fescue, Zoysia and grasses. Apply when weeds are young and actively growing and the average temperature is over 70°F. Apply while lawn is wet with dew or after sprinkling lightly. Do not mow or mow your lawn for two days after applying. Use spreader settings below. Covers 5,000 sq. ft. (100' x 50') per bag. Use Herbicide properly. Do not overuse. Read directions for use carefully.

CONTROLS THESE WEEDS

Florida Fescue, Black Medick, Chickweed, Clover, Larkspur, Dandelion, Creeping Charlie, Dark, Hairy, Knotweed, Lambsquarters, Mustard, Oxalis, Peppercorn, Pigweed, Plantain, Poinsett, Purslane, Ragwort, Side Spurge, Wild Onion, Wild Lettuce, and many other broadleaf weeds.



SPREADER SETTING

SPREADER	SETTING	SPREADER	SETTING
Cyclone	5 1/2	Lawn Boss	6 1/2
Woods	4 1/2	Scythe	6
Woods	5 1/2	St. Mary	6 1/2

Note: Spreader rate varies with walking speed, check spreader over known area.

STORAGE AND DISPOSAL

STORAGE - Keep away from food or food products. Store in a dry place. Do not store near growing plants or fertilizers. Avoid moisture in bags. **DISPOSAL** - Do not store empty containers. Wrap containers and put in trash collection.

GREEN GRASS GUARANTEE

Vigoro guarantees to return your purchase price in full if you are not satisfied with results. Simply send proof of purchase to Vigoro Lawn and Garden Products. South Agricultural Chemical Corporation, 30 North LaSalle Street, Chicago, Illinois 60602.

VIGORO
Weed Control Plus
Lawn Fertilizer

BEST AVAILABLE COPY

46

