

FRONT PANEL

S W I F T
C H I N C H B U G
K I L L E R

CONTAINS CHLORPYRIFOS
ALSO KILLS SOD WEBWORMS

ACTIVE INGREDIENT:

| | | |
|--|-----------------|---------|
| Chlorpyrifos: [O,O-diethyl O-(3,5,6-trichloro-2-pyridyl) | | |
| phosphorothioate] | | 00.51% |
| INERT INGREDIENTS: | | 99.49% |
| | TOTAL | 100.00% |


Contains petroleum distillate.

E.P.A. Reg. No. 557-1880
E.P.A. Est. No. 6720-FL-1

Store at temperatures above 32° F.

KEEP OUT OF REACH OF CHILDREN
CAUTION

See side and Back Panels for Additional Cautions



NET CONTENTS 1 GALLON

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

REAR PANEL

PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS AND
DOMESTIC ANIMALS

CAUTION: Keep out of reach of children. Harmful if swallowed. May be absorbed through skin. Do not breathe spray mist. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Avoid contamination of feed and foodstuffs.

Do not use on household pets or humans. Do not permit children or pets to go on treated lawns until the application has completely dried. Keep out of reach of domestic animals.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Do not induce vomiting. Get medical attention immediately.

If inhaled: Remove victim to fresh air and apply artificial respiration if indicated. Get medical attention.

If on skin: Wash with soap and warm water.

If in eyes: Rinse thoroughly with clean water. Get medical attention immediately.

NOTE TO PHYSICIAN: Active ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote.

ENVIRONMENTAL HAZARD


This pesticide is extremely toxic to fish, birds, and other wildlife. Do not apply directly to water. Keep out of lakes, streams, ponds or any body of water. Do not apply where runoff is likely to occur. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent aquatic sites. Cover or incorporate spills. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

PHYSICAL OR CHEMICAL HAZARD

Do not use, pour, spill, or store near heat or open flame.

Swift Chinch Bug Killer is a water emulsifiable concentrate designed to kill chinch bugs and sod webworms. It mixes readily with water and is especially designed for use in hose sprayers.



REAR PANEL (Cont'd)

Garden hose sprayers such as the Vigoro Lawn Gun that are gauged to apply 15 to 20 gallons to empty one quart jar will provide good coverage and penetration. Other similar type sprayers will do a satisfactory job.

DIRECTIONS FOR USE
ON LAWNS

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE: Store in original container in safe, dry place. Do not contaminate other pesticides, fertilizers, seeds, food or feed.

PRODUCT DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash. Soak up spilled product in absorbent material before disposal.

CONTAINER DISPOSAL: Do not reuse empty container. Wrap container and put in trash.

It is very important to use according to directions. Otherwise serious injury may occur to plants or persons.

CHINCH BUGS: Apply 1 1/4 quarts of this product in 30 to 40 gallons of water to 550 square feet of lawn (an area 50' x 11'). Be sure the spray penetrates heavily matted turf to obtain maximum kill. Thorough watering before application is helpful. Do not mow lawn for 24 hours following treatment.

SOD WEBWORMS: Use 1 1/4 quarts of this product on heavily matted lawns or 1 quart on thinner sod. Allow two days for good kill. Examine periodically for new broods. Spray before injury shows up in lawn. Do not mow lawn for 24 hours after treatment.

Manufactured for
Vigoro Industries, Inc.
Fairview Heights, IL 62208

