

557-1888

PII-12

3/7/90

153

FRONT PANEL

V I G O R O®

C H I N C H B U G &
S O D W E B W O R M
K I L L E R

COVERS
2000
SQ. FT.

ACTIVE INGREDIENT:

Chlorpyrifos [0,0-Diethyl 0-(3,5,6-trichloro-2-pyridyl)	
phosphorothioate]	2.20%
INERT INGREDIENTS:	97.80%
Total	<u>100.00%</u>

This product contains heavy aromatic naphtha.

EPA Reg. No. 557-1888
EPA Est. No. 6720-FL-1

Store at temperatures above 32° F.

Vigoro® is a registered trademark of Vigoro Industries, Inc.


KEEP OUT OF REACH OF CHILDREN

C A U T I O N

See Side and Back Panels for Additional Cautions.

NET CONTENTS 1 QUART

Not Reviewed. Registrant claims to be in accordance with
Reregistration of Pesticide Product Guidance for Phase 2
Response, Page 2.12, Active to Inert Change in Status.



REAR PANEL

PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS AND
DOMESTIC ANIMALS

CAUTION: Keep out of reach of children. Harmful if swallowed. May be absorbed through skin. Do not breathe spray mist. Avoid contact with skin, eyes, and clothing. Wash thoroughly after handling. Avoid contamination of feed and foodstuffs.

Do not use on household pets or humans. Do not permit children or pets to go on treated lawns until the application has completely dried. Keep out of reach of domestic animals.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Do not induce vomiting. Get medical attention immediately.

If inhaled: Remove victim to fresh air and apply artificial respiration if indicated. Get medical attention.

If on skin: Wash with soap and warm water.

If in eyes: Rinse thoroughly with clean water. Get medical attention immediately.

NOTE TO PHYSICIAN: Active ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote.

ENVIRONMENTAL HAZARD


This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams, ponds or any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

PHYSICAL OR CHEMICAL HAZARD

Do not use, pour, spill, or store near heat or open flame.

Vigoro Chinch Bug & Sod Webworm Killer is a water emulsifiable concentrate designed to kill chinch bugs and sod webworms. It mixes readily with water and is especially designed for use in hose sprayers.



Garden hose sprayers such as the Vigoro Lawn Weed-N-Feed Sprayer that are gauged to apply 15 to 20 gallons to empty one quart jar will provide good coverage and penetration. Other similar type sprayers will do a satisfactory job.

DIRECTIONS FOR USE
ON LAWNS

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE: Store in original container in safe, dry place. Do not contaminate other pesticides, fertilizers, seeds, food or feed.

PRODUCT DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash. Soak up spilled product in absorbent material before disposal.

CONTAINER DISPOSAL: Do not reuse empty container. Wrap container and put in trash.

It is very important to use according to directions. Otherwise serious injury may occur to plants or persons.

CHINCH BUGS: Apply 1/2 pint of this product in 15 to 20 gallons of water to 500 square feet of lawn (an area 50' x 10'). Apply when activity or damage appears (yellowing, then browning of grass often develops in spots and then spreads out over the lawn). To prevent damage, apply as soon as daily temperatures reach 80°F. and repeat every two months. Be sure the spray penetrates heavily matted turf to obtain maximum kill. Thorough watering before application is helpful. Do not mow for 24 hours following treatment.

SOD WEBWORMS: Use 1/2 pint of this product in 15 to 20 gallons of water to 500 square feet of lawn area for normal lawns and 1/3 pint for thinner sod. Allow two days for good kill. Examine periodically for new broods. Spray before injury shows up in lawn. Do not mow for 24 hours after treatment.

Manufactured for
Vigoro Industries, Inc.
Fairview Heights, IL 62208

