

PAR EX
PROFESSIONAL PRODUCTS

**CUSTOM FORMULATED
FERTILIZER
PLUS BENEFIN**

**FOR USE
ON
ORNAMENTAL
TURF
AND
LAWN GRASSES
ONLY**

PAR EX
PROFESSIONAL PRODUCTS

**CUSTOM FORMULATED FERTILIZER
PLUS BENEFIN
FERTILIZER
12-6-8**

Minimum Guaranteed Analysis

ACTIVE INGREDIENT:
*N-butyl-N-ethyl-a, a, a-trifluoro-2, 6-dimetro-p-toluidine.... 0.50%
INERT INGREDIENTS:..... 99.50%
E. P. A. Reg. No. 557-1911 TOTAL..... 100.00%
E. P. A. Est. No. 557-FL-1

*Contains 10 pounds of technical Benefin per ton.

**CAUTION: Keep Out Of Reach Of Children.
See Below For Additional Cautions.**

Total Nitrogen.....	12.00%
Nitrate Nitrogen.....	2.10%
Ammoniacal Nitrogen.....	9.90%
Water Soluble Organic Nitrogen.....	None
Water Insoluble Nitrogen.....	None
Available Phosphoric Acid.....	6.00%
Water Soluble Potash.....	8.00%
Total Available Primary Plant Food.....	26.00%
Chlorine, not more than.....	7.00%

Primary Plant Food Sources: Sulphate of Ammonia, Ammoniated Superphosphate, Superphosphate, Muriate of Potash, Sulphate of Potash Magnesia, Sulphate of Potash

SECONDARY PLANT FOODS:

Iron Sulphate as Fe ₂ O ₃	1.00%
---	-------

Secondary Plant Food Sources: Iron Sulphate

Manufactured by Swift Chemical Company, (An Estech Company), Chicago, Illinois 60604, Winter Haven and Pompano Beach, Florida. Fla. Reg. No. 732-735-5060

DIRECTIONS FOR USE

For Southern Turf Grasses (Bermuda, Centipede, Fescue, Zoysia, St. Augustine, and Bahiá) - To control Poa Annua, smooth crabgrass, hairy crabgrass, goose grass (silver crabgrass), water grass (barnyard grass), yellow and green foxtail: Apply broadcast at a rate 600 pounds per acre (13.7 pounds per 1000 square feet) prior to germination of weed grasses as the material will not control established weeds.

Do not apply to newly seeded areas. Do not apply in the spring to lawns planted the previous fall. Do not apply to newly-springed areas until the turfs are well-established. Do not reseed within 42 days after application.

CAUTION

Keep out of reach of children. Avoid prolonged or repeated contact with skin, or inhalation of dust. Wash thoroughly after handling. Keep away from feed or foodstuffs.

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

Do not reuse container. Destroy when empty.