

557-1950

12-10-1981

13

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH-567) WASHINGTON, D.C. 20460	EPA REGISTRATION NO. 557-1950	DATE OF ISSUANCE DEC 10 1981
	TERM OF ISSUANCE	
NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)		
NAME OF PESTICIDE PRODUCT		

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Best Available Copy

Estech, Inc.
30 North La Salle Street
Chicago, IL 60602

NOTE: Changes in labeling, formula, or other information in substance from that accepted in connection with this registration must be submitted to the Agency for review and approval. The Agency's approval is required for any change on this product.

On the effective date of this registration, the registrant shall submit to the Agency a copy of the label for the pesticide.

A copy of the label for the pesticide shall be submitted to the Agency for review and approval. The Agency's approval is required for any change on this product. In order to protect health and the environment, the Agency may require the registration of a pesticide.

reregistration of a pesticide under FIFRA Section 405(b) when the date.

Robert J. Taylor
Executive Director (211)
Fungicide-Herbicide Branch
Registration Division (TS-767)

<input type="checkbox"/> ATTACHMENT IS APPLICABLE	DATE 12/10/81
SIGNATURE OF APPROVING OFFICIAL <i>[Signature]</i>	

2/3

VIGORO CRABGRASS PREVENTER

NET WT. 15 LBS.
TREATS UP TO
2,500 SQ. FT.

VIGORO CRABGRASS PREVENTER WITH BENEFIN

**ENDS THE
CRABGRASS
MENACE!**



STOPS CRABGRASS BEFORE IT CAN START

ACCEPTED

DEC 1 0 1981

Under the Federal Insecticide, Fungicide, and Herbicide Act, as amended, for the pesticide registered under EPA Reg. No. 557-1950

KEEP OUT OF REACH OF CHILDREN
CAUTION

VIGORO CRABGRASS PREVENTER WITH BENEFIN

NET WT. 15 LBS.

VIGORO CRABGRASS PREVENTER WITH BENEFIN

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling.

ENVIRONMENTAL HAZARD

Keep out of lakes, streams or ponds. Do not apply when weather conditions favor drift from target area. Do not contaminate any body of water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Kills crabgrass and weed seedlings just as they are sprouting from the seed, so get it on early! This should be one to two weeks prior to the germination of annual grass weeds. It will not control established weeds.

1. Apply contents of this bag to 2,500 sq. ft. for northern (cool season) turfgrasses.
2. For southern (warm season) turfgrasses, apply contents of this bag to 2,000 sq. ft.
3. It is essential to apply very evenly with no skips or misses. Calibrate and check application equipment prior to use. Set spreader according to the chart below, then cover the area twice, the second time at right angles to the first.
4. Water after application for optimum weed control.

When applied as directed, the following weeds in established turf are controlled: crabgrasses, foxtails and barnyardgrass with an application in spring; goosegrass with an early summer application; annual bluegrass (poa annua) in northern areas with a late summer and early spring application.

Vigoro Crabgrass Preventer with Benefin is tolerant to the following turfgrasses when applied as directed.

Kentucky bluegrass	Fescue	Bermudagrass
Perennial ryegrass	Zoysiagrass	St. Augustinegrass
Centipede grass		Bahiagrass

PRECAUTIONS: This product may thin established annual bluegrass and fine-leaved fescues and should not be applied in the spring to turfgrasses planted the previous fall. Do not apply to newly sprigged areas of Bermudagrass, St. Augustinegrass or Centipede grass until these turfs are well established. Do not apply to bentgrass putting greens or dichondra turf. Avoid any cultural practices that disturb the soil such as raking, aeration or verticutting after application of this product. Reseeding of treated areas should be delayed for at least 6 weeks after applying Vigoro Crabgrass Preventer with Benefin.

SUGGESTED SPREADER SETTINGS

Cover area twice—second time at right angle to first for thorough coverage.

SPREADER	NORTHERN (cool season grasses)	SOUTHERN (warm season grasses and Poa annua control in northern grasses)
Vigoro Rotary	5%	5%
Vigoro Drop	12%	13%
Cyclone	5%	5%
Wards	9	11
Scott PF-1	8%	11%
Precision	7	10
Central	12%	13%

NOTE: Spreader settings are approximate. Check by trial over known area.

STORAGE AND DISPOSAL

STORAGE: Store in a dry place. Do not contaminate feed & foodstuffs, seeds, fertilizers or other pesticides.

DISPOSAL: Do not reuse empty container. Wrap container and put in trash collection.

Vigoro is a registered trademark of Estech, Inc.
Manufactured by Estech, Inc., Chicago, Illinois 60602.

VIGORO CRABGRASS PREVENTER WITH BENEFIN