

Reg # 557-1954

PM-23

24

FRONT PANEL

SUBURBAN® 18 WEED & FEED

Provides quick, long-lasting green-up
Generates fewer grass clippings
Consistent, long-lasting weed control

For use on Fescue, Bluegrass, Bermuda,
Zoysia and Ryegrass lawns.
Kills: Dandelions, Chickweed, Knotweed, Plantains,
Henbit, Spurge, and many other broadleaf weeds.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

In case of contact, wash skin with plenty of soap
and water; for eyes, flush with water for 15
minutes and get medical attention. See back panel
for additional precautionary statements.

ACTIVE INGREDIENTS:

++Dimethylamine Salt of 2,4- dichlorophenoxyacetic acid	0.58%
**Dimethylamine Salt of 2-(2-methyl-4- chlorophenoxy) propionic acid	0.28%
***Dimethylamine Salt of dicamba (3,6- dichloro-o-anisic acid)	0.07%
INERT INGREDIENTS:	99.07%
TOTAL	100.00%

THIS PRODUCT CONTAINS:

- +0.48% 2,4-dichlorophenoxyacetic acid equivalent.
- **0.23% 2-(2-methyl-4-chlorophenoxy) propionic acid equivalent.
- ***0.06% 3,6-dichloro-o-anisic acid equivalent.
- +Isomer Specific by AOAC Method 6.001.5

U.S. Patent No. 3,284,186
EPA Reg. No. 557-1954

EPA Est. No. 557-QH-1

NET WT. 18 LBS.
TREATS 5,000 SQ. FT.

BEST AVAILABLE COPY

OFFICIAL COPY

NO NOTIFICATION
LABORATORY TESTED
DATE: DEC 30 1991

PANEL

TREATS 5,000 SQ. FT.

274

NET WT. 18 LBS.

SUBURBAN® 18 WEED & FEED

WEED CONTROL
WITH LAWN FERTILIZER

25-3-3

GUARANTEED ANALYSIS

TOTAL NITROGEN (N)	25.0%
1.0% Ammoniacal Nitrogen	
*24.0% Urea Nitrogen	
AVAILABLE PHOSPHORIC ACID (P ₂ O ₅)	3.0%
SOLUBLE POTASH (K ₂ O)	3.0%

Derived from ammoniated phosphates, urea, sulfur coated urea and muriate potash. Potential Acidity 600 lbs. Calcium Carbonate Equivalent per ton.

*Includes 5.0% Coated Slow Release Nitrogen from sulfur coated urea.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Avoid contact with skin, eyes or clothing. Avoid breathing dust. Keep out of reach of children. Wash thoroughly after handling. Harmful if swallowed. Do not re-enter or permit others to re-enter treated areas until dusts have settled.

Protective Clothing Applicators must wear long pants, long-sleeved shirts, shoes and gloves.

ENVIRONMENTAL HAZARD

This product is toxic to aquatic invertebrates. Drift or run-off may adversely affect aquatic invertebrates and non-target plants. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Do not contaminate any body of water by cleaning of equipment or disposal of wastes. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from target area. Do not contaminate irrigational ditches or water used for domestic purposes.

BEST AVAILABLE COPY

REAR PANEL Cont.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

1. Mow lawn to normal height 1 or 2 days before application.
2. Water lawn thoroughly 1 day before application to ensure adequate soil moisture.
3. Apply contents of this bag to 5,000 sq. ft. using the suggested spreader setting. DO NOT OVER-APPLY. For best results, apply during warm weather (70°) and when weeds are actively growing.
4. Do not water lawn again until 1 day after application.
5. Approximately 4 weeks after weed kill is evident, an application of 16% or higher nitrogen fertilizer should be made at a rate of 6 lbs. per 1,000 sq. ft. and watered in well.

This product may be used on established bluegrass, fescue, rye, Bermuda and Zoysia lawns. If adverse low moisture conditions exist, weeds are in a poor state of growth, or area is heavily overrun with weeds, retreatment may be necessary. Make a second application in approximately 30 days.

This product combines fast-acting and long-lasting feeding - plus controls the following weeds:

Bedstraw	Lambsquarter	Shepherd's Purse
Black Medic	Lespedeza	Speedwell
Buckhorn	Mallow	Spurge
Burdock	Morning Glory	Thistle
Chicory	Oxalis	Wild Carrot
Chickweed	Peppergrass	Wild Garlic
Clover	Pigweed	Wild Lettuce
Goldenrod	Plantains	Wild Onion
Ground Ivy	Poison Ivy	Yarrow
Heal-All	Poison Oak	and many other
Henbit	Purslane	Broadleaf weeds
Knotweed	Ragweed	
	Sheep Sorrel	

PRECAUTIONS: - Do not apply to newly seeded lawns. Do not apply to bentgrass, carpetgrass, centipedegrass, St. Augustine grass or dichondra. Do not use where desirable clovers are present or allow the product to "wind drift" on flowers, vegetables or ornamental shrubbery. Apply when air is calm. Do not apply to areas underlaid by roots of desirable trees and shrubs. Do not apply during excessively hot weather (90° and above).

BEST AVAILABLE COPY

494

REAR PANEL

The choice of lawn care professionals: Now you can use the same lawn care products that are widely accepted by professional greenskeepers. This product contains IBDU® slow release nitrogen, the remarkable nitrogen source that keeps your grass green longer. This makes it the choice for feeding 70 of America's top 100 golf courses.

What is IBDU® slow release nitrogen? IBDU® slow release nitrogen is a proven controlled release nitrogen source which is only slightly water soluble and does not depend on temperature or bacterial activity. Instead it's activated by water to release nitrogen in a gradual, predictable way. This way your grass can use it efficiently.

Control broadleaf weeds as you feed your lawn. You can get quick green-up and consistent 100-day growth while you control a broad spectrum of broadleaf weeds with this product.

SPREADER SETTINGS

SPREADER	Broadcast	Drop
Central	4 1/4	10
Cyclone	4	
Greenview		7
Precision	4	9
Scotts	E-F	5
Sears	4	10
Ortho	2 1/2	7

Note: Spreader rate varies with walking speed, age, model and condition of spreader. To insure proper coverage, check spreader over a known area.

Caution: Close spreader openings when loading, turning or when stopped.

STORAGE: Store in original container in safe, dry place. Do not contaminate other pesticides, fertilizer, seeds, food or feed. Return spillage to original container prior to disposal.

PRODUCT DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

BEST AVAILABLE COPY

Manufactured by Vigoro Industries, Inc., Fairview Heights, IL 62208
Suburban® is a registered trademark of Vigoro Industries, Inc.