

Reg # 557-1954

194

Suburban® 18

25-3-3

Weed & Feed

EFFECTIVELY KILLS DANDELIONS
AND BROADLEAF WEEDS

Suburban® 18 Weed & Feed²⁵⁻³⁻³



ACTIVE INGREDIENTS:

• Dicyclofopamil salt of 2,4-dichlorophenoxyacetic acid 0.66%
• Dicyclofopamil salt of 2,4-dichlorophenoxyacetic acid 0.26%
• Dicyclofopamil salt of 2,4-dichlorophenoxyacetic acid 0.08%
• Dicyclofopamil salt of 2,4-dichlorophenoxyacetic acid 0.08%
• Dicyclofopamil salt of 2,4-dichlorophenoxyacetic acid 0.08%

• Dicyclofopamil salt of 2,4-dichlorophenoxyacetic acid 0.08%
• Dicyclofopamil salt of 2,4-dichlorophenoxyacetic acid 0.08%
• Dicyclofopamil salt of 2,4-dichlorophenoxyacetic acid 0.08%

• Dicyclofopamil salt of 2,4-dichlorophenoxyacetic acid 0.08%
• Dicyclofopamil salt of 2,4-dichlorophenoxyacetic acid 0.08%
• Dicyclofopamil salt of 2,4-dichlorophenoxyacetic acid 0.08%

- Apply when weeds are young and actively growing.
- Provides vital nutrients plus time-released Nitrogen which encourages grass to fill in bare spots weeds leave behind.
- Contains sulfur which helps maintain dark green color and encourages plant and root growth.

Keep out of reach of children

CAUTION

In case of contact, wash skin with plenty of soap and water, for eyes, flush with water for 15 minutes and get medical attention. See back panel for additional precautionary information.

NOT REVIEWED

In accordance with PR Notice 10-22
Based on Draft Labeling Dates

18 FEB 1992

NET WT. 18 LBS. (8.2 kg) TREATS 5,000 SQ. FT.

Suburban® 18 Weed & Feed²⁵⁻³⁻³

BEST AVAILABLE COPY

234

Weed & Feed

DISCLAIMER
 It not used as directed, seller makes no warranty, express or implied, concerning the use of this product. Seller assumes no risk of loss or damage arising from use, handling and the effects thereof.

[illegible]

_____ Longtin
 _____ Mignin
 _____ Siskind, Esq. R.
 _____ Starn-Lewis, Assoc.
 _____ Siskind, Esq. R. Co. Co-owners, v. Longtin

[illegible]

SPREADER SETTINGS ARE IMPORTANT! Differences may occur due to conditions of spreader, spread at which spreader and roughness of area being spread. Be sure to check spreader or the Design of the application, adjust spreader if necessary. DO NOT HAZARD CAUTION. Close spreader settings when backing, turning or when stopped.		
BROADCAST SPREADERS		
For best results, apply in a circular path starting in the center and working toward the center. A fine control of product is always complete coverage.		
Broadcast Spreader Settings		
Center Broadcast S&B	2 +	
Cyclone	4	
Circle Broadcast AB90	2 -	
Prochem Broadcast S&B	4	
Scale Broadcast S&B	6-8	
Sears Broadcast	4	
DRIFT SPREADERS		
For apply 2 parallel rows along the edge of each end of the lawn. Then apply product along the length of the lawn, overlapping slightly, and shading all the outside borders. Finally as you reach the edge of the lawn stop.		
Drift Spreader Settings		
Center Drift S&B	10	
Center Drift	7	
Circle Drift	7	
Prochem Drift HD2	9	
Scale Drift 20 1	5	
Sears Drift	10	

Suburban® is a registered trademark of Vigoro Industries, Inc.
Manufactured by Vigoro Industries, Inc., Fairview Heights, IL 62208

25-3-3 Weed & Feed

PROVIDES QUICK, LONG-LASTING GREEN-UP
GENERATES FEWER GRASS CLIPPINGS
CONSISTENT, LONG-LASTING WEED CONTROL



ACTIVE INGREDIENTS

• Dinitrophenol 25% of 2.4 dinitrophenol 0.56%
• Dinitrophenol 3% of 2.4 dinitrophenol 0.56%
• Dinitrophenol 3% of 2.4 dinitrophenol 0.56%
• Dinitrophenol 3% of 2.4 dinitrophenol 0.56%
• Dinitrophenol 3% of 2.4 dinitrophenol 0.56%
• Dinitrophenol 3% of 2.4 dinitrophenol 0.56%
• Dinitrophenol 3% of 2.4 dinitrophenol 0.56%
• Dinitrophenol 3% of 2.4 dinitrophenol 0.56%

• 0.40% 2,4-dinitrophenol ester
• 0.20% 2,4-dinitrophenol ester
• 0.20% 2,4-dinitrophenol ester
• 0.20% 2,4-dinitrophenol ester
• 0.20% 2,4-dinitrophenol ester
• 0.20% 2,4-dinitrophenol ester
• 0.20% 2,4-dinitrophenol ester
• 0.20% 2,4-dinitrophenol ester

• 0.20% 2,4-dinitrophenol ester
• 0.20% 2,4-dinitrophenol ester
• 0.20% 2,4-dinitrophenol ester
• 0.20% 2,4-dinitrophenol ester
• 0.20% 2,4-dinitrophenol ester
• 0.20% 2,4-dinitrophenol ester
• 0.20% 2,4-dinitrophenol ester
• 0.20% 2,4-dinitrophenol ester

- For use on Fescue, Bluegrass, Bermuda, Zoysia and Ryegrass lawns.
- Kills: Dandelions, Chickweed, Knotweed, Plantains, Henbit, Spurge, and many other broadleaf weeds.

Keep out of reach of children

CAUTION

In case of contact, wash skin with plenty of soap and water. For eyes, flush with water for 15 minutes and get medical attention. See back panel for additional precautionary statements.

NOT REVIEWED

In Accordance with PR Notice 82-24
Based on Draft Labeling Dated

26 FEB 1992

NET WT. 18 LBS. (8.2 kg) TREATS 5,000 SQ. FT.

Suburban® 18 Weed & Feed
25-3-3

BEST AVAILABLE COPY

Suburban® 18 Weed & Feed
25-3-3

1 4 3 4

Weed & Feed

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Always contact with skin eyes or clothing. **Avoid** anything that keeps out of reach of children. Wash thoroughly after handling. **Hazard** if swallowed. Do not sit or stand on ground which is so-soiled. **Wash** hands with soap & water.

INTERCOMPARISON OF THE DATA

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Do not allow it to get into waterways, affect aquatic invertebrates, and harm larger plants. Do not spray directly to water to avoid which surface water is present or to discharge down before the main high water mark. Do not continuously use body of water for clearing or treatment or disposal of wastes. Do not continuously use when clearing of dangerous vegetation. Do not apply when weather conditions favor the harm forest soil. Do not continuously use on streams or water used for domestic purposes.

[illegible]

It is not intended as directed when making the warranty express or implied concerning the use of the product other than otherwise all risk of loss or damage arising from use following such use effects. However.

CHALLENGE

Total Nitrogen (g)	25.0
1. 0% Ammoniacal Nitrogen	
24 (g) Inorg Nitrogen	
nitric Phosphoric Acid (P ₂ O ₅)	3.0
5. - Job Popen (P ₂ O ₅)	3.0

Dryout from ammoniacal phosphates, urea, sulfur dioxide, urea and mixture of phosphoric Acidity 680 the Calcium Carbonate Equivalent per ton

Truckload 3.0 (680) per 100000 Nitrogen ton sulfur dioxide urea

WINDS CONTINUED[illegible][illegible]

PERCAUTIONS: Do not apply to newly sanded floors. Do not apply to barewood, carpet, glass, countertops. If applying grain or decorative. Do not use where decorative cabinets are present or allow the product to "wet" dirt, oil, grease, vapors, or chemicals. Thoroughly apply when it is cold. Do not apply to areas untreated by rest of decorative hard and solids. Do not apply during excessively hot weather (80° and above).

RESEAL: Store in original container in 100% dry place. Do not compromise other materials within seals. Seal or label. Return package to original container prior to disposal.

PRODUCT DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse this Decalac bag in trash.

The choice of their core ingredients tells you how safe the above health care products that are widely accepted by professional practitioners. The product contains 97% pure natural ingredients. The pharmaceutical ingredients source that protect your great skin health. The choice for keeping 70 of America's top 100 best products.

What is NH_4^+ doing outside nitrogen? NH_4^+ does release nitrogen as a gaseous compound, nitrous nitrogen, because it is only slightly more soluble and does not depend on temperature or bacteria actually involved. It is released by roots to release nitrogen as a gaseous compound. You use your eyes can use it efficiently.

Cardinal bromeliads work as you know your plant. You can get quick green up and cardinal 100-day growth when you control a broad spectrum of bromeliad weeds with this product.

100% New natural kiln-dried kiln-dried soft	Soaking Box	Light Bath	Intensive	Deepener
Other kiln-dried soft				

SPREADER SETTINGS

SPREADER SETTINGS		
	BROWNCAT	DAOP
Center (Broadcast 600) (Crop 500)	4%	10
Cyclone	4	
So sprayer		7
Inter-act	8	9
Scale (Broadcast 100) (Crop 10)	10	5
Seeds	4	10
Ons. (Broadcast 400) (Crop 3000)	2%	7

Note: Specimens only return with nothing special and standard drug condition of specimen is found proper. Laboratory check specimen over before this. Custom: Class specimen containing when loading, having to when returned.

If you are not completely satisfied with the results of this quality lawn care product, your money will be cheerfully refunded.

Suburban® is a registered trademark of Vigoro Industries, Inc.
Manufactured by Vigoro Industries, Inc., Fenway Heights, PA 15119

BEST AVAILABLE COPY