197

CERTIFICATION OF COMPLIANCE

I, Judith K. Lucash, being an authorized representative of Vigoro Industries, Inc., certify that all containers of

Gro-Tone 20 Weed & Feed

EPA Reg. No. 4557-1956

produced by June 15, 1994 will bear revised labeling in accordance with the revised labeling required for Task Force technical and manufacturing use products. I further certify that all containers of said product sold or distributed by this company by January 1, 1995 will bear revised labeling in accordance with the revised labeling required for Task Force technical and manufacturing-use products.

Judith K. Lucas

Manager of Regulatory Affairs

December 21, 1992

TREATS 5,000 SQ. FT.

GRO-TONE® 20 WEED & FEED

Weed Control with lawn fertilizer
Apply when weeds are growing
Lawn fertilizer provides thick green lawns

Effective weed control for chickweed, dandelion, knotweed, plantains, henbit, spurge and many other broadleaf weeds.

Keeps grass green longer with fewer clippings when compared with soluble fertilizers.

Contains the controlled release nitrogen used on 70 of America's top 100 golf courses.

KEEP OUT OF REACH OF CHILDREN CAUTION

In case of contact, wash skin with plenty of soap and water; for eyes, flush with water for 15 minutes and get medical attention. See back panel for additional precautionary statements.

**2-(2-methyl-4-chlorophenoxy)propionic acid	ACTIVE INGREDIENTS: +*2,4-dichlorophenoxyacetic acid			0.55%
***Dicamba (3,6-dichloro-o-anisic acid)				
TOTAL	***Dicamba (3,6-dichloro-o-anisic acid)			0.05%
+Isomer Specific by AOAC Method 6.DO1.5 U.S. Patent No. 3,284,186 EPA Est. No. 557-OH-1 EPA Reg. No. 557-1956				
U.S. Patent No. 3,284,186 EPA Est. No. 557-OH-1 EPA Reg. No. 557-1956	TOTAL	• •	• • •	100.00%
	U.S. Patent No. 3,284,186 EPA Reg. No. 557-1956		• • •	• • •

NET WT. 20 LBS.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment areas during application. Do not enter treatment areas until spray has dried or dust has settled.

- 1. Mow lawn to normal height 1 or 2 days before application.
- Water lawn thoroughly 1 day before application to ensure 2 _ adequate soil moisture.
- 3. Apply contents of this bag to 5,000 sq. ft. using the suggested spreader setting. DO NOT OVER-APPLY. For best results, apply during warm weather (700) and when weeds are actively growing.
- 4. Do not water lawn again until 1 day after application.

The maximum application rate for this product is 4.0 lbs. per 1,000 sq. ft. The maximum number of broadcast applications per treatment site is 2 per year.

Approximately 4 weeks after weed kill is evident, an application of 16% or higher nitrogen fertilizer should be made at a rate of 6 lbs. per 1,000 sq. ft. and watered in well.

This product may be used on established bluegrass, fescue, rye, Bermuda and Zoysia lawns. If adverse low moisture conditions exist, weeds are) in a poor state of growth, or area is heavily overrun with weeds, retreatment may be necessary. Make a second application in approximately 30 days.

This product combines fast-acting and long-lasting feeding - plus controls the following weeds:

Bedstraw Black Medic Buckhorn Burdock Chicory Chickweed Clover Dandelion Dock Ground Ivy Heal-All Henbit Knotweed

Lambsquarter Lespedeza Mal.ow Morning Glory Oxalis Peppergrass Pigweed Plantains Poison Ivy Poison Oak Purslane Ragweed Sheep Sorrel

Shepherd's Purse Speedwell Spurge Thistle Wild Carrot Wild Garlic Wild Lettuce Wild Onion Yarrow and many other Broadleaf weeds

PRECAUTIONS: - Do not apply to newly seeded lawns. Do not apply to bentgrass, carpetgrass, centip degrass, St. Augustine grass or dichondra. Do not use where desirable clovers are present or allow the product to "wind drift" on flowers, vegetables or ornamer(tal shrubbery. Apply when air is calm. Do not apply to areas underlaid by roots of desirable trees and shrubs. Do not apply during excessively hot weather (900 and above).

STORAGE: Store in original container PRODUCT DISPOSAL: Securely wrap in safe, dry place. Do not contamin- original container in several ate other pesticides, fertilizer, seeds, food or feed. Return spillage in trash. to original container prior to dis posal.

layers of newspaper and discard COMPAINER DISPOSAL: Do not reuse

bag. Discard bag in trash.

TREATS 5,000 SQ. FT.

NET WT. 20 LBS.

GRO-TONE® 20 WEED & FEED

WEED CONTROL WITH LAWN FERTILIZER

25-3-3

GUARANTEED ANALYSIS

TOTAL NITROGEN (N)	25.0%
1.0% Ammoniacal Nitrogen	
*24.0% Urea Nitrogen	
AVAILABLE PHOSPHORIC ACID (P ₂ O ₅)	3.0%
SOLUBLE POTASH (K 20)	
Derived from ammoniated phosphates, urea, sulfur coated urea	
of potash. Potential Acidity 600 lbs. Calcium Carbonate Equ	ivalent per
ton.	_

*Includes 5.0% Coated Slow Release Nitrogen from sulfur coated urea.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Avoid contact with skin, eyes and clothing. Avoid breathing dust. Wash thoroughly after handling. Harmful if swallowed. Keep out of reach of children.

Protective Clothing: When using this product, wear long-sleeved shirt, long pants, socks, shoes and gloves. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

ENVIRONMENTAL HAZARD

This product is toxic to aquatic invertebrates. Drift or run-off may adversely affect aquatic invertebrates and non-target plants. Do not apply rectly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate any body of water by cleaning of equipment or disposal of wastes. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from target area. Do not contaminate irrigational ditches or water used for domestic purposes.

What is IBDU slow release nitrogen? IBDU slow release nitrogen has been proven since 1964 by golf course, landscape and agricultural professionals world-wide as one of the most consistent slow release nitrogen sources.

IBDU slow release nitrogen is only slightly water-soluble (about 1/1000 that of urea) and depends only on hydrolysis (water) for its predictable release to the soil. It is not dependent on temperature or bacterial activity.

IBDU slow release nitrogen is exclusively distributed in the U.S.A. by the manufacturer of Vigoro fertilizer - a leader in the fertilizer industry for over 100 years.

Why Vigoro lawn fertilizers outperform other fertilizers. Vigoro lawn fertilizers give you the type of lawn that will turn your neighbors green with envy. That's because they contain IBDU slow release nitrogen. It feeds your lawn every time it gets water and only Vigoro products have it!

- IBDU slow release nitrogen produces a thick, green lawn with less frequent fertilizing.
- IBDU slow release nitrogen doesn't wash away with heavy rain or over-watering like the nitrogen in other fertilizers.
- The controlled release feeding of IBDU slow release nitrogen won't overfeed or burn your lawn when used as directed.
- Vigoro lawn fertilizers give you steady, consistent growth for easier maintenance.

If you are not completely satisfied with the results of this quality lawn care product, your money will be cheerfully refunded.

About the Environment: Besides increasing property values, did you know a well maintained lawn provides the following benefits to your home and environment.....

- A 50' x 50' lawn produces enough oxygen for a family of four every day.
- Controls erosion
- Traps dust, smoke and other pollutants
- Reduces noise and glare
- Purifies water
- Improves soil condition
- Modifies temperature

About Clippings: Grass clippings and yard wastes are approximately 20% of the volume in our nation's landfills. Vigoro lawn fertilizers will help you do your part by significantly reducing the amount of clippings generated. This happens because the high amount of controlled release nitrogen in the product prevents surges of growth while providing a steady release of nutrient.

Other tips for reducing clippings: Leave clippings on your lawn, and increase mowing height and frequency. This will result in smaller clippings that decompose more readily and add nutrients back into your lawn.

REAR PANEL

)

Broadcast Spreader Settings

For best results, apply in a circular path starting on the outside and working toward the center. A little overlap of product will insure complete coverage.

Central Broadcast 600	4 1/2
Cyclone	4 1/4
Ortho Broadcast 6000	2 3/4
Precision Broacast	4 1/4
Scotts Broadcast ERZ	F-G
Sears Broadcast	4 1/2

Drop Spreader Settings

First, apply 2 border strips along the edge of each end of the lawn. Then apply product along the length of the lawn, overlapping slightly and shutting off the spreader before turning as you reach the edge of the border strips.

Central Drop 550	10 1/	2
Greenview Drop	8	
Ortho Drop 5000	7 1/	2
Precision Drop FH22	9 1/	2
Scotts Drop PF-1	6	
Sears Drop	10 1/	2

NOTE: Spreader rate varies with walking speed. To ensure proper coverage, check speader over known area.

CAUTION: Close spreader open. , when loading, turning or when stopped.

Manufactured by Vigoro Industries, Inc., Fairview Heights, IL 62208. Gro-Tone® is a registered trademark of Vigoro Industries, Inc.