

**25-3-3
WEED & FEED**



**PARK
RIDGE**

PARK RIDGETM 20

WEED & FEED 25-3-3

GUARANTEED ANALYSIS

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION

ENVIRONMENTAL HAZARD

DIRECTIONS FOR USE

1. Mix 1/2 cup of Park Ridge 20 Weed & Feed 25-3-3 with 1 gallon of water in a bucket. Stir thoroughly. Pour mixture into a spreader. Spread evenly over lawn. Water lawn immediately after application. Do not mow for 24 hours.

2. Apply to lawn in early spring or late summer. Do not apply to newly seeded lawns or lawns that have been recently fertilized. Do not apply to lawns that are heavily shaded or to lawns that are in poor condition.

3. Apply to lawn in early spring or late summer. Do not apply to newly seeded lawns or lawns that have been recently fertilized. Do not apply to lawns that are heavily shaded or to lawns that are in poor condition.

4. Do not apply to lawns that are heavily shaded or to lawns that are in poor condition.

5. Do not apply to lawns that are heavily shaded or to lawns that are in poor condition.

6. Do not apply to lawns that are heavily shaded or to lawns that are in poor condition.

7. Do not apply to lawns that are heavily shaded or to lawns that are in poor condition.

8. Do not apply to lawns that are heavily shaded or to lawns that are in poor condition.

9. Do not apply to lawns that are heavily shaded or to lawns that are in poor condition.

10. Do not apply to lawns that are heavily shaded or to lawns that are in poor condition.

SUGGESTED SPREADER SETTINGS

SPREADER	SETTING	SPREADER	SETTING
Hand Broadcast	1/2 cup	Hand Broadcast	1/2 cup
Drop Spread	1/2 cup	Drop Spread	1/2 cup
Broadcast	1/2 cup	Broadcast	1/2 cup
Drop Spread	1/2 cup	Drop Spread	1/2 cup
Broadcast	1/2 cup	Broadcast	1/2 cup

NOTE: Spread evenly over lawn. Do not apply to lawns that are heavily shaded or to lawns that are in poor condition.

STORAGE Store in original container in safe, dry place. Do not contaminate other pest control products, seeds, food or feed. Return sprayer to original container prior to disposal.

PRODUCT DISPOSAL Seal, wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL Do not reuse bag. Discard bag in trash.

NET WT. 20 LBS. (9.1Kg) TREATS 5,000 SQ. FT.

FRONT PANEL

PARK RIDGE® 20

WEED & FEED
25-3-3

MAILED
557-1958
Treats
5,000 sq ft.

Weed Control with lawn fertilizer - Apply when weeds are growing.

Controls dandelions and broadleaf weeds
Lawn fertilizer provides chick green lawns.

ACTIVE INGREDIENTS

**Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy)propionic acid.. 0.510%
+*Dimethylamine Salt of 2,4-dichlorophenoxyacetic acid 0.146%
***Dimethylamine Salt of dicamba(3,6-dichloro-o-anisic acid) 0.062%

INERT INGREDIENTS 99.282%

TOTAL 100.00%

THIS PRODUCT CONTAINS:

**MCPA Acid - 0.425% - 0.74 lbs. per acre or 8.50 lbs. per ton ✓
+*2,4-D Acid - 0.122% - 0.21 lbs. per acre or 2.44 lbs. per ton
***Dicamba Acid- 0.052% - 0.09 lbs. per acre or 1.04 lbs. per ton
+Isomer Specific by AOAC Method 6.D01.5.

U.S. Patent No. 3,284,186

EPA Reg. No. 557-1958

EPA Est. No. 557-IL-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

In case of contact, wash skin with plenty of
soap and water; for eyes, flush with water
for 15 minutes and get medical attention.
See back panel for additional precautionary
statements.

NET WT. 20 LBS.

(9.1 Kg)

REAR PANEL

PARK RIDGE® 20

Treats 5,000 sq. ft.
NET WT 20 lbs (9.1 Kg)

WEED & FEED

WITH LAWN FERTILIZER

25-3-3

GUARANTEED ANALYSIS

TOTAL NITROGEN (N)	25.0%
1.0% Ammoniacal Nitrogen	
5.0% Coated Slow Release Urea Nitrogen	
19.0% Urea Nitrogen	
AVAILABLE PHOSPHORIC ACID (P ₂ O ₅)	3.0%
SOLUBLE POTASH (K ₂ O)	3.0%
Chlorine, not more than	3.0%

Derived from ammoniated phosphates, ammonium sulfate, sulfur-coated urea and muriate of potash. Potential Acidity 500 lbs. Calcium Carbonate Equivalent per ton. Manufactured by Estech, Inc., Chicago, Illinois 60602. ✓

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling.

ENVIRONMENTAL HAZARD

Do not apply directly to water. Do not apply when weather conditions favor drift from target area. Do not contaminate ~~any body of water by cleaning of equipment or disposal of~~ wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

1. Mow lawn to normal height 1 or 2 days before application.
2. Water lawn thoroughly 1 day before application to ensure adequate soil moisture.
3. Apply contents of this bag to 5,000 sq. ft. using the suggested spreader setting. DO NOT OVERAPPLY. For best results, apply when weeds are actively growing.
4. Do not water lawn again until 1 day after application.

This product may be used on St. Augustine, Centipede, Bahia, Bermuda, Fescue, Zoysia and Bentgrass lawns. If adverse low moisture conditions exist, weeds are in a poor state of growth, or area is heavily overrun with weeds, retreatment may be necessary. Make a second application in approximately 30 days.

This product combines fast-acting and long-lasting feeding - plus controls the following weeds: -

Florida Puslev	Henbit	Poison Ivy
Black Medic	Knotweed	Purslane
Chickweed	Lambsquarter	Ragweed
Clover	Mustard	Sida
Cocklebur	Oxalis	Spurge
Dandelion	Peppergrass	Wild Onion
Creeping Charlie	Pigweed	Wild Lettuce
Dock	Plantains	and many other
		Broadleaf Weeds

PRECAUTIONS: - Do not apply to newly seeded lawns. Do not apply to dichondra, lippia or other ground cover. Avoid treating St. Augustine grass in summer months (June through September) when it is growing rapidly because temporary foliage discoloration may occur. Do not use where desirable clovers are present or allow the product to 'wind drift' on flowers, vegetables or ornamental shrubbery. Apply when air is calm. Do not apply to areas underlaid by roots of desirable trees and shrubs. During application, close spreader openings when turning.

SUGGESTED SPREADER SETTINGS

Spreader	Setting	Spreader	Setting
Wards 1091, 1093, 1095	6-3/4	Precision 20C Drop	4
Wards 1080, 1081	5	SB 40 Broadcast ...	12-1/2
Jackson & Sears	5	24F Drop	1
Scott	5-1/2	Central 40 Drop	5-3/4
Kmart	5-1/2	60 Broadcast ...	4-3/8
		Cyclone	4-1/8

NOTE: Spreader rate varies with walking speed.
To insure proper coverage, check spreader over known area.

Storage: Store in original container in safe, dry place. Do not contaminate other pesticides, fertilizer, seeds, food or feed. Return spillage to original container prior to disposal.

Product Disposal: Securely wrap original container in several layers of newspaper and discard in trash.
Container Disposal: Do not re-use bag. Discard bag in trash.

ark Ridge™ is a registered trademark of Estech, Inc.

