


FRONT PANEL



PARK RIDGE® 20 WEED & FEED

25-3-3

A well-maintained lawn
benefits our environment!

•Effectively
kills dandelions
and broadleaf
weeds - roots
and all!

NITROGEN:

•Slow release for
growing a thick,
green lawn.

PHOSPHORUS:

•Improves root
growth and plant
food storage
capabilities.

POTASSIUM:

•Vital for growth.
•Improves plant
hardiness and
drought resistance.

- Apply when weeds are young and actively growing.
- Provides vital nutrients plus time-released Nitrogen which encourages grass to fill in bare spots weeds leave behind.
- Contains sulfur which helps maintain dark green color and encourages plant and root growth.

KEEP OUT OF REACH OF CHILDREN

C A U T I O N

In case of contact, wash skin with plenty of soap and water; for eyes, flush with water for 15 minutes and get medical attention. See back panel for additional precautionary statements.

BEST AVAILABLE COPY

ACTIVE INGREDIENTS:

**Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid	0.510% ✓
+*Dimethylamine Salt of 2,4-dichlorophenoxyacetic acid	0.146% ✓
***Dimethylamine Salt of dicamba (3,6-dichloro-o-anisic acid)	0.062% ✓
INERT INGREDIENTS:	99.282% ✓
TOTAL	100.000% ✓

THIS PRODUCT CONTAINS:

**MCPA Acid - 0.425% - 0.74 lbs. per acre or 8.50 lbs. per ton.
+*2,4-D Acid - 0.122% - 0.21 lbs. per acre or 2.44 lbs. per ton.
***Dicamba Acid - 0.052% - 0.09 lbs. per acre or 1.04 lbs. per ton.
+Isomer Specific by AOAC Method 6.D01.5
U.S. Patent No. 3,284,186
) PA Reg. No. 557-1958

EPA Est. No. 557-IL-1

NET WT. 20 LBS. (9.1 kg)
TREATS 5,000 SQ. FT.

REAR PANEL

NET WT 20 LBS. (9.1 kg)

Rids your lawn of undesirable
weeds and feeds it to help it
grow thick and green!

PARK RIDGE® 20
WEED & FEED
25-3-3
TREATS 5,000 SQ.FT. ✓

Our
Environment:

Besides increasing property values, did you know a
well-maintained lawn provides the following benefits
to your home and environment...

- A 50' x 50' lawn produces enough oxygen for a family of four every day!
- Controls Erosion
- Reduces Glare ✓
- Traps Dust, Smoke Particles and other Pollutants
- Purifies Water
- Reduces Noise
- Improves Soil Condition
- Modifies Temperature

Grass Clippings and yard waste are approximately 20% of the volume in our nation's landfills. To do your part to reduce this amount, leave grass clippings on your lawn. Increased mowing height and frequency will produce smaller grass clippings that will decompose more readily so nutrients will go back into your lawn.

GRASSCYCLING

Today's Turf - Tomorrow's Earth
Professional Lawn Care Association of America

487
REAR PANEL Cont.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

Avoid contact with skin, eyes or clothing. Avoid breathing dust. Keep out of reach of children. Wash thoroughly after handling. Harmful if swallowed. Do not re-enter or permit others to re-enter treated areas until dusts have settled.

Protective Clothing: Applicators must wear long pants, long-sleeved shirts, shoes and gloves.

ENVIRONMENTAL HAZARDS

) This product is toxic to aquatic invertebrates. Drift or run-off may adversely affect aquatic invertebrates and non-target plants. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Do not contaminate any body of water by cleaning of equipment or disposal of wastes. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from target area. Do not contaminate irrigational ditches or water used for domestic purposes.

WARRANTY

) If not used as directed, seller makes no warranty, express or implied, concerning the use of this product. User then assumes all risk of loss or damage arising from use, handling and the effects thereof.

NUTRIENTS:

GUARANTEED ANALYSIS

TOTAL NITROGEN (N) 25.0%
 1.0% Ammoniacal Nitrogen
 *24.0% Urea Nitrogen
 AVAILABLE PHOSPHORIC ACID (P₂O₅) 3.0%
 SOLUBLE POTASH (K₂O) 3.0%
 Derived from ammoniated phosphates, urea, sulfur coated urea and muriate
 of potash. Potential Acidity 500 lbs. Calcium Carbonate Equivalent per
 ton.

*Includes 5.0% Coated Slow Release Nitrogen from sulfur coated urea.

Chlorine, not more than 3.0%

) What to Expect - This product kills weeds by contact and by
 absorption.

For use on all lawns except for desirable clovers, Dichondra and
 carpetgrass.

WEEDS CONTROLLED

This product controls the following weeds:

Florida Pusley	Knotweed	Ragweed
Black Medic	Lambsquarter	Sida
Chickweed	Mustard	Spurge
Clover	Oxalis	Wild Onion
Cocklebur	Peppergrass	Wild Lettuce
Dandelion	Pigweed	and many other
Creeping Charlie	Plantains	Broadleaf
) Dockelion	Poison Ivy	Weeds
Henbit	Purslane	

REAR PANEL Cont.

WHEN & HOW
TO APPLY:

Directions for Use: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

WHEN TO APPLY

One or two days after mowing lawn.
Lawns should be watered one day before application.
During warm weather (70°) and when weeds are actively growing.
Apply when air is calm.

DO NOT APPLY

If rain is expected within 24 hours after application.
If lawn is under stress from heat, moisture or drought.

HOW MUCH

4 lbs. per 1,000 sq. ft.

RESEEDING

3 weeks after treatment.

NEW LAWNS

Apply after the third mowing.

BEST AVAILABLE COPY

This product may be used on St. Augustine, Centipede, Bahia, Bermuda, Fescue, Zoysia and Bentgrass lawns. If adverse low moisture conditions exist, weeds are in a poor state of growth, or area is heavily overrun with weeds, retreatment may be necessary. Make a second application in approximately 30 days.

PRECAUTIONS:- Do not apply to newly seeded lawns. Do not apply to dichondra, lippia or other ground cover. Avoid treating St. Augustine grass in summer months (June through September) when it is growing rapidly because temporary foliage discoloration may occur. Do not use where desirable clovers are present or allow the product to "wind drift" on flowers, vegetables or ornamental shrubbery. Do not apply to areas underlaid by roots of desirable trees and shrubs. Do not apply during excessively hot weather (90° and above).

STORAGE: Store in original container in safe, dry place. Do not contaminate other pesticides, fertilizer, seeds, food or feed. Return spillage to original container prior to disposal.

PRODUCT DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.
CONTAINER DISPOSAL: Do not re-use bag. Discard bag in trash.

797

REAR PANEL Cont.

Spreading Suggestions: Spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied and roughness of area treated. Be sure to check spreader at the beginning of the application; adjust spreader if necessary. **DO NOT HAND SPREAD.** Caution: Close spreader openings when loading, turning or when stopped.

BROADCAST SPREADERS

For best results, apply in a circular path starting on the outside and working toward the center. A little overlap of product will insure complete coverage.

Broadcast Spreader Settings

Central Broadcast 600B	4 1/4 - 4 3/4
Cyclone B1-84	5 1/4 - 5 1/2
Ortho Broadcast 6000	2 1/2 - 3
Precision Broadcast SB50	4 1/2 - 5
Scotts Broadcast 021M	K - L
Sears Broadcast 671.19261	4 1/4 - 4 3/4

DROP SPREADERS

First, apply 2 border strips along the edge of each end of the lawn. Then apply product along the length of the lawn, overlapping slightly and shutting off the spreader before turning as you reach the edge of the border strips.

Drop Spreader Settings

Central Drop 550	10 1/2 - 11
Greenview Drop 105	10 1/2 - 11
Ortho Drop 5000	9 - 9 1/2
Precision Drop FH22	10 1/2 - 11
Scotts Drop PF2	8 - 8 1/2
Sears Drop 671.19151	10 - 10 1/2

Manufactured by Vigoro Industries, Inc., Fairview Heights, IL 62208.
Park Ridge® is a registered trademark of Vigoro Industries, Inc.