

FRONT PANEL

PARK RIDGE® 18 WEED & FEED

25-3-3

Provides quick, long-lasting green-up  
Generates fewer grass clippings  
Consistent, long-lasting weed control

For use on St. Augustine, Centipede, Bahia,  
Bermuda, Fescue, Zoysia and Bentgrass lawns.  
Kills: Dandelions, Chickweed, Knotweed, Plantains,  
Henbit, Spurge, and many other broadleaf weeds.

KEEP OUT OF REACH OF CHILDREN  
CAUTION

In case of contact, wash skin with plenty of soap  
and water; for eyes, flush with water for 15  
minutes and get medical attention. See back panel  
for additional precautionary statements.

ACTIVE INGREDIENTS:

**Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid . . . . .	0.567%
+*Dimethylamine Salt of 2,4-dichlorophenoxyacetic acid . . . . .	0.163%
***Dimethylamine Salt of dicamba (3,6-dichloro-o-anisic acid) . . . . .	0.069%
INERT INGREDIENTS: . . . . .	99.201%
TOTAL . . . . .	100.000%

THIS PRODUCT CONTAINS:

\*\*MCPP Acid - 0.473% - 0.74 lbs. per acre or 9.46 lbs. per ton.  
+\*2,4-D Acid - 0.136% - 0.21 lbs. per acre or 2.72 lbs. per ton.  
\*\*\*Dicamba Acid - 0.058% - 0.09 lbs. per acre or 1.16 lbs. per ton.  
+Isomer Specific by AOAC Method 6.D01.5  
U.S. Patent No. 3,284,186  
EPA Reg. No. 557-1959

EPA Est. No. 557-FL-1

NET WT. 18 LBS.  
TREATS 5,000 SQ. FT.

DATE DEC 20 1991  
BEST AVAILABLE COPY

234

REAR PANEL

NET WT. 18 LBS.

PARK RIDGE® 18 WEED & FEED

TREATS 5,000 SQ. FT.

25-3-3

GUARANTEED ANALYSIS

TOTAL NITROGEN (N) . . . . .	25.0%
1.0% Ammoniacal Nitrogen	
*24.0% Urea Nitrogen	
AVAILABLE PHOSPHORIC ACID (P O ) . . . . .	3.0%
SOLUBLE POTASH (K O) . . . . .	3.0%
Derived from ammoniated phosphates, urea, sulfur coated urea and muriate of potash. Potential Acidity 500 lbs. Calcium Carbonate Equivalent per ton.	
*Includes 5.0% Coated Slow Release Nitrogen from sulfur coated urea.	
Chlorine, not more than . . . . .	3.0%

PRECAUTIONARY STATEMENTS  
HAZARD TO HUMANS AND DOMESTIC ANIMALS  
CAUTION

Avoid contact with skin, eyes or clothing. Avoid breathing dust. Keep out of reach of children. Wash thoroughly after handling. Harmful if swallowed. Do not re-enter or permit others to re-enter treated areas until dusts have settled.

Protective Clothing: Applicators must wear long pants, long-sleeved shirts, shoes and gloves.

ENVIRONMENTAL HAZARD

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from target area. Do not contaminate irrigational ditches or water used for domestic purposes.

**BEST AVAILABLE COPY**

REAR PANEL

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

1. Mow lawn to normal height 1 or 2 days before application.
2. Water lawn thoroughly 1 day before application to ensure adequate soil moisture.
3. Apply contents of this bag to 5,000 sq. ft. using the suggested spreader setting. DO NOT OVER-APPLY. For best results, apply when weeds are actively growing.
4. Do not water lawn again until 1 day after application.
5. Approximately 4 weeks after weed kill is evident, an application of 16% or higher nitrogen fertilizer should be made at a rate of 6 lbs. per 1,000 sq. ft. and watered in well.

This product may be used on St. Augustine, Centipede, Bahia, Bermuda, Fescue, Zoysia and Bentgrass lawns. If adverse low moisture conditions exist, weeds are in a poor state of growth, or area is heavily overrun with weeds, retreatment may be necessary. Make a second application in approximately 30 days.

This product combines fast-acting and long-lasting feeding - plus controls the following weeds:

Florida Pusley	Knotweed	Ragweed
Black Medic	Lambsquarter	Sida
Chickweed	Mustard	Spurge
Clover	Oxalis	Wild Onion
Cocklebur	Peppergrass	Wild Lettuce
Dandelion	Pigweed	and many other
Creeping Charlie	Plantains	Broadleaf
Dock	Poison Ivy	Weeds
Henbit	Purshlane	

PRECAUTIONS: - Do not apply to newly seeded lawns. Do not apply to dichondra, lippia or other ground cover. Avoid treating St. Augustine grass in summer months (June through September) when it is growing rapidly because temporary foliage discoloration may occur. Do not use where desirable clovers are present or allow the product to "wind drift" on flowers, vegetables or ornamental shrubbery. Apply when air is calm. Do not apply to areas underlaid by roots of desirable trees and shrubs.

*[Handwritten signature or stamp]*

REAR PANEL

The choice of lawn care professionals: Now you can use the same lawn care products that are widely accepted by professional greenskeepers. This product contains IBDU® slow release nitrogen, the remarkable nitrogen source that keeps your grass green longer. This makes it the choice for feeding 70 of America's top 100 golf courses.

What is IBDU® slow release nitrogen? IBDU® slow release nitrogen is a proven controlled release nitrogen source which is only slightly water soluble and does not depend on temperature or bacterial activity. Instead it's activated by water to release nitrogen in a gradual, predictable way. This way your grass can use it efficiently.

Control broadleaf weeds as you feed your lawn. You can get quick green-up and consistent 100-day growth while you control a broad spectrum of broadleaf weeds with this product.

SPREADER SETTINGS

SPREADER	Broadcast	Drop
Central	4 1/4	10
Cyclone	4	
Greenview		7
Precision	4	9
Scotts	E-F	5
Sears	4	10
Ortho	2 1/2	7

Note: Spreader rate varies with walking speed, age, model and condition of spreader. To insure proper coverage, check spreader over a known area.

Caution: Close spreader openings when loading, turning or when stopped.

STORAGE: Store in original container in safe, dry place. Do not contaminate other pesticides, fertilizer, seeds, food or feed. Return spillage to original container prior to disposal.

PRODUCT DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

Manufactured by Vigoro Industries, Inc., Fairview Heights, IL 62208  
Park Ridge® is a registered trademark of Vigoro Industries, Inc.