

FRONT PANEL

Treats 5,000 sq. ft.


VIGORO CRABGRASS PREVENTER

PLUS LAWN FOOD

NORTHERN FORMULA

Ends the Crabgrass Menace

Feeds your Lawn



KEEP OUT OF REACH OF CHILDREN

CAUTION

In case of contact; for eyes flush with water for 15 minutes; for skin, wash with plenty of soap and water. Get medical attention if irritation persists. See back panel for additional precautionary statements.

ACTIVE INGREDIENT

N-butyl-N-ethyl-a,a,a-trifluoro-2,6-dinitro-p-toluidine 0.87%

INERT INGREDIENTS

Total 99.13%
100.00%

Net Wt 20 lbs.

E.P.A. Reg. No. 557-

E.P.A. Est. No. 557-IL-1



REAR PANEL

NET WT 20 LBS.
Treats 5,000 sq. ft.

VIGORO

CRABGRASS PREVENTER PLUS LAWN FOOD

15-3-3

TOTAL NITROGEN (N)	15.0%
11.7% Ammoniacal Nitrogen	
3.0% Coated Slow Release Urea Nitrogen	
0.3% Water Soluble Urea Nitrogen	
AVAILABLE PHOSPHORIC ACID (P ₂ O ₅)	3.0%
SOLUBLE POTASH (K ₂ O)	3.0%

Derived from ammonium sulfate, ammoniated phosphates, sulfur-coated urea and muriate of potash. Potential Acidity 800 lbs. Calcium Carbonate Equivalent per ton. Manufactured by Estech, Inc., Chicago, Illinois 60602. Vigoro® is a registered trademark of Estech, Inc.

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling.

ENVIRONMENTAL HAZARD

Do not apply directly to water. Do not apply when weather conditions favor drift from target area. Do not contaminate any body of water by cleaning of equipment or disposal of wastes.

REAR PANEL (contd.)

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Apply Vigoro Crabgrass Preventer Plus Lawn Food early in the spring. It kills crabgrass and weed seedlings just as they are sprouting from the seed, so get it on early. This should be done one to two weeks prior to the germination of annual grass weeds. It will not control established weeds.

1. Apply contents of this bag to 5,000 sq. ft. for northern (cool season) turfgrasses.
2. It is essential to apply very evenly with no skips or misses. Calibrate and check application equipment prior to use. Set spreader according to chart below, then cover the area twice, the second time at right angles to the first.
3. Water after application for optimum weed control.


When applied as directed, the following weeds in established turf are controlled: crabgrass, foxtails and barnyard grass with an application in spring; goosegrass with an early summer application. Vigoro Crabgrass Preventer Plus Lawn Food is tolerant to the following turfgrasses when applied as directed.

Kentucky bluegrass Perennial ryegrass Fescue

PRECAUTIONS: This product may thin established annual bluegrass and should not be applied in the spring to turfgrass planted the previous fall. Do not apply to bentgrass putting greens or dichondra turf. Avoid any cultural practices that disturb the soil such as raking, aerification or verticutting after application of this product. Reseeding of treated areas should be delayed for at least 6 weeks after applying this product.

SUGGESTED SPREADER SETTING

COVER AREA TWICE: Second time at right angles to first for thorough coverage.



REAR PANEL (contd.)

<u>SPREADER</u>	<u>SETTING</u>	<u>SPREADER</u>	<u>SETTING</u>
Cyclone	4½		
Sears	5	Scotts	4½
Wards	4		
Vigoro Rotary	4½	Vigoro Drop	5

NOTE: Spreader settings are approximate. Check by trial over known area.

STORAGE AND DISPOSAL

STORAGE: Store in a dry place. Do not contaminate feed & foodstuffs, seeds, fertilizers or other pesticides.

DISPOSAL: Do not reuse empty container. Wrap container and put in trash collection.