

<p>US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75 767) WASHINGTON DC 20460</p> <p>NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION</p> <p><i>(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)</i></p>	<p>EPA REGISTRATION 557-1974</p> <p>TERM OF ISSUANCE</p> <p>NAME OF PESTICIDE PRODUCT EPA Fertilizer Plus 1.5% Korstar</p>	<p>DATE OF ISSUANCE DEC 4 1985</p>
<p>NAME AND ADDRESS OF REGISTRANT (Include ZIP code)</p> <p><input type="checkbox"/> Hetch, Inc. <input type="checkbox"/> 30 North LaSalle Street Chicago, IL 60602</p> <p><input type="checkbox"/> <input type="checkbox"/></p>		
<p>NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p>		
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(C) provided that you:</p> <ol style="list-style-type: none"> 1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data. 2. Make the labeling changes listed below before you release the product for shipment: <ol style="list-style-type: none"> a. Add the phrase "EPA Registration No. 557-1974." b. Delete the word technical from the front panel reference to the amount of active ingredient per ton of product. c. Specify ornamental turf. 3. Submit one (1) copy of your final printed labeling before you release the product for shipment. Refer to the A-72 Enclosure for a further description of final printed labeling. <p><input type="checkbox"/> ATTACHMENT IS APPLICABLE</p>		
<p>SIGNATURE OF APPROVING OFFICIAL</p>	<p>DATE DEC 4 1985</p>	

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Richard F. Mountfort *RFM*
Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (TS-767)

Enclosure

FRONT PANEL

6-3-30

TREATS
8,200 TO
16,400 SQ. FT.

F E R T I L I Z E R
PLUS 1.5% RONSTAR®*
P A R E X®
PROFESSIONAL PRODUCTS

with comments
EIC 4 1985
557-1974

An excellent source of nutrients for established turf plus a selective pre-emergent herbicide which controls weeds in Bermuda Grass, St. Augustine Grass, Tall Fescue, Zoysia Grass, Perennial Bluegrass and Perennial Ryegrass.

ACTIVE INGREDIENT

**Oxadiazon [2-tert-butyl-4-(2,4-dichloro-5-isopropoxyphenyl)- Δ^2 -1,3,4-oxadiazolin-5-one]	1.50%
INERT INGREDIENTS	98.50%
TOTAL	100.00%

**Contains 30 pounds of Technical RONSTAR per ton. For sale to, use and storage by professional turf maintenance personnel only. Not for use on home lawns.


KEEP OUT OF REACH OF CHILDREN

W A R N I N G

In case of contact: for eyes, flush with water for 15 minutes; for skin, wash with plenty of soap and water. Get medical attention if irritation persists. See back panel for additional precautionary statements.

*Registered trademark of Rhone-Poulenc, Inc.

E.P.A. Reg. No. 557-
E.P.A. Est. No. 557-FL-1



NET WT 50 LBS

731-2110

6-3-30

f e r t i l i z e r

PLUS 1.5% RONSTAR®



GUARANTEED ANALYSIS

TOTAL NITROGEN (N)	6.00%
6.00% Ammoniacal Nitrogen	
AVAILABLE PHOSPHORIC ACID (P ₂ O ₅)	3.00%
SOLUBLE POTASH (K ₂ O).....	30.00%

Derived from sulfate of ammonia, triple superphosphate, muriate of potash and sulfate of potash magnesia.

Statement of Secondary Nutrients

Total and Water Soluble Magnesium (Mg).....	1.00%
Sulfur, combined (S)	8.00%
Boron (B)	0.02%
Copper (Cu)	0.07%
Iron (Fe)	1.00%
Manganese (Mn)	1.00%
Zinc (Zn)	0.06%

Derived from sulfate of ammonia, sulfate of potash-magnesia, sodium borate, copper oxide, copper sulfate, iron oxide, iron sulfate, manganous oxide, manganese sulfate, zinc oxide and zinc sulfate.

Chlorine not more than 28.00%


p a r e x

PROFESSIONAL PRODUCTS

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

Harmful if swallowed. Avoid breathing dust. Wear protective clothing including long-sleeve shirt and gloves when handling. Causes eye and skin irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before re-use.



ENVIRONMENTAL HAZARD

Do not apply directly to water. Do not apply when weather conditions favor drift from target area. Do not contaminate any body of water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

- 1. Rake area free of leaves.
2. Mow, if necessary, so granules reach soil surface.
3. Measure area to be treated and apply required amount uniformly, using a fertilizer spreader.
4. Water in promptly after application.

Par Ex Fertilizer plus 1.5% Ronstar will give pre-emergent control of the following weeds in established Bermuda grass, St. Augustine Grass, Tall Fescue, Zoysia Grass, Perennial Bluegrass and Perennial Ryegrass on golf course fairways, parks and lawns.


Crabgrass Goosegrass Oxalis Carpetgrass
Annual bluegrass Florida Pusley Stinging nettle Pigweed

Amount to Use: Apply prior to weed seed germination.

Table with 3 columns: Weed, When to Use, Amount. Includes entries for Goosegrass, Annual Bluegrass, Pigweed, Oxalis, and Carpetgrass with application rates per 1,000 sq. ft.

PRECAUTIONS: DO NOT apply to wet turf as injury may result. DO NOT apply to Dichondra or Centipedegrass. DO NOT use on putting greens or tees or any turf areas containing bentgrass or red fescue. DO NOT apply to newly seeded areas. Seeding into treated areas should be delayed for 120 days after treatment. Do not apply to turf with heavy thatch accumulation or to turf which has been affected by disease or nematode activity. DO NOT feed treated clippings to livestock.

This product will stain patios and sidewalks. Remove spillage promptly.



STORAGE AND DISPOSAL ✓

STORAGE: Store in a dry place. Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. ✓

DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. ✓
Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration or, if allowed by State and local authorities, by burning. If burned, stay out of smoke. ✓

Par Ex® is a registered trademark of Estech, Inc.

Manufactured by Estech, Inc.,
Chicago, Illinois 60602

