

10F 4
Pm 2 S

REG. # 557-1976

TREATS
5,000
SQ. FT.

V I G O R O
D E E P G R E E N
C R A B G R A S S P R E V E N T E R
P L U S
L A W N F O O D

ACCEPTED
NOV - 7 1985
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended for the pesticide
registered under
EPA Reg. No. 557-1976

Stops crabgrass before it starts
Nitrogen combination promotes a long-lasting deep green lawn
Apply in early spring

KEEP OUT OF REACH OF CHILDREN

CAUTION

In case of contact: for eyes, flush with water for 15 minutes; for skin, wash with plenty of soap and water. Get medical attention if irritation persists. See back panel for additional precautionary statements.

ACTIVE INGREDIENT
N-butyl-N-ethyl-a,a,a-
trifluoro-2,6-dinitro-p-
toluidine..... 1.15%
INERT INGREDIENTS 98.85%
TOTAL 100.00%

E.P.A. Reg. No. 557-
E.P.A. Est. No. 557-IL-1
GA-8
CT-1
CA-1

NET WT 20 LBS (9.07 Kg)

NET WT. 20 LBS (9.07 Kg)

TREATS 5,000 SQ. FT.

VIGORO
DEEP GREEN
CRABGRASS PREVENTER
PLUS LAWN FOOD
18-3-6

GUARANTEED ANALYSIS

TOTAL NITROGEN (N)	18.0%
1.2% Ammoniacal Nitrogen	
12.3% Urea Nitrogen	
4.5% Coated Slow Release Urea Nitrogen	
AVAILABLE PHOSPHORIC ACID (P ₂ O ₅).....	3.0%
SOLUBLE POTASH (K ₂ O).....	6.0%

Derived from ammoniated phosphates, urea, sulfur-coated urea and muriate of potash. Potential Acidity 100 lbs. Calcium Carbonate Equivalent per ton. Manufactured by Estech, Inc., Chicago, Illinois 60602.

PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS AND DOMESTIC ANIMALS

C A U T I O N

Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling.

ENVIRONMENTAL HAZARD

Do not apply directly to water. Do not apply when weather conditions favor drift from target area. Do not contaminate any body of water by cleaning of equipment or disposal of wastes.

1000
 900
 800
 700
 600
 500
 400
 300
 200
 100
 0

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Apply Vigoro DEEP GREEN Crabgrass Preventer Plus Lawn Food early in the spring. It kills crabgrass and weed seedlings just as they are sprouting from the seed, so get it on early! This should be done one to two weeks prior to the germination of annual grass weeds. It will not control established weeds.

1. Rake area free of leaves and other debris prior to application.
2. Apply contents of this bag to 5,000 sq. ft.
3. It is essential to apply with no skips or misses. Calibrate and check equipment prior to use. Set spreader according to the chart below and apply evenly to the area. Check frequently to ensure equipment is working properly and distributing product uniformly.
4. Water in after application for optimum weed control.

When applied as directed, the following weeds in established turf are controlled: crabgrass, foxtails and barnyardgrass with an application in spring; goosegrass with a late spring or early summer application; annual bluegrass (Poa Annua) in northern areas with a late summer and early spring application.

Vigoro DEEP GREEN Crabgrass Preventer Plus Lawn Food is tolerant to the following turfgrasses when applied as directed.

Kentucky bluegrass	Fescue	Bermudagrass
Perennial ryegrass	Zoysia	St. Augustine grass
Centipede grass		Bahiagrass

PRECAUTIONS: This product may thin established annual bluegrass and fine-leaved fescues and should not be applied in the spring to turfgrass planted the previous fall. Do not apply to bentgrass putting greens or dichondra. Avoid any cultural practices that disturb the soil such as raking, aerification or verticutting after application of this product. Reseeding of treated areas should be delayed for at least 6 weeks after applying this product.

REAR PANEL (Page 3)

SUGGESTED SPREADER SETTING

SPREADER	SETTING	SPREADER	SETTING
Cyclone	4 1/8	Wards	5
Sears Mark II	5	Precision 20C	4
Central 40 Drop	5 3/4	Scotts PF-1	5 1/2
Central 60 Broadcast	4 3/8	Kmart	5 1/2

NOTE: Spreader setting varies with terrain, equipment and walking speed. To insure proper coverage, check spreader over known area.

CAUTION: Close spreader openings when loading, turning or when stopped.

<p>Storage: Store in original container in safe, dry place. Do not contaminate other pesticides, fertilizer, seeds, food or feed. Return spillage to original container prior to disposal.</p>	<p>Product Disposal: Securely wrap original container in several layers of newspaper and discard in trash.</p> <p>Container Disposal: Do not re-use bag. Discard bag in trash.</p>
--	--

Vigoro® and DEEP GREEN™ are trademarks of Estech, Inc.

