

57-1977 PM 23 1065

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460	EPA REGISTRATION 557-1979	DATE OF ISSUANCE DEC 23 1986
	TERM OF ISSUANCE Conditional	
	NAME OF PESTICIDE PRODUCT Par Ex Fertilizer Plus 2.0% Ronstar	

NOTICE OF PESTICIDE: ☒ REGISTRATION
☐ REREGISTRATION
(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Vigoro Industries, Inc.
2007 West Highway 30
P.O. Box 4139
Fairview Heights, IL 62203-2928

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Registration No. 557-1979."
 - b. Add a Storage and Disposal section in accordance with the enclosed PR Notice 83-3.
 - c. Correct the maximum application rate to read 4.5 lb per 1000 sq ft in order to be identical to the registered application rate for oxadiazon.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further descriptor of final printed labeling.

☐ ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE
DEC 23 1986

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Richard F. Mountfort *RFM*
Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (TS-767C)

Enclosures

FRONT PANEL

Net. Wt. 50 lbs.

22-3-9

TREATS

11,000 TO

22,000 SQ. FT.

306 1/2
Similar to
557-1979

their 1.5%
formulation

FERTILIZER

PLUS 2.0% RONSTAR®

P A R E X®

PROFESSIONAL PRODUCTS

An excellent source of nutrients for established turf plus a selective pre-emergent herbicide which controls weeds in Bermuda Grass, St. Augustine Grass, Tall Fescue, Zoysia Grass, Perennial Bluegrass and Perennial Ryegrass.

ACTIVE INGREDIENT

**Oxadiazon (2-tert-butyl-4-(2,4-dichloro-5-isopropoxyphenyl)- Δ^2 1,3,4-oxadiazolin-5-one)

2.00%

INERT INGREDIENTS

98.00%

TOTAL 100.00%

**Contains 40 pounds of RONSTAR per ton. For sale to, use and storage by professional turf maintenance personnel only.

Not for use on home lawns.

KEEP OUT OF REACH OF CHILDREN

W A R N I N G

In case of contact; for eyes, flush with water for 15 minutes; for skin, wash with plenty of soap and water. Get medical attention if irritation persists. See back panel for additional precautionary statements.

*Registered trademark of Rhone-Poulenc, Inc.

E.P.A. Reg. No. 557-

E.P.A. Reg. No. 557-FL-1

REAR PANEL

4065

NET WT. 50 LBS.

731-2110

22-3-9

F E R T I L I Z E R

PLUS 2.0% RONSTAR®

GUARANTEED ANALYSIS

TOTAL NITROGEN (N) 22.00%

1.20% Ammoniacal Nitrogen

16.80% Urea Nitrogen

4.00% Water Insoluble Nitrogen

AVAILABLE PHOSPHORIC ACID (P_2O_5) 3.00%

SOLUBLE POTASH (K_2O) 9.00%

Derived from urea, ammoniated phosphate, isobutylidene diurea, sulfate of potash and sulfate of potash magnesia.

Statement of Secondary Nutrients

TOTAL and Water Soluble Magnesium (Mg) 1.00%

Sulfur, combined (S) 4.00%

Boron (B) 0.03%

Copper (Cu) 0.11%

Iron (Fe) 2.00%

Manganese (Mn) 0.34%

Zinc (Zn) 0.09%

Derived from sulfate of potash, sulfate of potash-magnesia, sodium borate, copper oxide, copper sulfate, iron oxide, iron sulfate, manganous oxide, manganese sulfate, zinc oxide, and zinc sulfate.

Chlorine not more than 1.00%

PAR EX

PROFESSIONAL PRODUCTS

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

WARNING

Harmful if swallowed. Avoid breathing dust. Wear protective clothing including long-sleeve shirt and gloves when handling. Causes eye and skin irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse.

5065

ENVIRONMENTAL HAZARD

Do not apply directly to water. Do not apply when weather conditions favor drift from target area. Do not contaminate any body of water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

1. Rake area free of leaves.
2. Mow, if necessary, so granules reach soil surface.
3. Measure area to be treated and apply required amount uniformly, using a fertilizer spreader.
4. Water in promptly after application.

Par Ex Fertilizer plus 2.0% Ronstar will give preemergent control of the following weeds in established Bermuda grass, St. Augustine grass, tall fescue, zoysia grass, perennial bluegrass, and perennial ryegrass on golf course fairways, parks and lawns:

Crabgrass	Goosegrass	Oxalis	Carpetgrass
Annual bluegrass	Florida Pusley	Stinging nettle	Pigweed

Amount to use: Apply prior to weed seed germination.

<u>Weed</u>	<u>When to Use</u>	<u>Amount</u>
Goosegrass, Crabgrass	In early spring	2.3 to 3.5 lbs. per 1,000 sq.ft.
Annual Bluegrass	In fall or early spring	4.6 lbs. per 1,000 sq. ft.
Pigweed, Florida Pusley	In early spring	4.6 lbs. per 1,000 sq. ft.
Oxalis, Stinging Nettle		4.5 lbs. per 1,000 sq. ft.

PRECAUTIONS: DO NOT apply to wet turf as injury may result.
 DO NOT apply to Dichondra or Centipedegrass.
 DO NOT use on putting greens or tees or any turf areas containing bentgrass or red fescue.
 DO NOT apply to newly seeded areas. Seeding into treated areas should be delayed for 120 days after treatment.
 Do not apply to turf with heavy thatch accumulation or to turf which has been affected by disease or nematode activity.
 DO NOT feed treated clippings to livestock.

This product will stain patios and sidewalks. Remove spillage promptly.

PAR EX® and IBDU® are registered trademarks of Vigoro Industries, Inc.

Manufactured by Vigoro Industries, Inc., Fairview Heights, Illinois 62208-2928

Storage and Disposal